

MODEL AIRPLANE NEWS

NOVEMBER 1957-35 CENTS





Champions, like Bob Palmer, are aware that most fuels leave residues that accumulate on engine parts, soon causing power fall-off. So they have always had "pet" engines used ONLY for contest flights, in order to baby them and retain their peak performance as long as possible.

But this is no longer necessary... because the special new

But this is no longer necessary... because the special new lubricant—LUBEX 27—in Pactra POWER FUEL leaves a minimum of residue—easily expelled from the exhaust. And POWER FUEL runs cooler, too, giving maximum protection against overheating, seizing and scoring—so destructive to engines. Its balanced formula provides consistently smooth running throughout the entire flight, switching easily and smoothly from 2-cycle to 4-cycle operation... so very important for successful stunt maneuvers. The broader range of POWER FUEL eliminates need for critical needle valve adjustment in order to bring engines to flying speed... thus getting the plane in the air faster which, combined with the FULL power it gives, means longer flights per tankful... more economy.

Whether you're using your engine for contest flying or just plain fun—Pactra POWER FUEL—with Lubex 27—will keep it running cleaner longer at FULL POWER. See the chart at the right.



PACTRA POWER FUEL

FUEL B

FUEL C

FUEL D

FUEL E

odel I

Winner Nationals OPEN STUNT Championship and 7 times California OPEN STUNT champion. One of Bob's favorite planes is this "Veco" Thunderbird, powered by a Veco .35 Engine.

Pints 984
% Pints 594

AT YOUR FAVORITE DEALER—on his "Pactra Counter Refueling Station". Try a can today!





Model Builders Everywhere are "Puttin' 'Em Together'' and "Paintin' 'Em Pretty' with



Comet

DOPE, PAINTS for PLASTICS and CEMENTS for PLASTICS and BALSA



Top Values at

10 ¢

15° and 25°

- and that means

### BETTER-LOOKING MODELS ... faster!

Put your models together in double-quick time—give them the "razzle-dazzle" of vivid, authentic colors—with Comet Cements and Dope for Balsa and Comet Cement and Paints for Plastics! Comet Cements gr-r-ip tight; Comet Dope flows on smoothly, covers like a dream! Comet Paints for Plastics dries to the touch in 5 minutes—touches up household articles, too! Full range of brilliant, vivid colors. Unmatched value—generous 10c sizes! Yes, "put 'em together and paint 'em pretty" with Comet Cements, Dope and Paints—get 'em at your Comet dealer!

SEND 25c FOR BIG NEW 20-PAGE BOOK "WHAT MAKES AN AIRPLANE FLY?"

PRINTED IN 2 COLORS; LOTS OF PICTURES AND DIAGRAMS.

COMET MODEL HOBBYCRAFT, INC.

501-05 WEST 35TH STREET - CHICAGO 16. ILLINOIS

Send 20c for Comet's Great New 1957 Catalog



### For Planes that Fly the ones to Buy...









CARL GOLDBERG

### LATEST "CUSTOM MIDGET



CUSTON TRANSMITTER BOX INCLUDED



RECEIVER TUBE "LIDLES" WHILE RELAY REMAINS IN UNENERGIZED STATE. (saving tube and battery)

SHOULD RECEIVER or TRANSMITTER FAIL WHILE IN USE MODEL COMES IN RATHER THAN FLYING OUT OF SIGHT (This new type of "Fail Safe" operation fully explained in our instructions)

Fully Re-Designed "CUSTOM RECEIVER" weight under 3 ounces including 10,000 ohm relay (relay included) plus Silver Ceramic Trimmer, midget resistors & condensors, Nylon Coat Coil wire etc. Uses one X F of 1 Tube which IDLES while relay not energised saving Tubes life, Batteries etc. "CUSTOM TRANSMITTER" 27 M C Exam. Free Band with pre-drilled or placed on Field. Has range of 1 mile of (the Batteries) and the present of the same of the same present of the same both rudder and selevators or rudder alone off battery supply, no rubber used for Boats, Aircraft, or Cars of small 3/4 asies up to large 8 ft. models. You do not have to be a Radio Expert to assemble the 3 units, all parts are tagged and marked to correspond to drawings.

"CUSTOM MIDGET" RECEIVER TRANSMITTER and ACTUATOR....

Also Available "STANDARD MIDGET I" Radio kit, this group of 3 units, aame design as above, same Relay, Same type Transmitter and Actuator, The difference from above is the Roceiver weight which is greater (slightly over 4 ounces) Heavier components used.

"STANDARD MIDGET I" RECEIVER TRANSMITTER and ACTUATOR...

PLANS FOR THE "CUSTOM MIDGET" all three BOOKS "RADIO CONTROL OF MODEL AIRCRAFT" \$3.98 | "RADIO CONTROL OF MODELS" ...... 2.50 | "RADIO CONTROL SHIPS, BOATS, AIRCRAFT" ...... 3.98 |

\*SUPPLY SOURCE DIRECTORY" Talls where to obtain Relays, Tubes, Crystals, all types equipment low as 1/28th normal prices, 27:00 MERCHANDISE COUPON FREE with Directory...

\*\*SPECIAL 10:00 THANSMITTER ARRIAL"\*\*, 48:00 SPECIAL 10:000 CHM SIGMA RELAY... 22:90 SPECIAL 10:000 CHM SIGMA RELAY

RADIOMODELS, BOX 36, DEPT. M BALTIMORE 6, MARYLAND

### INTERNATIONAL COMPETITION NEWS

► RUSSIA WINS NORDIC TEAM AWARD. For the first time the coverted AWARD. For the first time the coverted Daumarie Cup was awarded the Russian team for their overall performance and high team standing at the 1957 Nordic finals held August 7-11 at Mlada Boleslav, Czechoslovakia. The news reaches us via cablegram from Gerry Ritz who attended in person. No times were given, but as soon as they are available they will be in this column. Yugoslavia won the Swedish Clider Cup for the highest individual performance. formance.


The Speed KNVVL Cup for individual win was won by Czechoslovakia, who also swept the event by their winning of the very excellent Aero Club d'Italia Team

Unless there was a change of heart on behalf of the appointed USA speed team the models were not at the contest. Unless last minute arrangements with USAFE speed fliers were finalized our country's representation was very poor, to say the least. The big problem with our team was their reluctance to send models to be flown proxy on Monoline. European experience with single line is nil, and it was felt that satisfying results could not be

With the Nordic Cup now behind the Iron Curtain one ponders the future statis of this event. We hope it will be possible for the usual large country entry to comfor the usual large country entry to com-pete for this cup when next it comes up for competition in 1959. Perhaps some of those stalwart supporters of the indi-vidual contest as against a huge triple event contest will now begin to wonder if perhaps they should have bent a little and supported the proposal that would have predetermined the country all three events would be held in each year.

The committee was besieged at the Nationals to lower the qualifying flight times for local eliminations. With the upping of the power loading and the reduction of the rubber weight, it was felt that performance would in most cases fall below the qualifying times. It must be noted that the flight time for the finals events have not been lowered, and that the new rules were adopted to eliminate ties, and because it was felt that the quality of the flying had reached the stage where something should be done, and it was. The committee feels that the qualifying times are fair, and wishes to point out that the local eliminations are just that, to eliminate. The 20% of entry rules still applies which gives three qualifiers where there The committee was besieged at the Nawhich gives three qualifiers where there are from 13-17 entrants and five when there are from 23-27 entrants. This is a good percentage. If there are 25 contestants good percentage. If there are 25 contestants at a given elims one out of five can qualify on the 20% rule, and any number can qualify with 12 minutes in Wakefield and 11½ in Power. On an average flight time this works out to 2:24 per flight in Wakefield. The good results with 80-gram Wakefield made it fairly easy the last two years to qualify. Now it becomes a bit harder. This should produce better airplanes to meet the conditions, especially in the meet the conditions, especially in the Power event.

Ed Dolby
INTERNATIONAL COMPETITION
COMMITTEE of the AMA.




# "DRAGGING an ANCHOR!"

Losing Power because it's Slowed up by Sludge and Detriments?????

ALL MODELERS KNOW you lose engine power and performance when impurities and residues in fuels such as sludge, varnish, when impurities and residues in fuels such as sludge, varnish, gums and acids begin to deposit on, or attack, delicate moving parts. It's like "dragging an anchor!" FRANCISCO has known the answer for many years. The SECRET is not just putting something in—and believe you we use more costly ingredients than any fuel makers in the world. IT'S ALSO WHAT YOU TAKE OUT—how the fuel is purified and processed and against spoilage, etc. FRANCISCO FUELS are processed 4 ways to remove detriments—to protect your engine, give you more power, give winning performance—longer engine life. CHECK THIS REVEALING CHART

COMPARATIVE PERFORMANCE

n



THIS LABORATORY CHART is based on a comparison of the Overall Effectiveness of FOUR LEADING FUELS. Francisco Fuels are identified by A. It considers lubrication, viscosity change tolerances, flash, fire and burning points, Octane Rating Numbers, end points, ratings for atmosphere variations in compression, detriments, conradson, acid corrosion, and aldehyde formation. It reveals that, averaging:

FRANCISCO FUELS GIVE YOU:-5 Times Greater **Lubrication Advantages** 1/4 to 1/3 Less Amount of **Harmful Detriments** 

Remember — FRANCISCO FUELS HAVE WON MORE SPEED RECORDS and First Places

—Than all other prepared fuels combined. They are recognized as tops from Model Meet Champs to Indianapolis Speedway winners Remember, too — Fuels with Plain Castor Oils contain undesirable gummy qualities. Synthetic lubrications will not stand Flash and Fire Point requirements of our fuel. To play safe — specify Francisco.

Ask your Dealer for:

POWERMIST SPITFIRE-TOPSOL BLUE BLAZER



3015 Glendale Boulevard, Los Angeles 39, California





JAY P. CLEVELAND, President and Publisher

NOVEMBER 1957

Vol. LVII, No. 5

### CONTENTS

### CONSTRUCTION

Sure Fun		16
Profile Silvaire	400000000000000000000000000000000000000	18
The Zyphyr		20

### ARTICLES

1957 Nationals	14
RC at the Nationa	ls20
Let's Get Started	28
First Transatlantic	Flight23

### **FEATURES**

International	Competition	News	**********	2
MAN at Wor	rk		*****	4
N.C. 4 Plans	***************************************			24
Enraign Note:				30

WILLIAM WINTER, Editor

WITTICH HOLLOWAY, Art Director
Contributing Editors: Peter Chinn (England),
Don Grout, Ed Lorenz, Ted Martin,
Bruce Wennerstrom, Harry Williamson

Executive and Editorial Office: 551 Fifth Avenue, New York 17, N. Y. Advertising Manager, N. E. Slane, 551 5th Ave. New York 17; West Coast Adv. Mgr., Justin Hannon, 635 S. Kenmore Ave.,


Los Angeles 5, Calif.

Published Monthly by Air Age, Inc. Editorial and Business Offices: 551 Fifth Ave., New York 17, N.Y. Jay P. Cleveland, President and Treasurer; Y. P. Johnson, Vice Pres.; G. E. DeFrancesco, Sec. Entered as Second Class Matter at the Post Office at Columbia, Missouri.

Columbia, Missouri.

Price 35c per copy in U. S. Substription Prices—U. S. and possessions: 1 yr. \$3.50; 2 yrs. \$5.50; 3 yrs. \$7.50; Canada: 1 yr. \$4.00; All other countries: 1 yr. \$5.00. Payment from all countries except Canada must be in U. S. funds. Change of Address—Second to Michael Change of Address with the second to the force. Send oil address with the new, enclosing if possible your address label or copy. The Post Office will not forward copies unless you provide extra sestage. Duplicate issues cannot be sent.

Copyright 1957 by Air Age, Inc. Printed in U. S. A.



► About eight o'clock, on the last day of the late lamented Nationals, far removed from the somewhat dampened turmoil, some two dozen stunt afficionados came together as for a duel. There were the participants, George Aldrich, Arthur Pawloski, and Bob Winks, open, senior, and junior stunt winners, respectively, who were here to settle the national stunt championship. Except for the three special judges sitting in a row in the rain, the rest of us huddled under a sideless tent. Not too far off, the team races built noisily toward the finals, occasionally drowning out the hup, hup, of wheeling squads of enemy photographers and reporters. Sitting here in the judges' tent, we

MAN Trophy winners: From L to R—Gerald Knowles, 3; Thomas Alex Lane (2); Michael Burke (1). Event, Senior Control-line scale.



thought of Paul Gilliam.

After covering two Nats for MAN, the Civy Boy man once remarked, "Once you've covered this thing, how do vou tell the same story the next year?" How do you cover a Nationals? But now young Winks goes out to fly. It rains harder. Old bundle-of-nerves Aldrich gets to wondering about the rain on his glasses, but settles on the problem of no wind to blow his slipstream away. Slipstreams haunt George because he flies in the same place every time and the bumps don't make him look good. Pawloski flies now. When George flies we comment to Mike Schlesinger, the tall, thin man from Top Flite, pale as a ghost, that the younger boys are mighty sharp-and Mike really turns on the suffering. Yeah, how do you cover a Nationals, Paul? Winks, and his Dad helping, are up again. Been flying stunt only a year or so-a new modeler and as cool as a cucumber, battling the country's best. There was a time when all those officials stamping up and down in those awesome helmets used to scare us stiff. Not Winks, though, or Pawloski. George can afford to be nervous -he can't afford to lose. And he (Continued on page 7) doesn't.

NEXT MONTH'S COVER
Supermarine Spitfire



Something different in control-line is this sport model, shown with its designer-pilot, Vern Clements. An interchangeable twin-float and wheel gear add to its versatility. "There's nothing like water take-offs and landings," says Vern. Skimming the water inverted is a sight, spectators agree.





A Quick Start Every Time!



e e y n n e n

d s, e

T

IS

85c



85c

### OK DIESEL FUEL

### For Diesel Engines

For easy starting and top performance in any weather ... for long, smooth engine life ... ask for OK Diesel or Glow Fuels. You'll be delighted with the instant response and sustained power of these fuels in speed, endurance or stunt flights. And you'll like the way they leave your engine after long usage . . . clean, free

### OK GLOW FUEL For All Glow Engines

from varnish or residue, ready to go! That's because the high-powered fuels are blended with high-heatresistant lubricants that won't thin out under engine heat—nor gum up when the engine cools. For the most fun in flying, ask for OK Diesel or OK Glow Fuel!

Here's Everything You Need to Operate an Engine!

### OK ACCESSORY SET

Just the right fuel . . . just the right accessories for satisfactory engine operation! Contains:



1 filler spout with plastic tubing

 1 set battery leads fully assembled and soldered, with battery connection and glow plug clip

1 combination plug wrench and screw driver

For Use with All Model Engines

Also COMET SAN

COMET SABRE 44 COMET MUSTANG A J FIREBABY YEARS OF

SEE YOUR DEALER HERKIN

HERKIMER TOOL & MODEL WORKS

88 Harter St

Herkimer, N. Y.

Or write us direct



OLO ENGINES
Alveed Sues Shruil API
Estable See API
Estable See

24.00 Enhaust Vol. of Special .35 Speed 24.00 Combat Special .36 .37 Racing .scon-Beam or Rad. Mt. .39 .32 .33

3 | 1.6 of | 2.5 of |

ENGINE TRADE IN SERVICE

We meet all competition! If anyone ofvertiess a higher trade-in allow-ance in this issue, clip the ad and send it to our N.Y. office with your order. SONUS ITEMS INCLUDED AT NO EXTRA CHARGE. Your old cogine is worth 25 % of the amount of your purchase. Only 1 engine accepted per order.

DIESEL ENGINES
McCoy .049
O.E. Cub .049 -- 6.95; Cub .078 7.95
IGNITION ENGINES

perfor .99 26.80 (B) 12.95 (B) 12.95

MARINE BHG-108ES
Mar-Purt Turin 12
18-58
Mar-Purt Turin 12
18-58
Mar-Purt Turin 13
18-58
Mar-Purt Turin 13
18-58
Mar-Purt Turin 13
18-58
Mar-Purt Turin 14
18-58
Mar-Purt Turin 14
18-58
Mar-Purt Turin 14
18-58
Mar-Purt Turin 14
18-58
Mar-Purt Marine
Marine Marine
Marine Marine
Marine Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marine
Marin

### 1.00 | 24.95 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00

GINE ACCESSORIE

ortho Coerral Stranocis 
is Valva Mr. Rubs . 29 to . 35 
Cos . 164° Redial Mr. Adester 
of Teos—cot of 2 
armal Hopper 2-5 pd. Chri. 
oed Poss (Magnessium): 
Ibernal Hopper ce 1/3A Bim. se. 
Class A Tios oe Bottom 
B (Tos), Fee or KEPS Bim. se. 
Class Car (Tos or Bim.) se. 
Orthodox Sound Pan se. 
Orthodox Sound Pan 
os. 
Orthodox Sound Pan 
os. 
District Sound (FF) .

2.80 1.90 3.50 4.90 9.93 1.50

AA) 4.95 AA) 6.95 AA) 6.95 AA) 6.95 AA) 6.95 (AA) 6.95

will you find as large a selection of

AIRPLANES ENGINES SPEEDBOATS
RACE CARS ACCESSORIES ETC.

CHECK THIS LIST!

ENGINES AIRPLANES

hobbyist's SUPERMARKET of super

U-CONTROL PLANES

Ares Coant, 6' (2), 549-1, 21
Ares Chand, 6' (2), 549-1, 21
Ares Chand, 1' 209-1, 519-1
All Amer. Telescope 2' AAA
All Amer. Service 2' AAA
All Amer. Service 2' AAA
All Amer. Service 3' AAA
All Amer. Service 3' AAA
Ares 2' AAA
Ares 2' AAA
Ares 2' AAA
Ber Class 2' AAA
Ber Class 2' AA
Ber Class 2' AAA
Ber Clas

Beeing F484 30" .099 to .29 Beeing F7 17 48" .35 to .49 Beeing F26A 18" AA Benanza 18" .035 to .074 Brare 36" A.B.C Caudron Recer 16" .020 to .049

Seeing PASA 119 of 274

Stonars 117 of 275 of 274

Stonars 117 of 275 of 275

Candres Baser 15° 2020 of 299

Candres Baser 15° 2020 of 299

Candres Baser 15° 2020 of 299

Candres Baser 15° 2020 of 275

Candres Baser 15° 2020 of 275

Candres Baser 15° 2020

Candres Baser

SPECIAL

NEW AND ITEMS if available anywhere WE'VE GOT EM!

WORLD'S LARGEST HOBBY MAIL ORDER HOUSE ... SINCE 1931 Only AHC Gives You All These Terrific EXTRAS

Albatross 16" (Mo Viscount 11½" (Ho U.S.N. Bilmo 11" (I Bosing B179, 19" Corsair 7" (Howk) Curliss Publes 8" Deuglas DC3, 12" Ford Trimator 12" Holicopter \$585.

1. One year undescriptions to Model Airplans News, Air Trails and Filips Models or their experiment value to our regular customers. 2: 14-Dep Monoy Back guerantees on unused purchases.

2. 8-DNUS TERMS with every dengine (\$3.75 or over) purchased. Includes: Correct Size Propeller, Gib Engine Handlesok, etc.

4. 8-DNUS TERMS with Gast Planes I realling at over \$1.95 i... includes: Construction Monaul, Rubber Wheels, Insignals, etc.

5. 80 M.S.A. no postage or packing charges for orders of over all control of the control of th

, Membership in "Modelcrafters of America," the club that lease you up to date on gas modeling and SAVES YOU MONEY ON YOUR PURCHASES. Over 100,000 members!

7. No "minimum" orders. Any order is velcome.
8. Factost Service in the World! Whether your order is for \$5 or \$500.00, you get our famous 24 HOUR SERVICE

1,49 ,98 1,00 2,49 .50 1,25 .98 .98 .98 .98 .98 .98

Tugboat 9" ( USS United Nant (Eyro)
(US) United States 29" (Ideal)

NOATS
U.S.S. Forestel 20" (Aurora)
Histaba, Minamet 20" (Ravell)
Dal Tug 14" (Pare) 2.49; w/m
Cobre 16" (Sterling)
Constitution 19" (Revell)
Pawer Runabout 12" (Monogra
FDR Carrier 22" (Revell)
Freighter C3, 15" (Ravell)
Robt, E. Los, 21; " (Pyrol

### SATISFACTION GUARANTEED OR YOUR MONEY BACK PLASTIC MODELS

REE GAS PLANES

BONUS OFFERS

ACCESSORIES

FOOTLIES

FOR T D 14-4-9 7 32

FOR T D 14-9 7 32

FOR T

1.10 .59 .49 GLO PLUGS (STATE ENG McCoy, OAR, KAS, Kwik Stert, V Cox, Fury, Wasp or T.D. ea. O.K. (short or long) Champion Spark 50 Glo

"AERO COMMANDER"

by "BERKELEY" ... 33" Span U-Control model Fier .049 to .299 ang. SONIC STAR

295

Allyn Croft Outbul, w/eng. Aquamite (with engine) Corvette. 1475 w/starter Water Witness of the Corvette. 1475 w/starter Water Winner Witness of the Corvette Water Winner Witness of the Corvette Water Witness of the Corvette Witness of the Corvet

Why Order from any Manufacturer?

ORDER from
ANC and GET
FREE PREMIUMS FREE

25 CATALOGS \$ 1
A SHEETS
For Only
ples . . Catalog that salls for 26s

wi

lat

rai

sui

flig

int

In

ziz Ca

fu Zij

the

sel jol

AI

P/

th

ab

F

Ju fo

N

yo

17. Val Ge Jacker Mart van Ser 28s.

17. Val Ge Jacker W. 40. Ann. 40.

18. Server Com. Cond. 18. Ann. 40.

20. S. Server Com. Cond. 18. Ann. 40.

20. S. Server W. 40.

18. Server W. 40.

19. Server W. 4

Fox Super Feel Fox, Hi-Mittee Fox, H

### WE ALSO SELL TO **DEALERS**

ing into business. We sit anywhere in the world . export our specialty! MOD-AD AGENCY, Inc 146 West 22nd Street New York 11, N. Y.

Clear C. Seed No. 191
December Seed No. 191 YOU NAME IT

Borth-Miles IP AA 031 to 374 Cool from IP AA 03 to 315 Cool from IP AA 03 to 315 Cool from IP AA 03 to 375 Cool from IP AA PREE FLIGHT PLANES & R/C Aeronea C3 36" .049 to .099 EAG

Ford Trimeter 12" (Monoers Holicopter SSB, 13" (Reval Mitchell B28, 13" (Reval) 98Y Cateline 17" (Aurora) Strathofer 882, 13" (Reval) Stratefanker 13" (Comet) Stuka 115" (Lindbora) Skywarrier 18" (Allyn)

Champion Spark 50 Glo WHEELS KAB Alum, Hubs 1" — 40c; 1 ½ " 2" — 90c; 2 ½ "

(pr) 16"-1" 30c 1%" 40c 155" 45c

SUPER CUB

**U-C ACCESSORIES** RKELEY\*control lines .008, .010, .012 - 2\*-55\* .008, .010, .012, .014 2-70 .010, .012, .014 2-70 .012, .014 2-70 .012, .014 2-70 .012, .014 2-70 .012, .014 2-70

AN Form 10 (1981)

AN Form 10 (1981)

AN Form 10 (1981)

AN Figure Chi 27 (1981)

AN Figure Chi 28 (1981)

AN Figure Chi and Deril II. 23 to 20 €
and Deril II. 23 to 20 €
and First III. 25 €
and First I Week Called St. 957 - 15 MORE "AHC" SUPER BARGAINS

FAMOUS DISPLY MODEL

TABLE TOUR FICE A BAYE

TARE TOUR FICE A BAYE

TARE TOUR FICE A BAYE

TARE TOUR FICE A BAYE

TOUR FICE A BAY

ATWOOD CADET

.049 GLO ENGINE

SAVE '2"

ocke Welfe 190 16" 220 - 299
ocker D3 39" 29 to 49
ocker D4 329" 29 to 49
ocker D4 329" UC .19-35
ocker D7 16" AA
ocker Fripions 16" AA
octy-Ninet 16" AA
octy-Ninet 16" AA
octy-Ninet 16" A
oct-Ninet 16" AB
oct-Nine

SHEET ATWOOD SHEET AND SHE

Met. Melillans 15, 264 to 274 (150 Met. Melillans 15, 274 to 13 Melillans 15, 274 to 13 Melillans 16, 274 to 13 Melillans 16, 274 to 13 Melillans 16, 274 to 14 Melillans 16,

Trainer II 20" .14 to .19 Trainer III 36" .19 to .36 Clust 36" B Guick Silver 32" .14 to .29 Rascal 27" .049 to .074 Raspic Damie 16" .039 to .074

ORDER NOW! Get all these AHC "EXTRAS

GAS ENGINE

WE MATCH ANY

38" SPAN \$169

IID

18" SPAN U-CONTROL Come Clean 21 to 10 to 1

FREE-FLIGHT PLANES

TRIXTER Sures STUNY MODELS
SUPE STUNY MODELS
100 (10 to .45 log.)
100 North Stant Compile.
Profile model. New on lobel TRIXTER "INVERT JR." 40" 23-49 Eng., Rog. \$3.50

Ritter 14" AR Livewire Chipion 56" .15 to Livewire Creiser 65" A-8 Livewire RC 48" AA Livewire Rabel 48" .074 to 11 yearing Rabel 48" .074 to

TO ORDER Send payment in full. No stemps, no C.O.D.'s.

AMERICA'S HOBBY CENTER

146M West 22nd St., New York 11, N. Y.

AHC E-X-P-A-N-B-S I Send your order to our new, larger building. New, modern set-up speeds your orders back FAST !

READ THIS ENTIRE MAGAZINE FROM COVER TO COVER EVERYTHING ADVERTISED CAN BE ORDERED FROM ANC.

America's Largest Source of dels & Supplies



231

S

for Sc

h, otc

CK

2

Here's a really workable BASIC STARTER OUTFIT that we guarantee 100%. POSITIVELY no surplus or junk parts! Consists of powerful Super '27' RECEIVER, RELAY and TRANSMITTER ... with all resisters, candensers, etc. Operates an 271/4 mc. You assemble these basic components and later on add your accessories — batteries, tubes, etc. to give you a really terrific RC outfit. Will operate all models from '/A's to the largest. Everythings precision made and super prefabricated to assemble quick and easy. Comes with simple to follow step-by-step instructions. An ideal starter outfit for all RC beginners:

DELUXE AMTRON SUPER "27"
Same as above but with deluxe added components and accessories.

OR ORDER SEPARATE	LY
Super "27" RECEIVER KIT with all components, less tube	
Super "27" TRANSMITTER KIT all components, less tube	3.95
Complete PARTS & ACCESSORIES SET — Trans. & Recv'r. Tubes, Crys- tal, Escapement and complete in- stallation Kit. Everything you need to operate, less batteries	

SAVE TIME! USE OUR HANDY ORDER FORM ON NEXT PAGE

AMERICA'S HOBBY CENTER

### MAN at Work

(Continued from page 4)

▶ Do you say the Nationals are big? Over 1,500 entrants put Philly in the same league with Chicago. Almost 500 guys go home with awards. This is a Nationals? The Nationals you see and the one you write about later are two entirely different things. The rain is softer now, just a drizzle, and the sun promises to burn through. FAI free flighters eye the sky as they wait to fly off a twelve-man tie. Cargo clippers strain into the air with screaming, puny motors. In the background, helicopters make sewing machine noises and Jetex PAA loaders zizz, zizz about. A Zipper-well, now-circles slowly overhead in a weak riser and Carl Rambo says, yes it's a Zipper, some of the coast boys still build 'em but with box fuselages, and, see, how it squats like all Zippers in the glide. Kibitizing experts, their own events flown, give out with priceless remarks, in low voices, almost to themselves. That first left turn on the Cargo jobs. That high thrust line job. Manny Andrade, Cliff Montplaisir with a winning PAA Load. By the hundreds. Do you remember . . . did you see . . . what about that . . . Yes, how do you tell people about a Nationals?

This junior here, stoop shouldered, barracks bound for shut-eye. Want a lift? Flew combat all night. All night! Where? Just two of you! Some officer stopped us at four a.m. Impressions. Sights. And sounds. Nothing like distant stunt jobs to make you intolerably sleepy on a hot afternoon.


Buzz, buzz, hour on end. Now out at Kroamer's flight strip there was a tree, across the flight strip. Shady. But the sun circles the tree and gets in your eyes. You can't win.

The big fellow at the fence pleading with a kid on the outside. It was so big—a hand launched glider evidently. Another, trying to pull a crate away from another kid, on the outside of the fence, but with a good grip on the model nevertheless. He pulls the engine out and scrams. The farmer that blasted a free flight with buck shot. The Nordic entrant who got his crate back so speedily the first flight that he let the radio car retrieving service bring it back on the other two flights. Why chase?

▶ Who really reports the Nationals? What is the story? Statistics? Bill Dean corralls them in the 1957 Nationals story and pictures. All Nationals are the same, yet each takes on its own character. The '57 meet clanked, it sputtered, but it got there. It was too big. Much too big. It rested mighty heavily on the Navy brass. It taxed the facilities of the United States government. It did worse than that to meet officials. Someone tried to disbar team racers with unequal span wings as being asymmetrical -forbidden by rules. Mono-line proto jobs for whipping. Skirmishes over rules suggested that the FAI must have written them. There were stories and rumors and rumors of rumors. Too many entrants, too many events, too many awards, too many people needed behind the scene. Can you run a thing like this without the Navy? Where are we going? A special event and trophy for every contestant? No this isn't the story.

► People? The Nats last for 168 hours. Within the first 15 minutes on the station ran into solid citizen Red Hillegas, Tony Becker, Matty Sullivan (with his pop corn plastics stunt wings, fuselages, etc.) George Aldrich, Billie Fritchie, Jerry Ritz, Harold deBolt, Leon Shulman-and let's eat. The crowd from Buffalo. Howard Johnson's motel teaming with Open Class guys who like their comfort. George "Professor" Perryman and the Elliotts from Atlanta around a swimming pool. The work hangar in the wee hours where you'll find the Conovers, Frank and Johnny Zaic, Cal Smith, Frank Ehling, and dozens of guys you haven't seen for years, all casing the joint, inspecting the thousands of models sitting on row after row of benches. With over 900 Open class contestants entered. there's no end of old timers, one of the phenomenal things of this Philly meet. Manufacturers. Duke Fox, Bill Effinger, Johnny Brodbeck, Dunham, Bonner, Gil Henry, to mention a few. You meet them in diners, on the field, in traffic, anywhere and everywhere, yet miss other old friends like Carl Goldberg, competing as usual-he's entered every Natsl And C. O. Wrightbut you glimpse him taking his trophy. You chase people all week never find them; other people chase you, like being shadowed. You know they are there, never see them, and dozens of people tell you who is looking for you.

(Continued on page 60)



AHC'S ROUND UP

MANUFACTURER'S FAMOUS BRAND

### ORDER-BY-MAIL

Want your models quick? Then shop the easy AHC way! AHC has EVERYTHING . . . and we Guarantee Safe Delivery Anywhere in the world!

COMIT

AHC FEATURES THIS MONTH . . .

#### SAVE ON THESE FAMOUS GIFT SETS Priced to Save You Money!



\$1.69



The "BIG SIX"



\$1.98 STEP UP SET real Bargaint Contains astic and E-Z to Build Be gular and plastic camer ring. Teaches model by



AIR POWER IN PLASTICS \_\_ \$2.98

What a buy! You get four really high affection of the control of t

YOU GET A BIG EXTRA BONUS!

ORDER EITHER OF THESE 2 TERRIFIC COMET "READY-TO-FLY" MODELS & GET ALL YOUR ACCESSORIES FREE! \$300

ALL PLASTIC U-CONTROL GAS MODELS

**READY-TO-FLY** 



Here's What You Get:

VALUE Yours At No Extra Cost

SOL

10c A

20

LEAT

FINE

GUA

With Either Model

Fuel \* Battery \* Hook-Up Set \* Fuel Pouring Speut \* Glo Piug Wrench \* 3 Fameus AHC Handbooks on U-Centrel Models.

### MUSTANG F-51

One of our hottest sellers! Comer's terrific U-CONTROL SCALE GAS MODEL of this famous righter plane. It's Eig — beautiful — truly ready-te-fity — needs no "building" Complete with debase Heritimer "5/A 0478 Ga Engine and "Auto-Recoil" Starter. Mades of high-impact plastic in a striking trea-tens color scheme. . . . is a handsome chest, fee. Big 16" wingspan. Order your holdy ... by mail, from AHC. With our FREE OFFER. ... there's nothing dos to buy!

### SABRE 44

We've heard nothing but "raves" on this sensational model — easily the mest popular seller we have! High impact plastic gives this U.Control gas model amazing durability; sresphack wing design and a powerful Gas Englie (Hertimer 0498) give if Rashing performance! Nothings to saxenible — complete with eagle and ready-te-fly. It every colorful, the Lagrand Complete of the Complete



## 

At No Extra Cost With Any Comet Order Of \$3.00 or Over, We'll Include A Complete

### Modeler's Library

Thousands of Hints & Pictures .

The Best Reference Books Written

for every model builder! Includes a terrific 50c Book on "What Makes An Airplane seks on Control-Line Plying, Construction, Gas Engines, Rubber Powered Planes, Etc., Etc., orth \$13.0 . "Yours FREE with any Comet order of \$3.00 or over 

### PLASTIC MODELS







JETS AND WINGSPANS FIGHTERS

Grumon Couger F9F-6 N. Amer. Super Sabre F100 Lockheed Starfire F94C Douglas Skyray F4D Douglas Skytnight F3D Rep. Thunderstreak F84F



**BOMBERS** & Exec. Planes

ring Stratfort B-5: ring 707 Jet Airlin schoraft Super 18

390 Bosing Stratojet 8-47 Aaro Commander



art



"SET OF SEVEN"694 Paints For Plashi Set of 7 generous jars -finest points you can be get all the important colors & chart tells you min additional shades.



980

#### BALSA WOOD FLYING MODELS Struct-O-Speed E-Z-to-Build "Q"\_LINE It's FUN to Build-a THRILL to Fly-these

### True-to-Scale COMET Balsa Wood Models

In design, size and value, Comet Balsa Wood Models are tops! Comet's famous "Struct-O-Speed" Models are easy to build—all parts prefet/circled! Popular jets, Righters and sports planes; many flows either rubber-powered ar with engines. Colorful baces with Krilling action—planes!

Struct-O-Speed 6-Z-to-Build "G" LINE Bit G-7 Booch Bonanco A25 Bit G-8 Epas Novion Bit G-9 Globe Swift Bit G-10 Curfus Bobin Bit G-11 F51 Noviang Bit G-12 Monocoage



### Flying Scale Models "N" LINE



Git B-1 Carties P40 Bit H-2 P660 Sabre Jet Git H-4 Globe Swift Bit H-6 Taylorcraft Et H-8 F51 Muchany Git H-7 Shorsky Relicaptor Bit H-11 Ryon Review

ORDER YOUR

Elt II-12 Ficefly 828 H-15 Piger Cub Elt II-16 Folder BU Elt II-17 Sped Elt II-24 Phonforn Fury 828 H-24 Steronce "E" Elt II-25 Steronce "E" Elt II-26 Steronce SII-7 Wall -



"M" LINE -\$1.00

Bit B.4 Vulter Vragonice Bit B.7 Piper Cab Bit B.3 Eccope Bit B.7 Specific Bit B.10 F100 Super Sobre FIT Stanfor DELUXE BALSA FLYING MODELS

50 £ St E-1 deronce Solon St E-4 F51 Mectons
St E-2 Paper Super Croloce St E-5 F646 Salve Jet
EA - E3 E-3 Taylorcoolt E3 E-4 Thumbrojet

Struct-O-Speed Ez-sade "K" LINE

### "Y" LINE - \$1.29 EACH

Bir Y-8 Toylorcraft 54" Span Bir Y-9 F4D Sayney Bir Y-10 Piper Cob 49" Span Bir Y-11 95991 - Skystresk Bir Y-12 F85 Soline Jot Bir Y-13 Gulf Bir Y-14 Gerosco Chief


- Terr

FROM AHC
Comet Dope - 10¢
Comet Cement-10¢-15¢-25¢ SEND YOUR ORDER TO: AMERICA'S HOBBY CENTER, 146 WEST 22nd ST., NEW YORK 11, N.Y.

AND ... IF YOU DON'T SEE IT ON THESE AHC PAGES ... WRITE FOR IT NEW OR OLD ITEMS ... IF AVAILABLE ANYWHERE ... WE'VE GOT 'EM



FULL SIZE PLANS AVAILABLE. SEE PAGE 56.



# SURE



▶ This sport model is controlled by the J. Roberts Flight Control System which gives you complete control over your engine speed at finger-tip command. You can fly at any speed you want, yet the control response is instant with no

lag.

A typical flight with the Flight Controlled model presented is as follows: From your position next to the water's edge you signal your helper to release the twin-pontoon model. You give it just enough throttle to get on the step and let the plane skim over the water's surface. Apply back pressure with the throttle finger; the motor instantly roars to full power, a little more up elevator and the seaplane is airborne in a most realistic manner. Now you begin feeling out the controls. It flies nicely inverted, giving a very unusual appearance with the pontoons facing the sky. Just for fun, idle down and make a lowspeed pass over the water with the rudder almost touching the surface-the spectators will turn pale but you have power control at your finger-tips. You now try several horizontal eights, inside loops, outside loops, and wingovers. The ship is very smooth on maneuvers although more sky is used than with an all-out stunt model due to a higher wing loading. Now try full idle control-the engine is now very quiet since the exhaust back pressure slide is almost closed. This adds considerable realism to the landing approach. After a slow landing speed has been reached, touch the pontoons to the water and let the plane taxi as far as you like before giving throttle and becoming airborne again. If you misjudge on the approach, you can use a little throttle and come around for another try. Yes, this is Sure-(Continued on next page)



As seaplane, ship gets on step, rises like real crate. Amazing sight is inverted flight.

SPEET ALLER

For land or water this is the sport plane to end all sport planes! The J. Roberts Flight Control System makes Sure Fun dream to fly.



As landplane, craft looks like Goodyear racer. Does all loops, and herizontal eights.

third line—as rigged here—operates sliding exhaust throttle for an excellent low speed.



In a matter of minutes the Sure-Fun can be changed over to a land plane by simply changing the removable bottom fuselage hatch. Two hatches are used, one with pontoons mounted on it, and the other with a wheel gear attached. The two-hatch system allows proper strut positioning for both gear types as well as giving accessibility to the removable gas tank mounting and the Flight Control plane unit. The tricycle wheel gear is positioned for safe take-offs and smooth touch-and-go landings, even on a grass surface.

a grass surface.

The J. Roberts Flight Control system is a three-line method of control. Line pull is distributed evenly to all three lines during any control movement. This allows lighter lines to be used than with a two-line system. The Sure-Fun flying wires are made up of three equal lengths of .012 stranded cable. The wing tip elevator lead-out cables (the outer two cables) are tied even in length. The center cable (the power cable) is then tied 2½" longer with the elevator cables pulled tight. This is full motor speed position of the Flight Con-


trol plane unit.


The special Flight Control handle unit hook-up cables are staggered for proper control when hooked up to the plane lead-outs with the three equal length flying wires. The forward position of the handle trigger is for low speed, back is full power, with any speed you want in between these two positions. This handle gives you complete elevator and

engine speed control with one hand.


Construction of the Sure-Fun is simple, considering the realistic semi-scale appearance of the finished product. Stress points are strongly reinforced and keyed in place. In choosing wood sizes the weight element was considered secondary to the strength and long life desired, especially since the wing loading was to be higher than a stunt ship to allow good spot landings without ballooning tendencies. If you plan to use a lighter engine than a .35, keep the tail end of the ship light and don't spare weight in the nose construction.

The 3/32" medium hard balsa fuselage sides should be pinned together for cutting and sanding to shape. After cutting to shape lay the sides on the plan and double check for accuracy of wing cut-out and the notches for Former #1 (firewall) and Former #2. Cut nose doublers and rear hatch pin reinforcements from %" plywood. Rub a coat of cement on joining surfaces of these pieces and allow to dry before applying more cement for permanent attachment. The first coat of cement merely soaks into the woodthe above pre-gluing method will greatly increase the strength of any model. The sides should be clamped together and holes drilled for the two 1/16" piano wire pins to be pushed through the fuselage later for the removable gear hatch rubber band attachment. The pushrod slot should be cut in the tail of the right fuselage side





Either wheeled gear or floats strap to fuselage bottom with rubber over dowels, ala the RC jobs. Another keen idea is the removable tank, which slides into place. Note bellcrank.



for pushrod outlet to the control horn. Radial or beam mounts are shown on the nose former patterns. Check your engine mounting dimensions against the plans before tracing the 3/16" plywood firewall (Former #1) and the %" plywood Former #2. An upright engine mounting is recommended for seaplane use. When tracing the formers don't forget to indicate pushrod hole positions. Drill these holes before assembly. Cement 1/16" I. D. eyelets in Formers #5 and #6 pushrod hole positions. After the wing is in position and the controls are hooked up don't forget to cement a wire pushrod guide at Former #4 Position. This guide may be bent from a bobby pin or 1/32" piano wire and cemented in place with a small strip of gauze for strength. Drill a 3/32" hole in Former #2 for the motor exhaust slide pushrod. The pushrod fit must be loose in this hole to prevent binding.

ho

tro

usi

Ce

for

No

de

pla

bet

the

stri

cer

off

For

the


the

fus

pla

WO

cov



Cement the formers in position and check alignment carefully. Cut and sand the stabilizer and elevator to shape, drill holes in the elevators for a Veco Control Horn (No. 340) and assemble, using aircraft pinking tape for hinges. Cement the stabilizer in position before cementing the vertical fin in place. Note that the fin extends to the top of the stabilizer. Do not cement the rudder to the fin until the stringers are in place and covered with soft 1/16" sheet between Former #7 and the tail-end of the fuselage. You will note that the stringer ends must be beveled before cementing to the fin sides. Carve 1/16" off the outsides of the stringers from Former #7 to the fin trailing edge for the 1/16" sheeting. Do not build up the cabin or sheet the nose top and fuselage bottom until the wing is in place and the controls are installed and working properly. Cement hard balsa cowl blocks in place, carving and sand-

m.

wn

our

nst

ly-

%"

en-

for

m-

od

ore

ets

ole

on

n't

ide

av

32"

ith

rill

he

sh-

to

ing to shape when dry.

The tapered wing ribs are easily made by using the stacked rib method. Make plywood or metal patterns for ribs #R-1 and #R-2. Stack eight sheets of medium soft balsa between these patterns, drill two holes through the stack and bolt together with motormount bolts. Carve and block-sand the rib stack down to the patterns. Hand saw the leading edge and spar notches and drill the lead-out wire holes. You can now take the bolts out and go through the above procedure again, eliminating the lead-out wire holes for the other set of ribs. Ribs #R-3 are traced and cut out separately and cemented to the top and bottom of the wings %" sheet tips. The wing spars should be cut from hard balsa. They are tapered between ribs #R-2 and #R-3 to allow smooth wing-tip covering. Cement the four %" plywood di-hedral braces in place, checking the

dihedral angle. Next, cement the %" plywood control unit mount plate in place —3/16" square strips are cemented above and below the plate, inside ribs #R-1. After the wing center section cement is dry, trim 3/32" from ribs #R-1 (do not notch into the spars) and cement the 3/32" sheet cap strips in place. Wet the outside surface of the cap strips for easier bending to the rib curvature.

Bind and solder the three flexible wing lead-out cables to the Flight Control plane unit, thread the cables through the wing ribs and bolt the control unit in place. Use washers between the control unit and the mounting plate for spacing to prevent the pushrods from rubbing on the plywood control mount plate. Cement gauze over the wing-tip lead-out-wire tubes.

The Flight Control plane unit comes with complete (Continued on page 34)



Pretty C Class original was VTO'ed by Jim Paysen, Wichita. Failed to place in this event. But Jim won Open, Grand Championship.



High-speed head-on pass by two of the Blue Angels, flying Grumman Tigers, made even stunt boys flinch. One Tiger raised dust.



Super Sabre F-100, only a model flown by Dariel Damiani. A rain annoyed but didn't stop control fliers during scale, and carrier.

# The 1957 Nationals

Pictures by Bill Degu

Seismographs jumped everywhere when the 26th annual clambake got to steaming at Willow Grove NAS, July 29 through August 4, near city of brotherly love. Brother!



Wheel chair limits Les Grogan, Dallas, to sport flying, but he designs top speed jobs. His Thermal Hopper A won for Hardy Lewis.

How can a guy like this miss championship? Hardy Lewis, Junior Champ, swept Proto, A, B, C, in speed, took a second in stunt.



★ Held at Willow Grove NAS, Pennsylvania, July 29 through August 4, the 26th National Model Airplane Championships were the biggest "Nats" of history. The 1,521 entries flying in no less than 38 different events—split into Junior (288), Senior (273) and Open (960) classes—took home 444 awards.

The overflow crowd of modelers and helpers occupied barracks, a "tent city" on the field and every room and motel for miles around. The Navy housed 918 on the station. Alone among the "foreign visitors" were Canadians and one contestant each from England, Scotland and South Africa. Even more than usual, it is true to say that nobody ever sees a complete Nats. There is always so much going on at the same time in different parts of the field.

Grand and Open Champ was Jimmy Paysen of Wichita, Kansas, who managed to pull off this feat by getting 2nd in free flight A Gas and 3rd in FAI Power—plus a great many other lesser placings to stack up an impressive total of 570 points. Senior Champ Don Gurnett of Fairfax, Iowa totted up 360 points, with 1st in Nordic A.2, FAI Power, Clipper Cargo and 2nd in Unlimited Rubber. Junior Champ, Hardy Lewis (280 points) of Texas simply mowed down the speed opposition by winning everything (%A, A, B, C and Proto Speed) except Jet. For good measure he took 2nd in Stunt as well. At only 15, he already has the Senior and Open boys looking back over their shoulders!

Weather at Willow Grove this year was hot and varied. Plenty of sun, some rain showers and lots of dust. Allergy victim Bob Hatschek suffered, but chalked up a first as the only man ever to win in Unlimited Rubber wearing a gas mask! The mornings usually started off fairly calm, with wind strength increasing steadily as each day progressed. Highly popular with parched contestants were the dozens of water coolers dotted around the field by the thoughtful Navy hosts. Parking control left much to be desired—with the exception of the RC flying area, where they had things very well organized—and literally dozens of free flight models were written off after crashing into cars.

Aft

kee

poi

wa

foll

On July 29th-the first day of the Nats, Vern Kroamer



Not the old water hole but the free flight ROW "tank." The event always good for plenty of fireworks for delayed take-offs thrill.



Zippy looking jet PAA Load, Pete Leinonen, Wichita, a nice craft using augmenter tube to increase the thrust of the Jetex engine.

n

e

dd a-sh

1.

d at al a r, or d



Wheel pants enhanced appearance of winning stunt model, Senior Art Pawloski, Detroit, ran up 605.5 points, 50 inch, Fox .35 job.



Aeronca Sedan won Open free flight scale for Dan Lutz, Hawthorne, Calif. Power by K & B Allyn Sky Fury .049. Real looking aircraft.

of Sellersville, Pa. started things off with a flourish, by setting a new world's distance record for RC Models. After securing the co-operation of the local Police Chief to keep the roads clear, he started his flight from Turner Airport and flew his Piper Cub J3 scale model via the highway to Willow Grove NAS four miles away. The model was followed in a car and was flown at about 500' altitude at 50 mph, landed without mishap. Weight at take off was



Shreik-powered Taylorcraft, 1941 vintage, won free flight scale junior-Senior; by Mike Levin, Ann Arbor. Is good in a wind, too.



Authentic arange-deep blue color scheme, O & R .29's, featured 1935 Curtiss Condor constructed by David Shipton, Delayan, Ill.



Pawloski also copped Senior combat with an airplane that commanded respect for design, construction, and appearance. Strip ribs.



Subre Dance without throttle, by John Quimby, Elyria, Ohio. John just wiggled flippers until ship slowed down, hung on the prop.

6 lbs. 9% ozs., including 5% ozs. of fuel. The previous record had been 1.49 miles and was set by the Russians in 1956.

Many AMA records were shattered, including three in Indoor, nine in Speed and two in Clipper Cargo. Senior Indoor H/L glider winner was Lee Hines, Torrance, Calif., who topped Junior, Senior and Open records to set a new mark of 1:17.2. In speed, a sizzling new Jet time of 177.27 mph was made by Open (continued on next page)



Model recovery center; 5 radio cars outside the field. Forty, 50 models a day were recovered.



Open stunt winner, stunt fly-off champ, George Aldrich, Tyler, Texas. Nobler and a combat jeb.



Speed modelers usually well equipped. Winding up John Brownlee's K & B .29 ship in the B Open.



Beautiful Waco F-3, George Kilbey, judged. It took the RC scale. Anderson Spitfire, Bramco 5.



Motating Bill Wisniewski, Lakewood, Calif., and his Open Class A winner, K & B .19, did 154.58.



Al Stegens, Open; Jere Draper, Senior; Cleveland. Both won proto, same design, on Mac .29.



Joe Bilgri, 32:53.8, D stick indoors, Open. Joe gets capable help from oldtimer Manny Andrade.



Cutlass, ducted fan, OS .35, George Kostura. It flew UC. Weight 34 lbs., 48 in., 11,500 rpm.



George's Skyray had car fan. Cutlass, 8-blader, Skyray, 5-blader. He's from New Brunswick, N. J.

Winner Ted Reese—an increase over the old figure of almost 10 mph. Clipper Cargo weight lifting jumped from 43% ozs. to 100% ozs., but new rules permitted three flight totals. Sen. Champ Don Gurnett's model staggering aloft for three winning hops.

But passing on from new records, lets take a quick run through some of the other winners. Radio was the big show this year, with 307 entries in the five events. In RC Multi (Jun./Sen./Open), it was a battle of the giants, with Bob Dunham scoring 266.5 points to gain top place. Just half a point behind was Harold deBolt, followed by Walt Good with 256.5 points. In RC Rudder, Dick Bennett (Jun./Sen.) won with 80.5 and Dick Allen (Open) with 106.5 points. RC Intermediate (Jun./Sen./Open) went to Don Brown with 139 points. Keith Storey scored 24.3 points to win the RC Pylon Race with his scale type Bonzo—and RC Scale

went to George Kilbey's massive 1/5 scale multi-channel Waco F3 biplane. In fact, radio was so impressive, you'll find a special report on Nats RC models elsewhere in this issue of MAN. True spins were commonplace.

The C/L and F/F Scale events brought out some of the finest entries we have ever seen. Tom Dean scored a whopping 347.2 points to win in C/L Open Scale with his amazingly detailed Aeronca Crop Duster, not the first time for this frequent Nats favorite. Fellow Texan Jim McCroskey was unable to make the trip with his Mustang F-51H to this Nats—could it be that after three Nats wins in a row he's retired! F/F Scale Open went to another Aeronca—by Dan Lutz, who collected 156 points. In Stunt, George Aldrich flew the pattern with his usual easy style, winning with 618 points—just eight points ahead of nearest rival George Wagner. Later, Aldrich (Continued on page 34)



Juniors by hundreds had fun. Bob Blair, Nes-haminy, Pa., readies PAA jet-1956 MAN plan.



Navy's carrier took its usual pounding. Douglas SBD Dauntless, J. Guifeleni, B'klyn, speed run.



P. Schoenky, holds down 350 Jetex 'copter with pole 'til rater speeds. Tipped here, won later.



from Kirkwood, Mo., 'copter master Schoenky, get second first place with Signature whirly bird.



Mac 29 case, Torp 29 piston, liner, Wisniewski, a B Open for Arnold Nelson, Long Beach, Calif.



Team Open Winners, 1 to 5; Bob Heminway, Audubon, N. J., first, left, front. Used a Fox .29.



Fexy Bill Talley, Leighton, Pa., had pendulum control in OX-5 Bird bipe. Power, K & B .049.





Fine flier, Liberator, 40 in., 4 Atwood's. The Jerry Seibert's Nordic 72 gets good launch by smart job by Bob Kleinfelder, Hamilton, Ohio. John Clapp. In this event, helper's get glory.



Combat winner—we barely made this one! J. Kestetter, Clifton, N. J. Fox liner in 29 case.




Wind-in-the-wires, DH 1A, J. Winter, Upper Darby, Pa. Graceful looking craft had Atwood .049.



Voteran of many Nats, Ernie Shailer, Detroit, VTO's 32-ounce original with OS Max .29 engine.

# Profile Silvaire

Thin-man version of Luscombe lightplane makes a quickie flier for those .049 engines. All wood construction. For land or sea and, if you are stubborn, ukie, too.



No, the designers don't have a one track mind this month. Ted Strader meet Vern Clements, or vice versa. All at sea, that's us.



► As profile models go, well, most of them don't go very far.

This was our goal in designing a thin version of a one time popular light plane, the Luscombe Silvaire.


Discounting actual drawing and scaling time, our Luscombe was extremely "kwik" to build. Once built it began to show spooky tendencies to out-perform most of our earlier profile attempts. The glide soon indicated that if we were to accomplish our intent of arm chair flying, the .049 would have to be replaced.

We hasten to add that the model will handle an .049 with the greatest of ease if you are the hiking and out-door type.

For test purposes, we pressed our ole' trusty K&B .035 into service, leaking glo-plug and all. It was a cloudy, mild calm day when the first ROG attempts were made. Three starts later bore fruit, when, with all adjustments made and the .035 protesting the bad plug vehemently, our hero coughed and wheezed itself through a one-wheel takeoff and climbed laborously to a little less than 400 feet.

Designer used a dural mount, bent to shape, for his Cub engine. Blocks cemented to either side, faced with ply, will substitute.





All set for a bit of control-line flying, the wee profile sports two-wheel gear. Note the fixing of the bellcrank, on the side.


Now, according to plan, the model was then supposed to rewind itself back down and come to rest not more than 150 feet away. Why not? This is a profile model, and profile models aren't supposed to fly too well. At least very few of mine have in the past.


But this little clown hadn't been paying attention! For there, before a pair of unbelieving eyes, was beginning to vanish one cherished engine, some of Testors best balsa and a varied assortment of heterogeneous parts that, from a distance, looked somewhat like an airplane.

A few feet shy of a mile later, our hero was discovered resting unceremoniously between two furrows of plowed ground. Stifling an urge to plant it on the spot we returned to the scene of the crime and promptly changed engines.

With our equally revered K&B .020 up front it was now possible to accomplish what was originally intended; to fly from an easy chair! The rest of the afternoon was spent hand launching and then watching as the little craft wound its way up to a height of about 100 feet and then glide in almost the exact path back down and land not over 150 feet away. This was fun! Construction of the Luscombe Silvaire follows a (Continued on page 53)

Be your own prefabber! Cut out all the sheet-balsa parts before you start. Careful sanding for smoothness—got yourself a deal.





FULL SIZE PLANS AVAILABLE. SEE PAGE 56.

ne

n-

or

ort:

ore and

For to lsa om

red ved ned nes. was ed; was raft

not the 53)

fore leal.



# at the Nationals

Well over 300 entrants in an all-week event made radio control a Nationals within a Nationals. Fancy aerobatics, pylon racing, scale jobs made real show.

### by DORIS and ED YULKE

RC set the pace for excitement at this year's Nationals at Willow Grove, when Vern Kroamer tripled the Russian distance record of 11/4 miles by flying from Turner's Airport to the Willow Grove NAS, a distance of 4% miles. The RC Event was scheduled to start Tuesday morning with Vern as Event Direct, so on Monday morning, when Vern and the official witnesses awoke to find an early morning fog, things looked a bit on the hopeless side. A short time after dawn, the fog cleared off and the race between a 6% pound Piper Cub and the control car was on. With the transmitter mounted on the aft deck of a sweptwing convertible, Vern had no trouble watching the ship overhead.

Larks nest. Pit scene, catches a couple of rudder jobs and Keith


Storey's pylon racer, background, based upon Wittman's famed Bonzo.

Always with an eye for those racy lines, Lew Andrews bruoght his X-ray powered by Fox .35. Dual proportional pulse control, ala Good.

The caravan, led by Montgomery County's Police Chief, tore across the countryside at better than 60 mph.

The fly-in-the-ointment was that the powers that be decreed that Vern should appear on an early TV program, Tuesday morning in New York City! Tuesday morning was the start of the RC Event and without Vern on the field, Norm Jamieson, his assistant, did an excellent job to get the event under way with an able assist from Leon Shulman. Howard Bonner made a flight to familiarize the judges with what they were to judge and the week's work had begun.

There were 345 entries in the radio events and 207 airplanes made 308 flights. There were less than a dozen ships on 50 mc and 465 mc to relieve the load on 27! Seventy-one entries flew in Multi, 64 in Open Rudder, only 21



Taxiing out is George Kilbey's (South Bend), 1/5th scale Waco. Every flying wire was there. Glossy, rubbed finish. Flew fine. Scale popular.



Harold Van Horn, Canton, Ohio, out a Fox .59 in his Custom Privateer. Flippers and rudder. Nice paint job covered acres of wing area.



Getting the meet off with a bang was Vern Kroamer whose 64 pound Cub broke Russian distance mark with 4½ mile jump to the NAS.



Bob Dunham flew Bonner Smog Hog to victory in multi Open. Eight channels ailerons. Really snappy flying with excellent Cuban eights.



Old master, Walt Good, flew this Multi Bug to third in Open Multi with his dual proportional system. Very smooth maneuvering. Pretty.



Pappy deBolt's eight-channel bipe nosed out by ½ point, for a second in Open. Flaps, ailerons, gave approach control. K & B .35 engine.



Pylon won by Keith Storey's eight-channel racer. Keith had the idea ton years ago. Several size classes—Keith's on an Oliver .15 engine.



Checkered hat and tail surfaces to match, enabled A. B. Pinso's Smog Hog to find its master. So many entrants, one flight a day. Bad deal.

in the Intermediate class, 20 in Pylon Racing, 19 in Jr.-Sr. combined Rudder and 12 in Scale.

Reeds were everywhere, five and eight channels were commonplace. Despite the flood of reed-bank multi-channel ships, dual pulse proportional control was in there pitching with the old master, Walt Good, handling the control stick. Bob Dunham, pappy of the 3-channel Orbit outfit, was the only one who could fly as smoothly as the dual proportional jobs. Bob and his Smog Hog took first with 266.5 points, Harold deBolt with a biplane Live Wire took 2nd with 266.0 points and Walt Good with a Multi Bug was 3rd with 256.5 points. Howard Bonner, last year's Champ, came up with only 243 points for 4th place and last year's 2nd place winner, Dale Root of Ascender fame wound up with a varnished engine due to changing fuels and was out of the running.

Bob Dunham used three control sticks on the box, while Harold deBolt flew the new Bramco 8-channel, with a control box-that was a beaut. Until the Nats everyone had accepted the fact that for 8-channel, you needed two control sticks, each going left-right and forward-back.

Frank Hoover of C. G. Electronics saw that they had spent a lot of time trying to figure out which stick should control ailerons, rudder, etc. Harold evidently had the same problem with Bramco's 8-channel, but put two simple double-throw switches on a control stick in a similar manner to the pots on dual proportional and came up with box with only one stick and three push-buttons. Forward is down, back is up, with the usual right-left for rudder. The trick is that when he shoves the stick in a corner, both elevator and rudder respond! Since all the channels in the world won't do a flier a (continued on next page)



If they gave prizes for frantic repairs, C. R. Scott would have been cinch winner. Never-say-die spirit often does come through to win.



Dale Root's Ascender now sports ailerons and eight-channel, too. Magnetic nose-wheel brake a dilly. On straight-away ship does 60.

bit of good unless he can push them around by instinct, that control box represents the most important advance since they tacked three more fingers on the reed bank. Another innovation of Harold's box was a push-button under his left thumb—when pushed, it switches the sideward motion of the control stick from rudder to ailerons, thus giving simultaneous aileron and elevator for rolls until the button is released.

By Sunday, everyone was discussing the comparison between dual pulse and 8-channel reed equipment. Dunham and deBolt used 8-channels to make 266 points, both used ailerons, but Walt Good made 256 points without ailerons. The 10-point difference between them is only 4%, which caused many of the fellows to ask "who needs ailerons?" Actually, there were many variables aside from the equipment that makes an exact comparison on points impossible. On his best flight Harold ran out of gas, finished his high point flight dead stick, both Dunham and Good (on his best) nicked props on one landing, preventing all three from obtaining points for the taxi back to the starting position.

On many flight sheets, there were more than 10-points between the two judges scoring the same flight, which is the reason for having more than one judge. Actually, the boys were quick to find out that the judges were allowing more points for nice, wide, rounded rolls than they were for tight axial rolls. Even without ailerons, Walt Good had to open up his rolls to get maximum points!

Dunham was doing consecutive loops on one flight with

the ship "off wind," holding them true with ailerons. Perhaps the prettiest maneuver to watch was his Cuban Eight. Here the ailerons on the extra channels came into play and the rollouts just past the top of each half-loop were as smooth as silk, but then Good accomplished the same maneuver on an early flight by rolling up level a little further around the half-loop than the aileron boys, but without the ailerons. On his high point flight, Walt hit rudder too early in the first half of the Cuban Eight, at which point he went on to the next maneuver.

The difference of opinion as to whether the ailerons should be short, with wide chord and differential action (outboard aileron in a turn goes down less than inboard one comes up) or whether they should simply be half to two-thirds the semi-span, narrow, with no differential action still seems to be unsettled. Dunham had fairly long ailerons, Harold deBolt had short, squat ones 'way out at the tip of the upper wing . . . and these boys had ½ point between them!

It was fascinating to watch the true spins these ships went into (and came out of!), with the ships twisting like a small tornado. Some of these were done pretty close to the ground and had the bystanders worried. The AMA rules require that the spins start from a full stalled position, but somewhere along the line, the judges eliminated the need for this approach. Most spins were just "kicked in" and brethern, they kicked!

In the evenings, those who were out at Vern Kroamer's airport 17 miles from the NAS (continued on page 44)




Flying his own equipment, Leo Galin, Chicago, a Spitfire-powered law wing. Flippers, rudder.



Which side is up? When Fran McElwee's saucer is flying, Fran wonders. Is from outer space.



Shielded enclosure enabled radio check without interference. But at least one rascal got away!



years after the Wright Brothers first flight, the wood-and-wire NC-4's chancy flight over the ocean was truly epic adventure.

# the First Transatlantic Flight

PART TWO . . . On May 8, 1919 three big Curtiss flying boats taxied out from Rockaway Beach, N.Y. Twelve days later, after stops, the N.C. 4 had conquered the ocean.

### by ROBERT C. HARE

► Signing of the Armistice on November 11, 1918, brought about an abrupt change in the destiny of the N. C. flying boat series. With the immediate military objective of the giant aircraft eliminated, the Navy was quick to organize its transatlantic flight. Responsibility for the project was placed in the hands of (then) Commander John H. Towers, USN, pioneer Naval aviator who served with distinction in both World Wars and in the intervening peacetime years.

An outstanding leader with proven organizational abilities, Commander Towers set about planning the myriad details for the flight. Plane commanders and crews had to be selected; the route had to be laid out; shore parties, mechanical crews and navigational aids had to be established at points along the route. Arrangements were made to have Navy salvage and rescue ships established 50 miles apart over the entire route. The co-ordination of such a project involving hundreds of men and millions of dollars worth of equipment was no small task.

Meanwhile, the Curtiss plant at Garden City, Long Island, buzzed with activity as the N. C. 2, 3 and 4 were put into construction. The three huge aircraft literally filled the plant-never before in the United States had such an ambitious production task been undertaken with

such outsized aircraft.

0 p

> First of the new ships to be completed, the N. C. 2, was trucked to Rockaway Beach, N. Y., for final assembly. Rockaway was designated by the Navy as the official starting point for the flight. It was an established Naval Air Station that had performed effectively in coastal patrol operations during the War. N. C. 2. made her first flight on April 12, 1919. Although she had the same wing area as the N. C. 1.-2,380 sq. ft.-she was equipped with four Liberty engines instead of three, and was designed for a gross weight of 28,500 pounds instead of approximately 22,000 pounds assigned the N. C. 1.

> Iu "light" condition, the N. C. 2 took off after a 35second run, some seven seconds better than the N. C. 1. The four engines of the N. C. 2 were arranged in tandem sets-two tractors and two pushers. A pilot nacelle was located over the hull in the N. C. 2, replacing the central

engine of the N. C. 1.

Despite the performance improvement represented by the four-engined N. C. 2, Curtiss and Navy engineers had some misgivings regarding the efficiency of the engine arrangement. What would happen, they questioned, if one of the tandem engine sets were to fail during flight? There was the fear that the offset thrust under such conditions would make the aircraft unman- (Continued on page 56)


PLANS ON NEXT TWO PAGES

4.67

. 6

1


CONTROL BY WILLIS L. ATE. FOR MODEL ARPLANS HEWS



FULL SIZE PLANS AVAILABLE. SEE PAGE 56.




Light construction, neat covering, and a real prop make possible flights of two or three minutes and more. One went for 11—bewarel



Ne frills, no dead-weight features. Stretch wind that rubber by hand drill and you'll get high flights. Partially wound by hand and you easily can keep it on the flying field. A good sport.

Fuselage sides, wing panels, tail pieces made flat on bench. You know: pins, balsa knife, cement. Finished sides joined at cabin, on to the races. Carved prop, or blank, center. Try hobby shop.



# the Zyphyr

by SHERMAN GILLESPIE

Paw called the fuselage job a "commercial." But stickand-paper rubber models did really fly. Build this one and check up on the old boy.

► The Zyphyr is an inexpensive sport model that is easy to build and simple to adjust. It is a consistent flier that can do up to 40 seconds handwound in cold air. Times of over one minute are common in warm air with fine flights of 2:33, 3:14, and 3:17 recorded.

Best time during tests was a beautiful 11:23 out-of-sight. When last seen the ship was soaring high in a thermal accompanied by six curious seagulls! (The seagulls were not recovered.)

Study the plans, photos and instructions thoroughly. Careful selection of materials and good workmanship are important in keeping the weight down. Weight of the model ready to fly should not exceed 2.5 ounces for best performance.

FUSELAGE: Cover the plans with wax paper to protect them from cement. Choose hard, (Continued on page 50)

# Let's Get STARTED

You, too, can make real flying models. All it takes is right wate. Here's few to try!



Put yourself in this fellow's boots. Slick looking model and does it go! Gliders, rubber jobs, as well as gassies are fun to build.

EDITIOR'S NOTE—Because some good flying models and kits, simple-to-build at low cost, can be found at any live hobby shop, MAN has encouraged one of the better known old timers to report on items that worked for him and his boys. He'll be rambling along in future months and will come up with lots of pleasant surprises. If you have problems, old "I.N." will discuss those of greatest general interest. His spies are checking up on many items that will work for you. Maybe you, too, have dope for him. Tell us what you find good! Experts—look out!

In our family of six boys we've had a perennial beginner's problem. In fact, you might call us a kind of Do-and Don't Testing Laboratory. We've made all the mistakes. And we've had lots of good luck, though there is not a contest winner among us. Like most hobbyists, we just want to build and fly models. One shining fact stands out-anybody can fly a model airplane. If.

Half the battle for the newcomer is selecting the right model to build. If that first model works out, he will build more. If it flops, he may or may not build another. The more flops, the more likely even the most determined chap is apt to call it quits. Yet, almost invariably, the new customer gets off on the wrong foot. It may be his own fault. Or the dealer's. Or both. For instance:

Johnny Smith is 12 years old. He loves airplanes. So he wants a flying model. Naturally, the model must look real. It must have a gas engine. It is built up of many wooden parts, cemented together, covered with paper and dope. This Globebuster P-121 can be built by an experienced modeler, and an expert can make it fly without caving in the nose on the first hop, or splattering pieces of wood all over the field, but Johnny is sunk. Looking for help, Johnny discovers that Pa is not superman. Ma goes into a tizzy about the balsa chips in the kitchen for three days straight. So Pa says, don't ever get one of the confounded things again! And, unless Johnny is a budding Lindbergh, he's not going to waste six weeks allowance again. When he finally gets tired of sticking together the clever plastic kits, he's through as a modeler, and a customer.

If, after making his plastic models, Johnny had begun with a simple glider and worked his way up step by step to the "glamor" projects, the story most probably would have had a happy ending. Aw, who wants to make a glider? Why bother with "kid stuff." Give me that fighter job! Sure, it's tough to get Johnny to begin where he should. Nor does the average dealer believe in the mighty-oaks-from-little-acorns stuff. And you can't really blame him, for the hobby business is run these days on a dollar and cents basis like a grocery store and the hobby shop is a store.

What a fellow should begin with depends on his age, the field he has to fly in (if control line or free flight), whether he can expect help and guidance from others who know about models, and so on. There is no ideal beginner's model that covers every need. The industry does produce, however, some model kit that fits any need or progressing skill. Now, let it be understood that what follows is not an endorsement of a particular model or manufacturer. Chance led to gainful experiences with these particular fliers and kits, but the dealer can recommend counterparts in various makes, sometimes a half dozen or more alternatives.

Gliders and ROG's make an excellent introduction to the hobby. By ROG is meant any model that rises-offground. But usually, an ROG (Continued on page 40)



# STARTS AND LAUNCHES LOOK HOW EASY TO HANDLE! AUTOMATICALLY!

and

etter

him

you atest ems

ginand kes. ot a just outight uild The ined

Solook

any

an witheces

Ma

for the

ling

nce

the

l a

gun

tep

e a

he ntyme llar nop

t),

ho

er's ce, ing

not

rer.

lar

rts

ore

to

off-

0)

57

(1) A simple pull of the all-new OER automatic starter... and the .049 automatic engine is running!

You've never dreamed that a model could be so easy to handle! Whether you're a brand new model-enthusiast or an experienced "old hand," you'll thrill to the all-new O&R automatic features illustrated at left and below! In addition, the '58 Motorjet is the most authentic, slickest looking model on wheels! Four beautiful colors to choose from: Red, Yellow, Blue, and White.


Completely assembled and ready to run!



(2) Hold car in hand or on ground with engine running 'til ready to let 'er roll ...all-new automatic clutch prevents over-reving of engine!



(3) Now remove hand and car instantly zooms ahead—without "throwing" or even pushing!



Kit contains completely-assembled "Motorjet" racer, driver, bridle, swivel post, hook-up wire, wrench, AA fuel and pouring spout, extra KS-5 Glo-Plug... everything (except battery) for operation and maintenance!

Only \$14.95 complete!
AT YOUR DEALER'S NOW!



CHEMINOL CORPORATION - 3340 Emery St., Los Angeles 23, Calif.





# FOREIGN NOTES

A monthly world-wide round-up of technical developments, designs, significant industrial products.

G. F. CHINN

England

The idea of an electrically-powered aircraft is not new, but when Lt. Col. H. J. Taplin, well-known British RC exponent, flew an electric radio-controlled model in England recently, this was, as far as we are aware, the world's first observed flight by a true electrically powered airplane.

Secret of the Taplin model is in the storage battery: twenty Venner H.105 1½ ampere-hour silver-zinc cells weighing only 22 ounces. A 24-volt surplus aircraft motor is used, drawing eight amps, so that the maximum flight time under power is in the region of ten minutes. Five extra cells are also carried to give an emergency boost to 30-volts for take-off.

The model itself is quite a veteran, being, in fact, Col. Taplin's original prototype 90-inch span Radio Queen, now (if memory serves us correctly) nearly nine years old. This ship has had a variety of equipment and was last fitted with a .15 cu. in. Diesel and three-channel reed equipment, the weight then being six lbs. The electric conversion has raised this to eight lbs., but with a measured increase in static thrust of over 30 percent, so that the actual power-loading is about the same. The three-reed radio equipment is retained and in addition to rudder control, this provides switching of the cells to give fast and slow on the motor.

The success of this experiment raises the question: "Is there any future in electric RC aircraft?" It is evident that even the remarkable performance of the silver-zinc batteries does not eliminate the main disadvantage of electric power: its relatively poor power-weight ratio, as compared with a gas engine, (a good .35, for example, gives at least twice as much for a quarter of the weight) but, for a scale or sport type model, electric power certainly has possibilities. A smooth, constant output and easy speed control by series-parallel switching of various combinations of cell banks, are obvious advantages. There remains the question of battery cost which is definitely high: about £30 (\$84) in the case of Col. Taplin's pioneer experiment.

West Germany

As usual, the annual USAFE Model Airplane Championships were held at Wiesbaden, West Germany. The four-day meet was attended by USAF contestants from all over Europe and the Mediterranean area and by a contingent of RAF modelers. Leading German model fliers were also present, including RC maestro Karl-Heiz Stegmeier with his famous eight-channel ship. Another remarkable German RC job was Bernhardt's scale type low-wing with Stegmeier eight-channel pneumatic control on rudder, motor, elevator and ailerons. This model flew well: fast and stable with good wind penetration.

good wind penetration.

Among the place winners we were glad to note our good friend S/Sgt. "Stew" Stewart, who took first in Class A free-flight (Oliver Tiger Mk. III Diesel .15 powered Ramrod) and second in Half-A free-flight.

The West German Nationals, held, as last year, at Kassel-Waldau, are in full swing as this is being written and we hope to bring you a brief report on the meet next month.

Belgium

St

ia D

One of the big events in European control-line flying is the annual Belgian Criterium d'Europe meet. This year, held at Etterbeek, on the outskirts of Brussels, there were entries from eleven nations: Austria, Belgium, Czechoslovakia, Germany, Great Britain, Hungary, Holland, Italy, Spain, Sweden and Switzerland. Events comprised international class speed and team-racing (.15 cu. in. motors), jet-speed, stunt and combat. Overall team points for the Grand Prix du Criterium d'Europe gave a surprise win (but none-theless deserved) to Belgium by virtue of top places in aerobatics, team-racing and combat. Spain was second, one point behind, with Britain and Hungary tying for third position.

The meet was highlighted by a number of noteworthy performances. Once again the Czechs proved their mettle in speed, Sladky recording a clear win, with 209 km./hr. (129.9 mph), over Britain's Gibbs

Four-engined flying boat, Minoru Soto, Japan, free flight; coupled-engine system for safety.





Scoreboard, Coppa Supertigre meet, Italy. Team-race silhouettes travel up show progress.

(125.5 mph) and compatriot Smejkal (120.5 mph), Battlo of Spain taking fourth, five mph behind. Notable absentees were the Italians, whose presence would almost certainly have resulted in a reshuffle of these places. Sladky's motor was a further development of the State sponsored MVVS racing .15 with disk rotary induction and was undoubtedly approaching 20,000 rpm in the air on the prop used.

The stunt event resulted in a win for Stouffs of Belgium flying a Fox .35 powered Palmer Thunderbird. Motors used here were a very mixed bag. Second place went to Rieger of Germany who used a British E.D. .15 Diesel. Third-place man Breukink of Holland had an Allen-Mercury 21 Diesel and fourth man Diemer of Germany used a Japanese O.S. Max .35. In fifth and sixth places were Egervary of Hungary and Garcia of Spain using, re-spectively, a McCoy .36 and a Miles .29 Diesel.

The team-racing final was one of the closest on record with another stout effort by Henry Stouffs who won by one second from Gorgocena of Spain. Nearly all the racers were Oliver tiger powered, the one heat-winning exception being Contini's Italian Testa Rossa Barbini B.40 roller-bearing Diesel. Fastest model and fastest heat time was by Bassett of Great Britain (Oliver Tiger) who completed the 10 kilometers (6.214 miles) at a record average, including pit stops, of 74.1 mph. Monaco

The FAI International Hydro Model Contest held, as usual, at Monaco, was this year attended by modelers from six countries. The meet, which is divided into rubber and gas free-flight classes, resulted in victories for Italy in both categories and the appearance of rubber-driven ships with retractable front pontoon.

In the rubber class, the noted Italian Wakefield fliers, Fea and Sadorin, took first and second, followed by their fellow countryman Davini, Novaro of Monaco and Bluhm of France. In the gas section, win-ner Piazzoli set up the highest total of the day and had nearly 3½ minutes' lead over second man Morscheck of Germany. Also competing were Switzerland and Yugo-Bolivia

An exceedingly interesting letter comes

(Continued on page 58

314 FIFTH AVE., Dept. MA 117, New York City, 1 Dealers-Jobbers Reg. Trade Prices . We Import-Expert World Over



BISTINCTIVE

### ARISTO POWER-PACKED

High ampere hour capacity, small physical size, long life. Guar anteed to give trouble-free operation. NOT surplus batteries they're manufactured from all new, high quality materials Heavy duty plates, clear plastic case and clearly marked termi-nals. Each battery comes with charging instructions and are supplied dry for each shipment.



ADD 50¢ SHIPPING BATTERY PRICES




TYPE 266. Specifically design ed as a glo-plug engine starting battery. Comes complete with wooden carrying case. 2 Volts. 6 ampere hour capacity. 4%" high, 3%" wide, 1" thick. 3.75

TYPE 64. Designed to re place the surplace NT6 Well Cell. 6 Volts. 4 ampere hour capacity. Measures 214" high, 314" wide, 114" thick. Replace NT6's with factory fresh reliable power. 4.75

TYPE 26 2V 6 Amo Hr Cap (41/6" x 21/4" x 13/4") \$3.00 TYPE 41. 4 V., 1.5 Amp Hr. Cap. (1%" x 1%" x 1%") \$1.65 TYPE 23. 2V., 3 Amp. Hr. Cap. (31/4" x 21/4" x 11/4") .\$1.75

### ARISTOMATIC ACTUATOR FOR RADIO REMOTE CONTROL



Self-contained electric motor (low drain) plus special integral switching give TWO channel operation from low-cost single channel receivers. You get: Electrical Switching Action-forward stop - reverse - stop. Mechanical Directional Control - left neutral - right - neutral. All in one compact unit. Operates on 3-6 Volts- complete with instructions. Aristo-Craft's high quality design and workmanship guaran

### Aristral MOPA TRANSMITTER

Designed by Ed Lorenz, the M Q P A is the most advanced transmitter available. Features: printed circuit chassis - 27% frequency - high tolerence components - extended range design - "tuning sys" for fast checking - comes with instruc.

adv-to-Use (less bat.)



#### ARISTO MULTI-TESTER

Designed for RC Enthusiasts Full 2% Meter Face. A sturdily built, testing unit covering EVERY R/C need ±2%. This is not a "reworked" surplus test meter. All MA. readings to 1000 MA. Moving out type meter ±100 ohms to 10% +All DC v. readings to 200 Votes. Zero adjusting screw • Ohms adjust • Black and Red test impact black place. case.



### SUPER PRE-FABRICATED GIANT SCALE-MODEL GAS MODEL KITS

These GIANT Kits are chock full of EXTRAS!

They come with full size-"build-on-'em" plans-with many perspective sketches for easy, accurate assembly. All structural parts are of strong plywoods and hardwoods are clearly cut out, identified and precisely finished . . . readyto-assemble. Balsa planking is included. Also included: semi-pneumatic wheels, fully formed landing gear, formed bubble canopies, gas tanks, props and hardware. Aluminum cowls and shock absorbing gear supplied where needed.

Prices are - less engines.	
*P-38 LOCKHEED LIGHTNING (ill.) 58" span, 42" long, 2 class '8' er	rgines\$29.58
"P-61 NORTHROP BLACK WIDOW. 54" span, 40" long, 2 class 'B' engi	nes
*B-26 DOUGLAS INVADER. 57" span, 43" long, 2 class 'B' en	ngines. \$29.50
"P 2V-7 NEPTUNE. 52" span, 47" long, 2 class 'B' engi	ines
*DOUGLASS SUPER DC-3 61" span, 46" long, 2 class 'B' en	ngines \$27.95

### DOUBLE-PER MAG MOTORS

Designed to power the larger R/C boats, It's fully reversible, comes with boats. It's fully reversible, comes with replaceable carbon brushes, duty-wound armature for max, torque and wet-cell operation, Long-life, electric power plant made of heavy nickel plate. No reduction gear required, max, RPM: 3500, Redi-





No. 45 DELUXE MOTOR \$2.95 A terrific d.c. battery operated motor with amazing power and low battery drain. azing power and now led with heavy duty replaceable carbon shes. Enclosed in attractive plastic e. measures 2% overall, 2% wide, measures 2% overall, 2% wide, case, measures 2%" overall, 2%" wide, 1%" high. Ready-mounted, operates on 1/2 V. to 8 V. DC. Ideal for many uses.

\$1.00



### **ARISTO-REV MOTORS**

As described by McEntee & Lorenz Over-all length 2%". Ball Bearings. Max. Dia. 1", Wgt. 2% az., Carbon ower on 4%V., 1/000 Amp. drain.

2.95 all bearing. With nting bases

#### **MIGHTY-MIDGET Electric Motor**





Only 1%" high, this amazing little power plant consumes less cur-rent than a flash-lite bulb. Selfing, reversible and prec it has an armature spe \$295

### USE THE Right DOPE ...



Unequaled for finishing rubber-powered models, scale models, display models... is also an ideal lacquer for household applications such as touch-up work, painting toys, etc. Provides superior hiding and build-up, easy brushing or spraying, perfectly controlled shrinkage, high flexibility; dries to a tough, long-life film; colors are pure, sharp, brilliant for perfect realism, craftsman appearance. Available at dealers everywhere in handy 1-ounce bottles (15c size) and economy-size quarter-pint jars (50c). Insist on Testor's ... by name!






THE TESTOR CORPORATIN

### .DR THE BEST RESULTS





The finest formulation ever developed for giving a genuinely bot fuel proof finish to engine-powered models. Completely withstands destructive elements in today's high-solvency glo fuels. Applies easily by brush or spray; has good hiding power and build-up; dries to a tough, durable film; comes in a popular range of sharp, brilliant colors. Available at dealers everywhere in handy 1-ounce bottles (15c size) and economy-size quarter-pint jars (50c). Insist on Testor's . . . by name!



### BUTYRATE DOPE

N·ROCKFORD, ILLINOIS



ONLY \$2.50

Just right for the new .020

MODELCRAFT



### The 1957 Nationals

(Continued from page 16)

went on to win High Point Stunt in the fly-off against Arthur Pawloski (Sen. Winner) and Bob Winks (Jun. Winner)—flying his Nobler, of course. We noticed that George holds his handle horizontal with the ground most of the time. He flies clockwise (way he originally learned—he's not left handed)—but is quite at home flying anti-clockwise in Combat or when flying another modelers ship. Stunt entries were outstanding for their realistic appearance this year. Several had wheelpants and others were semi-scale replicas of Army or Navy planes.

Proto Speed attracted a big entry and existing AMA records were beaten in Junior, Senior and Open categories. Many good looking models. One of the best, Gene Kessler's McCoy 29 powered Fibreglass original, had 1/32" thick fuselage sides and the balsa wings were Fiberglass covered, the stab silked. Thirty fuselages made from the mold to date. In Team Racing (no age divisions) the chequered flag fell for Bob Heminway (time 8:27.5) Fox 29 original. Bob placed 2nd at the '56 Nats, won Mirror Meet in '55 and he told us that this was his 30th T/R win in the last three years.

Combat was fiercer than ever this year and the area 'around the circles was soon littered with bits of chopped up models—as well as the streamers. Victor in Open Combat—after losing his outer wing panel in the final fight—was Joe Kastetter, flying an original design of conventional layout with a 9%" x 36" wing. Carrier attracted the usual crowds of spectators around the Navy's "Small Fry"—this year's Open Winner being Stephen Bahin of Ohio.

Winner being Stephen Babin of Ohio. Big entries in all free flight events. Nordic A.2 still very popular and the new A.1 class seems to be catching on well. In F/F gas, the once unusual VTO is now at least as popular as the old conventional landing gear ROG take-off. Plenty of interest in the PAA-Load categories—including the Jet and Junior Jet events, with '56 Winner Brent Hawkins taking first in the latter again this year. Wakefield and Unlimited Rubber show no signs of slackening interest—big-gest model this year being George Perryman's seven-foot Kluge, with which he placed 5th in Open. In Helicopter, Parnell Schoenky won as usual (174.12 points) with his twin Jetex 350 job and the same Atwood .049 powered entry he has flown and won with at every Nats, since the first Helicopter event in '53.

At the cathedral-like Lakehurst blimp hanger, the indoor flying conditions were pretty good as regards lift. Most of the ever-faithful Indoor enthusiasts were there—either flying or watching—including Carl Goldberg, Bill Tyler, John Zaic and Joe Bilgri—the latter winning Indoor Stick with 32:53.8—not too far short of the existing record. The high humidity, gloomy lighting and slow-motion movements of both models and people gave us an impression that the entire flying session was taking place under water. It's the kind of atmosphere where everyone whispers—and it never seems to change from year to year.

There were a good sprinkling of girl contestants this year—with one of them, Suzanna Allen of Valley Stream, N.Y., taking first in Junior F/F A Gas with 13.43.9. Not only do the girls brighten up the scenery, they also provide the incentive for some of the boys to put on a clean T shirt and perhaps even try to shave before the

prize giving! Carl Goldberg's son Robbie, took 5th in Junior F/F A Gas with Dad's new Blazer kit design. Another chip off the old block was Skeeter, Cal Smith's son, who took 4th in Junior F/F scale with a Torp. 19 powered D-8 almost as big as himself. It wouldn't be like the Nats without C. O. Wright, who can still show the youngsters plenty about contest flying at 62. C. O. collected a 5th with his T-Craft (plans were in MAN) and a 4th in International PAA-Load.

One unchanging feature of the Nats is the Work Hanger. Table after table of modelers repairing, altering and even building new models from scratch. We came across a Berkeley Custom Privateer (the BIG onel) on the first day—which just had the bare fuselage framework completed. We wonder if the builder ever finished it and flew it at the Nats—or is he still there working away in a now silent and deserted hanger?

hangerr
Johnny Brodbeck chalked up his tenth
year of operating the free K & B Allyn Engine Repair Service—keeping several hundred engines in circulation that had been
damaged during the contest. Johnny takes
up to ten minutes to repair an enginewith work ranging from minor things like
replacing a needle valve or rebuilding an
entire motor. This service was not confined to K & B's either—any engine brough
along was cheerfully accepted for repair.

with work ranging from minor things like replacing a needle valve or rebuilding an entire motor. This service was not confined to K & B's either—any engine brought along was cheerfully accepted for repair. So many memorable modelers at the Nats. John S. Quimby for instance, who put on a Sabre Dance demonstration with his Torp. 29 powered Ringmaster. Unusual was the fact that he didn't use motor control—just wagged the elevator to kill speed and keep the model hanging on its prop. John told us that he served as a missionary in Japan until recently, where he flew models with the Tachikawa Dragon Flies. Then there was Lester Grogan of Dallas. who designs and builds the prettiest speed ships. A wheel chair prevents his flying other than sport C/L, but his proxy flown 1/2A speed entry collected 2nd in Open. Hardy Lewis, Junior Nats Champ also used one of Lester's designs to win in Junior 1/2A Speed.

We must not forget to mention the Model Recovery Control Center, operated by members of the Phil-Mont Mobile Radio Club, which rescued dozens of flyaway models. Fifteen radio-equipped cars were used during the week-long Nats and on busy days, as many as 40-50 models were rescued—one ship being tracked down 12 miles away from Willow Grove. CAP planes also co-operated in the recovery service. Fine effort by all concerned.

The Blue Angels put on their usual polished display of formation aerobatics flying on the closing Saturday and Sunday afternoons—and 19 year old Ann McMenamin was chosen as Miss Model Aviation of the '57 Nationals. Since the collection of Tropies was the biggest ever awarded at a model contest, the prize giving went on until well after midnight. Finally, thanks must go to all those hard working people—the Navy personnel and the AMA officials—without whose efforts this wonderful Nats would never have been possible.

### Sure Fun

(Continued from page 13)

instructions for cutting the slots in your engine exhaust for the exhaust-slide control as well as detailed control hook-up instructions. The manufacturer will install the slide-control on your engine for a nominal fee if you don't want to do it yourself. You can also use a Roto-Valve or Bramco (Continued on page 38)

Designed with the smoothness and stamina for today's maneuvers

... Built with the care, skill and materials that insure satisfaction for the most critical modeler!

Vt, d

n

ie



Y CHOOSE ONE AND YOU'LL ALWAYS CHOOSE





\*Temperature Controlled Clearance

ENGINES . AIRPLANES ✓ For the perfect combination buy Veco... ENGINES • AIRPLA ACCESSORIES

#### **TUGBOAT 27**

**Harbor Type** Excitingly Realistic in the Water, Expertly Engineered Tugboat 27" Long and Designed for Multi-To sun Channel or S i n g l e Channel Ra-

dio Equip-ment with Electric TUGBOAT OCEAN GOING

\$1595

TYPE 35" Long For R/C Electric Powrene Parts.



Formed Pilot House, Deck House, etc. All Metal Complete Kit Only \$2495 A Semi-Scale U-Control Model for Stunt & Scale U-Control Model for Stun

#### Complete Kit Only \$1895



WINNER 1955 NATIONAL Open & Jr. Stunt. Calif. Stunt Champion, Designed by Bols Palmer. For Engines .19 to .35. Wing spon 54".



The Biggest Buy . . . By Comparison In U-Central Model Airplanes, Very Easy to Build, For Engines .19 to .35, Wing span 40",



A Free-Flight PAA-Load Contest Model. A Yerrific Performer. Engines .049 to .075, Span 36",



Beb Palmer's Contest Winning Stunter, Designed for Windy Weether, For Engines .29 to .35, Wing spon 52".



A Realistic Rugged & Reliable Stant Model; with Flaps, that anyone can fly. Engines .19 tp ,35. Wing span 37".



A Baby Stunt Job with Full Flaps. Fly this one for Fun or Fame, For Engines .15 to .19. Wing span 32".



perl. Dethermolizer Equipped. For Engines .049 th, .073. Wing spon 36".



A Beautiful, Thrilling, Super-Stunt Model. For Engines .19 to .35. Wing span 54".



U-Control Beauty for Team Racing, Simple Consruction, Buy It Today . . , Fly It To-, For Engines ,19 to ,31, Wing span 31",



ggest Buy . . . By Comparison in U-Control Model Airplanes, For Engines .19 to .35. Span 40".





fic Responding Full Flap Stunter, For .19 to .35. Wing span 38".



A Recommended Stunt Trainer for the Novice. Easy to Assemble & fly. For Engines ,19 to ,35. Wing upon 37".



A Populor Free-Flight Scale Model of its Famous Brother. Lightweight Construction. For Engines ,049 to ,051. Wing span 35".



A Free-Flight Sport Bi-Plane of unusually Simple Construction. For Engines ,049 to ,075. Wing span 24".



An Ideal Lightwe Beginners Model. Wing span 25".

If Unavailable At Your Local Hobby Dealers, Contact Veca Direct.

Veco Products Corp., Burbank, California

# 4 NEW MODELS



EVERY ONE A TERRIFIC SUPER FLYING MODEL


SCIENTIFIC

Half-A-Engine Fans! Feast your eyes on these truly and new flying sensations.

4 brand new flying performance of the sense to Gol Choose your action-packed for thrilling performance for power-your dealers now and Rarin't designed for power-your dealers now. They're designed for power-tayon't are in the sense to the your dealers now and Rarin to Gol Choose your vour dealers now and Rarin to Gol Choose your to Gol Choose your to Gol Choose your to Gol Choose your and Rarin to Gol Choose your to Gol



"ZIG-ZAG"



FORD FLIVVER 18" SPAN FOR .020 to .074 ENG.



F7U CUTLASS 18" SPAN FOR .020 to .074 ENG.



FREE! Brand New Fall Scientific Catalog. See your dealer for your free copy, or send a postal card direct to factory. This catalog is all new! It's colorful . . . fully illustrated and contains all our exciting Airplanes, Speedboats and Race Cars.



SCIENTIFIC MODEL AIRPLANE COMPANY 113M11 MONROE ST., NEWARK 5, N. J.

If no dealer is available, add 25c (postage & packing) to cost of model

MODEL AIRPLANE NEWS . November, 1957

FAMOUS SCIENTIFIC 1/2A MODELS!

## perform Them All! SCIENTIFIC

GREATEST VALUES, TOO!



Stuke Dive Bember \$1.95 SPAN: 18" For .039 to .074 Eng. Something new! This W-Control ficiller drops bamb as you fly. Prefsibled W/carred fuselage.



P-40 Flying Tiger \$1.75 SPAH: 18" For .839 to .874 Eng. Our popular U-Control model of this Curtiss World War II Tighter. Perfabbled w/carved fursiles.



"ATOMIC" \$1.95
SPAN: 18" For .039 to .074 Eng.
Our designer's dream model ...
a very fast toam racer with smart
racer type styling. All prefab.



Piper Commuche \$1.95 SPAN: 18" For .039 to .074 Eng. Scale fly-tl-yauxaett model. A read U-Control thrilline, Super pre-fab with carved fuselage.



B-66 Jet Bomber 31,73 SPAN: 18" For .039 to .074 Eng. Famous Bouglas jet bamber that you fly U-Coutrel. Drags bomb in clinks. Prefab w/corvos fusalings.



FI-16 TRAINER \$1.95
SPAN: 18" For .039 to .074 Eng.
Famous Ryan trainer that you fly
to-Control. Prefabbed hit has a
carved fuseiage, etc.



ELDORADO" \$1.69
14%" Long. For Elec. Outlid. Mirs.
Fast, slock opendout — really
maders w/wrap-around windshield
b swopt wing fins. Freith.



Booch "Bonango" \$1.95 SPAN: 18" For .039 to .074 Eng. A real "beant" of a model. It's authentic scale . . for U-Coatrof flying. Profab. Carved fuscings.



E-Z TRAINER \$1.29 SPAN: 18" For .039 to .074 Eng.



LUCKY RACER \$1.98 SPAN: 18" Fur .039 to .074 Eng. Terrifically fast U-Control of Geodyser type racev. Perfubbed with carved fuscings, otc.



Cessna 182 Tricycle \$1.95 SPAN: 18" For .039 to .074 Eng. Scale fly-it-yearself madel of famous private plas. All pretak W/caryed fusalers.



FLASH \$1.69 18" For .039 to .074 Eng. Colorful! U-Control thriller casy to fly and a cinch



GOLDEN HAWK \$1.95 SPAN: 18" For .039 to .074 Eng. Big expansive wing . . autromety colorful needs for U-Central fly-ing. Corved fiscalage, profethed.



LITTLE MUSTANG \$1.95 SPAN: 18" For .020 to .074 Eng. Fameas ascert fighter model. Com-pletely profeshbod. Features carved balsa funcings, formed balsa wing.



No. Am. "Texan" \$1.95 SPAN: 18" For .035 to .074 Eng. Authorite scale model of the USAF A78 Trainer. A tep-actsh "fly it yourself" model. All prefabbel.



LITTLE STIMKER \$2.95
SPAN: 16" For .020 to .074 Eng.
"Pitt's Special" championship stunt
flyor, Righty opiorful medici. All
prolabbed kit.



SUPER SABRE \$1.98 SPAN: 18" For .035 to .074 Eng. America's first sapersonic Highler! Fly-it-yeurosit . U-CONTROL! Profesbod, 3 rabber wisesis, etc.



Torpedo Speedboat 52.50 For Gas Powered OUTBOARD Eng. Length 20", Beam 8" Economo mahegany recoor hell. A real speedster. All prefebricates.



STUNT MASTER \$1.69 SPAH: 18" For .035 to .099 Eng. Very popular ½A stunt place. Highly colorful . terrific ac-tion. Saper prefebricated act



LITTLE MERCURY \$1.69
SPAH: 18" for .039 to .074 Eng.
Carved fuscings model, an accollect
U-Centrol figur. 10's completely
profethed. A cinch to accombin.



LARK SPEEDBOAT \$2.50 20" Long. For Outbased Eng. Alive with action! Streamiles of speedster that's E-Z to assemble, two to cace. All prefabricated.



BEECHCRAFT "17" \$2.95 SPAN: 16" For :845 to .899 Eng.
U-Centrel, prefabbed medal has carved balas feedings formed batts wings, metal cost, etc., etc.,



RED DEVIL 57-0-5 SPAN: 18" For .035 to .074 Eng.
Ultra slowl, very colorful ti-Control model All prelabled parts.
The distribution of the state of t




Piper Tri-Pacer \$1.98 SPAN: 18" For 039 to 074 Eng. Scale U-Centrel flyer with a tri-cycle landing gase for safe land-



AMERICAN BOY \$1.29 SPAN: 18" For .020 to .074 Eng. Extremely papelor ti-Control train-or ot a big bargain pricel It's profile and all profeshed.

AT YOUR DEALER





SCIENTIFIC MODEL AIRPLANE COMPANY

113 MII MONROE ST., NEWARK 5, N. J. If no deater is available, add 25c (postage & packing) to cost of model



This engine is designed and precisionmanufactured for the hobbyist not satisfied with less than the best - in quality and performance. One of the smallest in exterior dimensions, it is guaranteed to give you more horsepower per ounce of weight than any engine manufactured in the entire world.

PRICE \$2395 at your Dealers

If your dealer can't supplywrite direct for fact sheet. Compare the Dooling #29 engine at your dealers with any other - and espe-cially read our detail sheet of exclusive features which he will gladly give you free. You will readily see why aircraft engineers rate the Dooling #29 the ultimate in engineering design and crafts-manship—and why model builders who demand the best buy Dooling.

Dooling Bros. 5452 West Adams Blvd., Los Angeles 16, Calif

#### **DEALERS!**

Send for a free sample Copy of the hobby industry's leading trade magazine.

Packed full of information designed to help you sell more hobby merchandise.

> CRAFT, MODEL & HOBBY INDUSTRY

30 E. 29th St.

New York 16



#### 4 NEW RADIO BOOKS

"RADIO CONTROL OF MODEL AIRCRAFT"

"RADIO CONTROL OF MODEL AIRCRAFT"

By G. SOMMERHOFF

First of 3 new Cloth Bound Radio Book series. Centants over 169 pages. Approximately 53,000 words in its text. Over 169 Radio Schematics and Drawings. Elementary course is given for beginners. For the move advanced the book gives all of the following. I different Transmitters. I different Receivers. 7 different exapements and serves. Each over with a complete drawing of the Schematics. Complete leastructions on how to build and a Complete funing and adjusting instructions. Full list is given of each as to its needed components, etc. Charle tell wire resistance values. How to figure Sing Tuned Coll windings, etc. Charle tell wire resistance values. How to figure Sing Tuned Coll windings, etc., in this book are FULLY PATENTED and have Never been shown before in any other book or magazine. The publisher gives you the right to use those FULLY PATENTED Sets for your own personal use. Profit from this, the Author's pars of experience.

OVER 160 PAGES-85,000 WORDS-CLOTH BOUND COMPLETE SCHEMATICS - PATENTED MULTI CONTROLS FULL PRICE in Deluxe Cloth Bound edition . . . . . . \$3.98 [ 10 DAY MONEY BACK GUARANTEE IF NOT SATISFIED

> OTHER RADIO BOOKS Control of Model Aircraft
> Control of Model Aircraft
> Control of Model Ships, Boats and Aircraft
> Radio Control
> Control Medels

sech off order above. Add 25c postage per book. Print your name and address in column this ad GULL MODEL AIRPLANE CO., 10 EAST OVERLEA AVE., DEPT. M-5, BALTIMORE 6, MD.

Throttle linked with the Flight Control unit for motor speed variation.

Bolt your engine in place (with offset thrust per the plans) before bending the 1/16" piano wire exhaust and elevator pushrods. Cut a notch in the firewall to allow pushrod travel. Bind pushrods with soft wire to the control-unit attachment wires and check elevator and exhaust control action before soldering permanently. The closed position of my exhaust slide leaves a 1/16" triangular exhaust port opening for a slow engine idle speed with opening for a slow engine idle speed with the K & B. 32. The port opening will vary with different engines. If desired, you may adjust the slide to close completely so that you may stop the engine at will. Be sure that the exhaust port slide opens com-pletely when the two elevator control wires pietery when the two elevator control wires are both pulled at the same time. If you like you may bend a small V in the exhaust pushrod to allow pushrod length adjustment.

You are now ready to cover the top of the nose with 3/32" sheet balsa, wetting the outside for easier curving over the formers. The outside edges of the stringers are notched 3/32" to allow the sheeting to come in contact with Former #4. The 1/4" soft sheet cabin top is cemented in place and is rounded off after the 3/32" scrap window top outline pieces are

cemented in place.

The removable gas tank tray is built up as a separate unit. The tank is held in place with rubber bands looped over the tank tray's 3/16" hardwood dowel. Slide the tray (with tank) into position from the bottom of the nose and center the tank with the needle when heads to the content of the needle when heads to the second to the second to the needle when heads to the second to with the needle valve body for smooth inverted operation. Make sure the tank does not come in contact with the exhaust slide pushrod. I used a Kap-Pak No. T-11 stunt tank. After you have found the proper tank tray position in the nose of your ship, you can cement the 3/16" square keys in place per the plans. In the event of fuel system troubles at the flying field you simply remove the gear hatch, disconnect the fuel line, and slide the tank tray unit out of your ship. Tank repairs can then be made, or a spare tank installed, in a matter of minutes without going back to the workbench. Tank air-tube holes should be drilled in the top sheeting and the hatch to allow the tank filler and air tubes to extend outside the ship. Flexible fuel line tubing can be slipped over the tank user. tubing can be slipped over the tank vent tubes for extending outside the nose. The removable feature of the tank tray unit necessitates a radial engine mounting. If you are using beam motor mounts, the tank mounting formers can be notched for the motor mounts and cemented in place

for a permanent tank mounting.

The pontoons are assembled upside down. Pin the '%" top sheets to the workbench, then cement the formers in their respective positions. When dry, cement the keel and the 'w' x 3/16" crossbrace reinforcements in place. Cement and pin the sides in position and let dry while the accombling are still reinred to the work. assemblies are still pinned to the work-bench. The two pontoon crossbraces can be fashioned from basswood or yardstick material. Round the edges of these braces before sliding them through the pontoons and cementing in place. Pin upside down on the workbench to dry. Be sure that the pontoon centerlines are parallel to each other. Block-sand the bottoms of the pon-toons for proper contact of the bottom sheeting. Before covering the bottoms, a couple of coats of clear dope should be applied to the interior of the pontoons. Clear dope the inside of the bottom sheeting before cementing in place, applying water on the outside of the wood from the step forward to allow easier bending.



ntrol

ator l to with

nent con. ntly. lide

port

with

ary

may that arre om-

ires

von ex-

gth

of

ing

the

ng-

£ 4.

ted

29

are

up

in

he ide

om

nk

in-

11

ip,

iel ct

tit be

9 to

ne es ne

H

ELA STUNT COMBAT THRILLS!

Ave. & Wister St. Philadelphia 44, Pa.

They're the last word in control line stunt flying thrills! The new North American Navion, and the new Lockheed Starfire . . . both by Sterling . . . and both designed by Matt Kania, world's foremost model designer and flyer! These planes will execute the entire stunt pattern with amazing snap and precision! They'll do everything in the book — and then some! Completely prefabbed and a cinch to build! An unbeatable combination — Sterling and Kania . . . and YOU to fly 'em! Ask your dealer!

Write for 1957 Catalog of Boat and Plane Model Kits, Send 10c in coin!

KING BEAVER ELECTRIC MOTOR

\$6.95

Most powerful motor in its class! Easily operates any model boat 25" or longer, operating on 2 or more flashlight cells. A versatile, rugged power plant. Performance unconditionally guaranteed! Available at your dealer's in mid-June 1957.

When it's Made by Sterling IT'S UNCONDITIONALLY GUARANTEED IN WRITING!



#### ARE YOU PROTECTED?

Take Advantage of the **AMA Full Time Public Liability Protection** 

FREE With Your Annual Membership -Plus-Model Flyer's License . "Model Aviation" Monthly . . **Revised Rule Book** 

ALL FOR ONLY \$1.50 up to 16 years—\$2.00 up to 21 years—\$2.50 21 years and over

#### MAIL THIS COUPON TODAY!

Academy of Model Aeronautics 1025 Connecticut Ave. Washington 6, D. C.

Enclosed find \$ I	hereby agree
to fly my models in a safe and as prescribed by the A.M.A., a	sane manner
full membership privileges for the	te year 1957.

				1		•											
Name																	

Address								*						٠	*	*	*	

City..... Zone... State..... Date of Birth..... Signed ..... The landing gear struts are J-bolted to the removable hatch %" plywood flooring after the hatch has been rounded to shape on the bottom to blend in with the lines of the fuselage. After the J-bolt nuts are screwed on, fill the holes over them with plastic balsa. Don't forget to cement the 3/16" square hard balsa keys to the hatch floor to maintain proper hatch alignment floor to maintain proper hatch alignment on the fuselage. Also note that the pon-toon struts are soldered to the J-bolts on the pontoon crossbrace mountings. I found this to be very important after making an unnecessarily hot water touchdown which sprung the gear out of the J-bolts.

In preparation for covering, the entire ship should be sanded to a smooth surface. The formers between the stringers should be sanded flat for smooth covering contact. Give the entire structure a coat of clear dope (three coats on the pontoons) and sand lightly after dry. I also gave the internal structure of my ship one coat of clear for protection against water.

A tough covering material is recom-mended, preferably Berkeley model nylon or silk. Nylon should not be used over the fuselage stringers to prevent warp-ing, silk will work out nicely here. The tail surfaces should not be covered, thus tail surfaces should not be covered, thus saving weight behind the center of gravity. The pontoons should be covered with nylon, overlapping the seams to prevent the possibility of a leak.

Give the covering two thinned coats of clear dope before lightly sanding. Apply a couple of coats of filler to the covered

wood areas and sand again with fine sandpaper. Finish with another coat of clear and four coats of thinned color dope, trimming to suit your taste. The original Sure-Fun was given a finish of butyrate orangeyellow dope with red trim, resulting in a nice effect on the water.

the first

#### LONG GLOW PLUG



This is the same plug that was used in the 34 hours and 34 minutes World Endurance Record and is available now in your local Hobby Shop. The life of no other plug can approach the hours of use you will get with a GOLD SEAL GLOW PLUG. Designed for maximum R.P.M. it guarantees top performance.

Look for and Insist on the Plug with the GOLD SEAL

OHLSSON MANUFACTURING CO. LONG BEACH, CALIFORNIA Not Connected with Ohisson & Rice, Inc.

# POSITIVE

The WINNING Slogan in 3A is . . .



#### Official Results (not claims)

#### 1957 Nationals

For the third straight year, Thimble Drome took more winning places than All Other Makes Combined!

#### TD ENGINES—All 1/2 A Events

1st Places 7 out of 9 6 out of 9 2nd Places 7 out of 9 3rd Places

Speed - All 3 first places, 3 second places, and the 3 third places taken by Thimble Drome.

CLIPPER CARGO

1st, 2nd, and 3rd taken by Thimble Drome

Two out of three 1st places by Thimble Drome

PAA LOAD

One out of two 1st places by Thimble Drome

#### THIMBLE DROME FUEL

3 Speed - Two out of three first places Clipper Cargo - First Place PAA Load - One out of two first places Free Flight - One out of three first places

For Speed or Sport, in Planes, Boats or Cars-BE SURE-Power with the BEST

THIMBLE DROME ENGINES THIMBLE DROME FUEL

L. M. COX MFG. CO., INC. Box 476, Santa Ana, California

#### Let's Get Started

(Continued from page 28) means a small, rubber-powered model of the stick type. It may have all balsa parts or (better for later attempts) a framework wing with paper covering. Gliders can be self designed and built from raw materials later but, at first, ready-to-fly gliders are ideal. One of the first truly successful toss gliders was the American Junior 74 Fighter. For the younger fellows who have never glued a joint, these gliders teach plenty about flying. The wing can be moved back and forth in its slot to change balance from nose-heavy to tail-heavy, giving looping flights, or zippy, ground-covering flights. By breathing on the wood rudder or wing tips, the builder can warp in slight adjustments for turns and bank. The wood

adjustments for turns and bank. The wood should be twisted slightly.

Jim Walker (of AJ) performs incredible feats with these little gliders. They circle behind him, come back to hand. Or make figure eight, and land on his hand. Or loop overhead, come between his knees and continue to loop back into his hand. Testors and others also package good gliders. A guy can learn to fly, to adjust a model, all without a destructive crack-up and then apply that knowledge to trickier things which, otherwise, might never work for him. You'll also find Testor gliders and fliers already and the statement anywhere

fliers almost anywhere.

Since before World War 2, American
Junior has had an amazing glider, the Interceptor. Two generations of modelers
have known these gliders and the darned things are still as sensational as ever. The wings fold back for launching. The glider is catapulted high into the air by means of a rubber that ties around a dowel (held in the other hand) that comes with the glider. The model zips straight up and, as slows down, the decreasing force of the air permits the wings to swing forward the air permits the wings to swing forward to their extended position for gliding flight. The Interceptors soar beautifully and, verv likely, will teach you about thermals. You'll lose them occasionally high in a cloud. It takes a little adjustment, again by warping the sheet balsa of rudder and wing tips, to get circling, nose-up turn-and-bank. On a summer evening, swallows madly chase this wooden hawk! Lessons learned here come in handy later, when adjusting towling. in handy later when adjusting towline gliders, and free flight models.

The AJ Hornet, rubber-powered model with plastic prop, is another dilly. Considering its plastic prop and color-printed cambered wood wings, it is a remarkable design to date back at least 15 years. In more recent years, Testors and others have similarly brought out good items. The Testor Dipper with plastic prop and rubber motor

is another good deal.

The new modeler can learn to stretch wind the rubber, which is the way high-performance duration rubber-powered models are operated for those sensational con-test winning flights. A helper grasps the propeller to take up strain, while the flier uses a hand drill with a music wire hook in the chuck, stretching out the rubber to three times its normal length, to wind in more knots than otherwise possible. As he winds, he walks in slowly until the rubber is ready to be put back on the hook, but with about three rows of knots. Boy what flights! The circling climb in calm air is beautiful to watch. The climbing turn can be tightened or widened by slightly bending the flying surfaces. Some flights will go haywire but the experi-menting teaches fundamentals without

Now, with all the balsa fliers on the market, gliders or rubber-powered, a fel-

low has to care for his model. He learns that wet grass takes the shape out of the wood wing. That sharp, hard obstacles means split pieces. He learns to patch and make last. Good habits for later on when a ship or two may be nursed along for a year or more. When the rubber gets weak year or more. When the rubber gets weak and worn, he can replace it. He finds out how rubber stretches, how it takes less turns when new, how it losses its zip when overwound. Handling rubber is the secret of any rubber-models duration and altitude-grabbing ability. He finds out about rubber lube, which makes possible more rubber winds and prolongs rubber life. Glycerine and green soap from the drug store mixed three to one, make an excellent rubber lubricant. Some hobby excellent rubber lubricant. Some hobby shops have rubber lube-you can buy from America's Hobby Center.

Requiring no construction, these readyto-fly items are ideal for the youngest novice—and they are fun, anytime, for anybody. For the fellows of less than ten, who've never tried a flying model before, these "fun" models guarantee success the these "fun" models guarantee success the first time out. Easy, level launches, and smooth flights become routine. Most people cannot launch a flying model. Even Dad would probably toss the little crate too hard into the wind and loop it into the ground. And he would not know how to toss a glider so that it circles upwards smoothly and then glides in gradually descending circles. How can anybody launch a gaspowered free flight without this experience? Many an adult has said this is a cinch and then splatters the complicated crate he picked for his starter? An expert modeler

picked for his starter? An expert modeler takes pride in his ability to launch even a 10-cent glider—just so. He has "feel," or a sense of flying speed of the model and just what force it takes in launching.

If you think you are too good for such things, make this test. Take any free flight model, balsa glider, built-up Half A-powered, sport job, anything, and hand glide it so it glides out straight from your hand, without stalls or dives or turns string. without stalls or dives or turns, string-straight to a spot you aim at. Most modeleers can't even hand glide a model-and

they don't know it!

Of course, ready-to-fly things will not make a builder out of anyone. Building consists, fundamentally, of cutting, sanding, and cementing together the wood pieces. It takes some skill but skill is nothing but practice and pride of workmanship. so, going back a good twenty years, and as excellent today as ever, are many of the balsa gliders and built-up ROG's now manufactured under the Jetco name. Razor blade cutting of pieces, sanding and sandpaper blocks, cementing and assembly techniques, are involved in just the right way for beginners who really want to build things. Many of these delightful items go back to Johnny and Frank Zaic, of whom all old timers have pleasant memories. And the models really fly. From them are the incomes ready my. From them are learned basic proportions. Anybody should thereafter be able to make their own simple experimental designs and fashion worthwhile fliers from hobby shop raw materials. Component parts and dimensions are healtered to "rea what heaveners" Publications.

materials. Component parts and dimensions can be altered to "see what happens." Build a few of these and, free flight or control line, a chap is all set for bigger things. Such as the gas engined Veco Dakota free flight sport model. The Dakota unquestionably is one of the most ingenious and lovable crates ever put on the market. Automatic is the word for it. An all-balsa biplane, it utilizes U-control prefabricated construction. It is virtually impossible to fail to build it. Like the straight line in (Continued on page 48)

(Continued on page 48)



# if you want THE BEST look for this tag

#### THIMBLE-DROME BABE BEE .049

the acles and when or a

out less zip the and out sible

the an obby it ady-

ten,

the

Dad

nard

ınd.

s a thly

ling

gas

ice?

and he eler

n a

or

ight owle it and, ingeleand not ling andood oth-

hip. and of now azor adechway uild go nom And

are ould own nion raw ions uild trol

ket.

alsa

to

157

Here's the Little Giant of the ½ A field—the giant in performance as well as in value. The T-D Babe-Bee proves its easy-starting heritage at the first flip of the prop, outlasts engines that cost three times its price! No wonder it's powering more models, both flyer-designed and ready to fly, than any model engine ever built!







#### THIS CHRISTMAS GET THE BEST, GET THIMBLE-DROME!





SUPERCUB 195—Sweet-flying model of the most popular of all private planes. Only \$7.95



TB-3—Thrilling aerobatic plane with Air Cell wing and checker-board pattern. \$9.95



TD-4 FLIGHT TRAINER — Features adjustable engine mount and quick rubber band re-assembly. \$9.85



T-D GLOW FUEL—The fuel to use for everyday flying with TD or ANY engine. Pt. 85¢



TB-1 SKYMASTER—Tops in beauty, realism, performance. All-aluminum Air Cell Wing. \$19.95



PROP ROD — Combination speed and stunt racer, full of spins, turns, thrills, and action. \$9.95



WATER WIZARD—All that its name implies in terrific power boating action.

Just \$9.85



T-D RACING FUEL—The finest. Jet fast. For all engines, every class. Pt. \$1.10

For full cofor brochure on Thimble-Drome Products, send post card to

L. M. COX MFG. CO., INC. . P. O. Box 476, Santa Ana, California

### TOP FLITE GAS KITS ARE TERRIFIC!

each is an outstanding value in its class!



Combat or Stunt Trainer these two beauties were designed by George Aldrich, America's greatest stunt champion!

#### the NOBLER

**Championship Control Line** STUNT MODEL

Engine Sizes:

the

ES LEVYAN

"Winningest" Stunt Model

**Ever Flown!** 

1957 WINNER Nationals Open Stunt 1956 WINNER Nationals Open Stunt

1956 WINNER Nationals Senior Stunt (National Stunt Champion)

1955 WINNER Nationals Senior Stunt

1954 WINNER Trinidad Nationals Stunt

1954 3rd in Nationals Open 1954-3rd in Nationals Senior

1953 WINNER Nationals Senior Stunt

1952 WINNER Nationals Stunt

1951 WINNER International Stunt

#### THESE MODELS SWITCH FROM CONTROL LINE TO FREE FLIGHT IN

Each kit contains: formed landing gear, push rod, elevator horn, wheels, bell crank, firewall, decals, and all necessary hardware. All parts are completely finished. Only select Grade-A balsa is used. Full size detailed plans with many step-by-step construction features making it easy to build and fly furnished with each kit.

• Ideal for beginners . . . and experts, too!

All feature Famous JIGTIME CONSTRUCTION for easy, no-mistake assembly!



An outstanding favorite with all 1/2A model builders for years! 27 inch wingspan. Features die

ARROWJET 24

Has the dash and class of mod-ern Navy prop-jet design. Ideal for 1/2A gas engines. Features formed clear plastic canopy. 24

by the makers of famous TOP FLITES and POWER PROPS . . . the Props of Champs!

AVAILABLE AT ALL LEADING HOBBY SHOPS

TOP FLITE MODELS, INC. 2635 S. Wabash Ave. Chicago 16, III.




# 1957 NATIONALS — WILLOW GROVE, PA.

Yes, for 10 YEARS IN A ROW, famous TOP FLITES and POWER PROPS lead the field at the Nationals . . . Winning MORE 1st Places THAN ANY OTHER MAKE! choose these famous props and YOU'LL be right up there with

these nationals winners!







A

#### ALL THOSE LISTED ARE FIRST PLACE WINNERS!

1/2 A SPEED SENIOR Allan Brooks Tacoma, Wash. Speed: 87.35 mph Engine: Cox .049 Fuel: Thimble Drone R

A

10

41/2-7 POWER PROP Plane: Original

FAI GAS JUNIOR **Gary Feekes** Cedar Rapids, Iowa Time: 17:33.3 Engine: K&B 15 Fuel: Hells Fire

8-31/2 TOP FLITE Plane: Lucky Lindy

FAI GAS SENIOR **Donald Gurnett** Fairfax, lowa Time: 21:48.1 Engine: Webra 15 Mach 1 Fuel: Own Mix PROP: 9-6 TOP FLITE Plane: Lucky Lindy

FAI GAS OPEN Daniel Sobala So. Hadley, Mass. Time: 22:08 5 Engine: Oliver 15 Fuel: Ohlsson PROP: 9-5 TOP FLITE Plane: Original

STUNT JR Bob Winks Cleveland, Ohio 588.0 points Engine: Fox 35 Fuel: Own Mix PROP: 10-5 TOP FLITE Plane: Thunderbird (mod.)

COMBAT JUNIOR Robert Krakauskas Little Falls, N. J. Engine: K&B 35 Fuel: O&R 2 PROP: 9-7 TOP FLITE Plane: Original

FLYING SCALE CL JUNIOR Gerry Ferguson Valley Stream, N.Y. 197.2 points Engine: Fox 29 Fuel: Testor PROP: 9-7 TOP FLITE Plane: Berkeley T-28

FLYING SCALE CL SENIOR Michael Burke Louisville, Kv. 237.4 points Engine: K&R 29 Fuel: Exothermic PROP: 10-6 TOP FLITE Plane: Corsair F-4U1 (mod.)

FLYING SCALE CL **OPEN** Tom Dean Corpus Christi, Tex. 347.2 points Engine: Cameron 19 Fuel: Supersonic 1000 PROP: 9-6 TOP FLITE Plane: Original

NAVY CARRIER SENIOR Rebert Heminway Audubon Park, N. J. 499 points Engine: McCov 60 Fuel: Own Mix PROP: 11-8 TOP FLITE Plane Skyraider (orig.) Plane: Pelican

NAVY CARRIER OPEN C. Stephen Babin Fairview Park, Ohio 520 points Engine: McCoy 60 Fuel: Own Mix PROP: 10-9 POWER PROP

Plane: Original A GAS FF SENIOR

Rudy Kluiber Cleveland, Ohio Time 30:07.5 Engine: Torp 19 Fuel: Nitro X PROP: 9-4 TOP FLITE Plane: Spacer

B-C GAS FF JUNIOR Alan Whitman Spartansburg, S. C. Time: 11:36.4 Engine: Torp 35 Fuel: Supersonic 1000 PROP: 11-4 TOP FLITE Plane: Ram Rod 750

R.O.W. GAS OPEN Robert Kleinfelder Hamilton, Ohio Time: 12:00.0 (new record) Engine: K&B 15 Fuel: Cheminol PROP: 8-31/2 TOP FLITE Plane:Zipper (mod.)

Donald Gurnett Fairfax, Iowa Wt. Lifted: 1001/4 oz. Engine: Thermal Hopper Fuel: Thermal Hopper R PROP: 6-3 TOP FLITE

CLIPPER CARGO

R.O.W. GAS JUNIOR Larry Willis Ohio Columbus. Time: 8:14.3 Engine: Atwood Shriek Fuel: Thimble Drone PROP: 6-3 TOP FLITE Plane: Yo-Ho

R.O.W. GAS SENIOR Robert Nichols Meriden, Conn. Time: 9:34.1 Engine: K&B 19 Fuel: K&B 100 PROP: 9-4 TOP FLITE Plane: Spacer

AMERICA CL PAA LOAD JR-SR Harold Thompson Miami, Fla. Time: 10:38.7 Engine: Atwood .049 Fuel: Nitro X PROP: 6-4 TOP FLITE Plane: PAA Master (mod.)

RADIO CONTROL (RUDDER) Richard C. Allen Apalachin, N. Y. 106.5 points Engine: Fox 35 Fuel: Fox PROP: 10-6 TOP FLITE Plane: Lancer

RADIO CONTROL PYLON RACING Keith Storey Pasadena, Cal. 24.3 points Engine: Oliver Tiger 15 Diesel Fuel: McCov Diesel PROP: 10-6 TOP FLITE Plane: Bonzo (orig.)

COMBAT OPEN Joe Kastetter Clifton, N. J Engine: Fox 35 Fuel: Own Mix PROP: 9-7 TOP FLITE Plane: Original

A GAS F.F. JUNIOR Suzanna Allen Valley Stream, N. Y. Time: 13:43:9 Engine: Atwood .051 Fuel: K & B 1000 PROP: 6-3 NYLON TOP FLITE Plane: Ram Rod

A GAS F.F. OPEN Don Assel Canton, Ohio Time: 30:05.2 Engine: K & B 15 Fuel: Thimble Drone R PROP: 8-4 POWER PROP Plane: Original

HELICOPTER Parnell Schoenky Kirkwood, Mo. 174.12 points Engine: Atwood .049 Fuel: Cheminol AA PROP: 6-3 POWER PROP Plane: Original

1/2 A GAS F.F. SENIOR Rudy Kluiber Cleveland, Ohio Time: 22:15.0 Engine: Thermal Hopper Fuel: Clear Magic PROP: 6-3 POWER PROP Plane: Ram Rod 250

C.L. ENDURANCE OPEN Temmy De Ville New York, N. Y. Time: 1 Hr. 35:19 Engine: Fox 25 Testors PROP: 11-5 TOP FLITE Plane: Original













TOP FLITE MODELS, INC., 2635 S. Wabash Ave. - Chicago 16, III.



Everything you need to know . . and buy to make you a winner in R/C for planes and boats is in this book. Diagrams, glossary and "how-to" instructions — just 15c. Every item available through your dealer.

#### Another BIG BUY



NEW CYCLOPEDIA OF HOBBIES AND CRAFTS

Over \$0,000 items— \$20 pages—exciting selections. Only \$1.00. DEALERS order a supply . . . receive merchandising edition for own

MODEL DISTRIBUTORS, Inc."
2516 N. Grunnview Ave., Chicago 14, III

#### RC at the Nationals

(Continued from page 22)

saw something that made them want to close their eyes . . . Dick Brantsner kicked his ship into an inverted spin, not once but

repeatedly.

Among those who cussed out the time set aside for the air show on Saturday and Sunday were the writers. In Open Rudder Event, Dick Allen of Vestal, N.Y. and Leon Shulman of Cranford, N.J. came up with 106.5 points each for the only tie on the boards. It would have been nice if time had allowed a fly-off pair of flights, but under the existing rules it was necessary to refer back to the second best flight that each had made to determine the winner. Allen's second best flight was 85.5 points, Shulman's second best was 64.5, making Dick Allen the winner of the event.

There is no question that Dick qualified to win, for he proved his ability by winning the Mirror Meet Rudder Event at Floyd Bennett Field this spring, but the excitement of flying off a tie score as they do in the International Events is undeniable. Allen used a Valley Electronics 4-tube single-tone receiver with Robot Synchro pulse-servo and Shulman was flying Macnabb 465 mc equipment. Following close on Leon's heels came Walter George with 99.5 points, Ken Brenegan with 91 points and Fred Romano with 90 points for 3rd, 4th and 5th.

At the beginning of flying on Tuesday, July 30th, several ships showed up for the "rudder only" class with brakes, steerable tail wheels in addition to the engine control mentioned in the AMA rules. Since the rules failed to state "only" after "engine control and cut-off," technically these features were allowed. One ship had 5-channel


C.G. equipment, with two for rudder on a servo, two channels for engine and one for brakes; another ship with only single-channel pulsed RF signals had a delayed action "off-signal" engine control and a clever linen-cord actuated brake system that operated off the pulse actuator motor. Outte a hassle developed, with the Contest Board expected to "interpret" the rules on Wednesday night at their meeting. Instead, they avoided any action and, on Thursday, since the large majority of rudder-only contestants had limited their additional controls to engine throttle and cut-off, Vern Kroamer and Norm Jamieson, the Event Directors, made the decision to allow only engine in addition to rudder. Of the half-dozen with extra controls, only one felt he was being "scalped" by the decision—the rest simply disconnected their extras and felt that at least they were all competing on an equal basis. Ken Brenegan, with the pulsed rudder mentioned above, disconnected his extras and still made 4th. Ken also had a Bramco throttle on his Tory 15, for low, cruise and high. The cruise throttle gave him excellent control in the wind, despite a flat-hottowed airfail

tle gave him excellent control in the wind, despite a flat-bottomed airfoil.

Jr.-Sr. "Rudder Class" was topped off by Bennett with 80.5 points, followed by Frank Boykin (64 pts.), Jerry Nelson (56 pts.), Alex Rogutsky (54 pts.) and Tom Stott (52.5 pts.) There was a good amount of clean-cut flying in rudder-only despite several days of gusty weather and too many ships that still had flat-bottomed airfoils that are guaranteed to balloon in the wind. Ouite a few had engine control; most of them were on escapements.

Only 21 flying entries in the Intermediate Class proved that not many fellows find it easy to "dial M for Murder." Cascaded escapements, with three blips for up

# FLYING-SCALE-MODELS



#### PART OF THE CONTENTS

(ALL of the Fine Contents simply impossible to list in this small ad)

PLANS W W 1, W W 2, Sport Planes, Multi-Engined Bombers all are represented. Full instructions on scaling up these to any desired size. Free Flight Scale and R/C Scale, Rubber Powered, Gas Powered and Jet Powered.

PHOTOGRAPHS Over 200 Photos of expertly built Flying Scale Models. Highly detailed and of great value to those building similar models.

ENGINEERING How to choose the best type for Free Flight, Scale effect of wing sections, proper power plant to use, weight distribution, best C/G location, exact scale W W 1 props, proper pitch and size. Rigging, how to make exact scale W W 1 wire spoked wheels. Thousands of sketches and ideas are in this book on landing gear retracting, occepit details, instruments, cowlings, proper colors and markings. Pendulums for use in free flight scale proper way to use them.

AUTHOR R. G. Moulton, who has spent years building and perfecting Scale Flying Models, gives a comprehensive coverage of all types, from the choice of model, to building, proper finish, and finally, most important the actual flying of true scale models. Extra added is a listing of over 50 Real Aircraft Organizations and Manufacturers from whom you may obtain details and all sorts of helpful information about Scale Models. (This item alone worth price of the book)

#### CLOTH BOUND - ALL PAGES ON HIGH GLOSS PAPER COVER JET BLACK FOKKER D-7 PAINTING IN RED

"Flying Scale Models"

Sold on 10 day money back guarantee

\$4.98

"PLANSBOOK" contains over 1500 different WW 1 and WW 2 Models, Scale Radio Control, \$1.00

Check off order above, send payment with order, add 25c postage, PRINT your name and address in column this ad GULL MODEL AIRPLANE CO. 10 E. OVERLEA AVE. DEPT. MS BALTIMORE 6, MARYLAND

## -Citizen-Ship the MT "27"

#### MINIATURIZED TRANSISTORIZED

#### "27" mc PRINTED CIRCUIT RECEIVER

#### The ultimate in weight reduction

\* 2 ounce Receiver weight

for ved hat tor. test

on ad. lay, nly

mal em nly

alf. he the nd

ing the on-

en 15

nd,

by


by 56

m

iĥ d

ap

- \* 2 ounce Battery complement
- \* 1/2 M.A. idle; 3 M.A. relay current change
- \* Advanced circuit application. Ultra fast pulse
- \* Uses amplification factor of transistor
- \* Sensitivity increased 4 times
- \* Protective acetate box
- \* Printed circuit base
- \* Actual size 3" long, 11/8" wide, 1-3/16" high
- \* For use with CITIZEN-SHIP FL, FLX, LC 27.255mc transmitters



MINI-TRAN "27" RECEIVER model \$26.95

#### -Citizan-Ship RADIO CORP.

820 East 64th St.

Indianapolis 20, Ind.

and four for down, with the possibility of using wheel brakes on the 5th position, just didn't seem popular with fellows we spoke to. A few of the "Galloping Ghost" kickto. A few of the Galloping Ghost Rick-pulse systems flew and we saw where they get their name. One ship looked like a kicking mule going overhead. Don Brown did a creditable job of making 139 points, but 2nd place Bill Gilkey with 84.5 points was 15 points lower than Walter George, the 2nd place witners in Budder only Open the 2nd place winner in Rudder-only Open Class. Bill Davis hit 3rd with 79, Milt Zoloth with 68 and Paul O'Neill, with 54.5,

racked up 4th and 5th places respectively. Pylon Racing and the RC Scale Events got off to a slow start since this was the first year for these events, but unlike Intermediate, where there wasn't much interest shown outside of those who had ships, it seems that by next year everybody will have a scale or pylon ship. In the Pylon Event, Keith Storey's Bonzo, complete with pilot in the cockpit, started everyone buzpilot in the cockpit, started everyone buz-zing. The first thing to be learned, just from watching, was that pylon flying isn't easy. With 8-channel Orbit equipment, Keith still didn't "wrap the ship around the pylons." Flying a ship low and fast takes nerve and Keith admitted to butterflies in his midriff even with over 40 previous flights. From 25 or 50 feet up, it doesn't take long for the ground to get up to where mghts. From 25 or 50 feet up, it doesn't take long for the ground to get up to where you just made a mistake. Despite this and the fact that Keith, the 1st place winner, only clipped around at 24.3 mph for the five circuits, half the modelers on the field felt an itch in their fingers to start a ship for the supert for the event.

Lou Andrews had his new "X-Ray" ship that is a semi-scale Goodyear type with dual pulse ready, but ran into difficulties. John W. Jones was hot on Keith's heels


with 23 mph, Don Brown came along with 21.8 mph for 3rd, Dave Burt was 4th with 20.08 and Harold deBolt flew his Biplane

19.5 mph for 5th place.

If you're thinking, as we did before the Nationals, that Pylon Racing is simple, just consider this: to make a "wrap around" turn at a pylon where you really lay the wings vertical, you must first give the ship hard left rudder, then up elevator as it rolls over on its wing tip, for elevators become the directional "rudder," then top or right rudder to keep the nose up and to roll the ship out of the turn, then down elevators to get the nose down flat for the run up to the next pylon! All that must be done fast and automatically and just sitting here thinking about it explains why so many of the fellows in this year's event swung their turns far, wide and not so handsome! Keith's only comment after slicing into the ground on an early flight on a turn was "these things need more dihedral so I can't make so many mistakes." Keith's Bonzo had less than three degrees. One Bonzo had less than three degrees. One discussion wound up with everyone agreeing that there probably is a happy medium to pylon racing between the wide, sedate turns and the "wrap-around" spectacular, where the turn is about 40 to 50 feet in diameter. Since the flier is almost in line with the starting rules independ of this

diameter. Since the flier is almost in line with the starting pylon, judgment of this size turn would be relatively simple.

All we can convey to you scale bugs is the thought that if the pictures of those Wacos look good sitting on the ground, you should have seen George Kilbey's 1/5th size blue and yellow F-3 biplane swing around overhead, glide over the edge of the runway and rumble along to a stop. He had an Anderson Spitfire for power, Bramco 5-channel control and a Bramco throt-



Cana., Calgary, Alberta UNIVERSAL HOBBY SUPPLY 603 8th Ave., West

California, Carmichael HOBBY CORRAL Marconi at Fair Oaks

California, Hollywood BING'S GENERAL HOBBIES 7621 Sunset at Stanley

California, Lynwood 10417 Long Beach Blvd.

California, Oakland ROOT'S HORBY HUT 6036 Telegraph

California, Riverside DICK'S HOBBY & LEATHER 6574 Magnolia-Hillmer's

California, San Leandro STEVE'S HOBBY CORNER 596 E. 14th Street

1636 Ocean Park Blvd.

Colorado, Denver DOWNTOWN TOYS & HOBBIES 1517 Champa Street

Colorado, Denver TOM THUMB HOBBY CENTER 7020 East Colfax

Conm., New Britain GENE'S HOBBYLAND 11 Franklin Square

Iowa, Marengo K-D HOBBY SHOP Marengo Avenue

Maryland, Baltimore OYD'S MODEL HDQ. 2111 North Charles St.

Mass., Cambridge CROSBY'S HOBBY CENTRE 1704-A Mass. Avenue

Michigan, Detroit JOE'S HOBBY CENTER 9830 Wyoming Avenue

Minnesota, Minneapolis ROCKET RADIO & HOBBY 3453 - 4th Avenue South

New Jersey, Red Bank HOBBY HEADQUARTERS 62 White Street

New York, Buffalo FRONTIER HOBBIES Central Park Center

New York, Vestal 713 Delano Avenue

Ohio, Cleveland RED'S HOBBYCRAFT 7804 St. Clair Ave.

Oregon, Pendleton LARRY'S HOBBY SHOP 123 S. E. 2nd Street

Oregon, Portland FLEGEL HOBBY SERVICE 4503 N. Interstate

#### **NEW RC ITEMS!**



a doubt one of Here is without the finest actuators ever made, Using a plastic magnet, this is. one which the first one neutralizing upon receiving no marriant muthalizing upon receiving no current. Without springs. Dual Raytheon Manufacturing has neutralized with muthalized prices of tionally low drain. Draws 60 many of their subminature mils on 3 volts and 90 mils at tubes which are old R/C favorally volts. Weight is 3½ ounces. ites. 1AG4-\$3.25, CK536-\$3.25 California, Santa Monica Flight tested over two years. EVETT'S MODEL SHOP

Here is a substitute for the lAG4 in the detector stage of conventional receivers Will operate as a detector the WAG Dual, the many CG audio receivers as well as the Babcock Reflex receiver. Features cock Reflex receiver. Features only 13 mile of filament. Superregens beautifully at 274 abt one of and up to 52. Will fit in any ever made, application where a subminiat, this is, ture tube is used. Not recomis self mended as a relay tube. \$2.25

#### WAG Dual Kits APPROVED BY Nact Israel

For the ultimate in R/C fun the WAG Dual system is finding new converts. With the stick type control it is the nearest thing converts. The title sylve sounded to date. Provides for smooth proportional control of both rudder and elevator and fail safe button provides motor control with the use of a servo. Avoids the abrupt movement of other types of control and gives a real feel to flying.

Ace has had the pleasure of working very closely with Dr. Walter  $\Lambda$ . Good in the development of the kits for his dual proportional R/C system, and has been given the exclusive kitting rights to the receiver and transmitter. Walt personally selected the type of components to be used and has approved the Ace kits as of-

Receiver kit contains all rered components approved by Good. It is not recommendor those with ed for beginners limited R/C ex ed for beginners limited R/C experience. Kit saves you \$3.00 on parts if purchased individually. 27 or 50-54 specify. Combo kit in-50-54 specify. Combo cludes 3 Gem relays, cludes 3 Gem relays, Amperex 6007, 1AH4, and 3 CK5672 \$39.95 Combo kit includes 3 Gem relays 4 1AG4, 1 1AH4 \$41.95

Transmitter kit including 5% tolerance resistors and indivi-dually matched measured capacitors to insure uniform results. Either 27 or 50-54 please specify. Basic transmitter and sic pulser modulator k Sxl0x10 punched silk screened case, 7 3V4, 1 3B4, 13 MC crys-tal, 112" telescoping antenna, Sigma 4F relays, stick control box new improved

FULLY ILLUSTRATED CATALOG 57-4 AND SUPPLEMENT 57-5. FREE!

#### Ace Radio Control Ace R/C West Ace R/C East BOX 1896 BOX 301

MYRTLE BEACH, S.C. HIGGINSVILLE, MO.

Penna., Upper Darby 7036 W. Garrett Rd.

R. I., Central Falls CENTRAL HOBBIES 178 Valley Street

S. C., Charleston MODELHOBBY P. O. Box 435

Tenn., Fountain City FOUNTAIN CITY HOBBY Fountain City 4830 Broadway

Texas, San Antonio LANG HOBBIES 4908 South Flores Washington, Seattle

GREENWOOD HOBBY SHOP 141 North 85th St. Washington, Seattle

HOBBY CRAFT The Bon Marche

Washington, Yakima CLOVER LEAF HOBBY SHOP 10 North 4th Street

One Bite ...

CARMICHAEL, CALIF.

Wisconsin, Milwaukee ACE HOBBY SHOP

Wisconsin, Milwaukee AL'S HOBBY SHOP 2725 West North St.

Wisconsin, Waukesha THE HORBY HORSE River Park Center

Wyoming, Cheyenne THE HOBBY CENTER 220 E. 18th St.

tle . . . and he had everyone on the field with a stiff neck watching him fly. The day both Wacos were turned in for judging, the boys sat polishing them for four hours! George knocked off 102.5 points to take undisputed first place. One surprise of the meet that Bill Snuffin, the Event Director for Scale, kept under his helmet until the day the ships were to fly, was that any ship that didn't fly, gained no points whatsoever.

It seems they were worried lest some ship that couldn't fly, gain so many scale points it would beat out another ship that wasn't so dressy but flew well. In Kilbey's case, the worry was unfounded, but there were many of the entries that couldn't be flown for a variety of reasons including radio trouble. One scale job, a beautiful Fleet biplane, tried to take off, couldn't make it, was damaged beyond possibility of repairs before the end of flying at 2:00 P.M. Ammand Cote with a Cub that looked like you could step into it and take dual time for your ticket, took second with 89 points. These points were for scale and flying, in accordance with the rules.

The FAI RC speed record of 66.4 mph

came in for a concerted attack over at Vern Kroamer's airport with Dale Root clocking a little over 60 mph, Dick Brantsner hitting 50 and Vince Bonnema, Ernie Kratzet and a few others doing around 40 mph. Vince was flying dual pulse, the rest reeds. While the record still stands, the equipment gave the boys a chance to see just exactly what they could do.

Two runs were timed, one upwind, the other downwind, with the two runs averaged for actual speed, just as with the full-scale speed tries. Herb Honecker of the DCRC group brought up his equipment which consisted of two sights and an electrically operated stop watch arrangement that was started by a push-button at one sight, stopped by the man at the second sight.

Saturday night, August 3rd, the RC contestants held the most productive meeting we've ever attended. Over 63 fans cramwe've ever attended. Over 63 rans crammed into a pilot's ready room to hear the gory details of how the AMA Contest Board considers the "clarifications" that would limit "fudder only" to rudder and engine control, possibly to single channel, actual rules changes. The rules may not be changed until Lougraphete of part years.

changed until January 1st of next year. Bob Elliot, Contest Board member from District 1, did a good job on that one, then Ernie Kratzet took over to present a method of handling large numbers of entries in re that had been tried last year in Detroit. Basically, it boils down to having "quali-fying flights" where a flier must make a rying flights where a flier must make a certain number of points just going through the pattern of 500' out, procedure turn, figure eight and rectangle, then perhaps a loop, wingover and spiral dive. The minimum points to qualify for later "championship," flying would be the total of the average markings (total of 54 points) of the pressible 84 routes for these manequers. the possible 84 points for these maneuvers under AMA scoring procedure. In Detroit they tried to obtain the top ten fliers in each class, came up with 11 in one class, 10 in the other. It was pointed out that this procedure would allow more time to handle large numbers of contestants, since definite time, say perhaps the last day of the Nats, could be set aside for the "flyoffs" or championship flying. (Let's hope for good weather!-Editor)

A time advantage would be that once a fellow qualified, he would stop flying instead of trying to increase his points by repeated flying, thus leaving time for other (Continued on page 49)

on Tight!

for 1/2 A's to 60's

Engine

Starter

50¢

ALL DEALERS

Start fast! Get all the power your battery offers . quick, easy. Tough, durable plastic, insulated. Good metal contacts, spring-pressure tight. Screw terminals to attach your B&F Mfg. wires. Get KWIK-KLIP 4741 H. Arlesian Ave. Dept. 217 Chicago 25

CRAFT, MODEL & HOBBY INDUSTRY

DEALERS!

Send for a

free sample Copy

of the hobby industry's leading

trade magazine.

Packed full of information designed

to help you sell more hobby mer-

30 E. 29th St. New York 16

chandise.

ing, urs the the hip tso-

cale hat ey's

be ifu ln't

lity :00

ual 89 and

ern ing ing

nd ile

ve

he

he

ent ec-

ne nd

n ng

he

at

em

en

od

a

# FIRST PLACES

Plus

RECORDS

and the

NATIONAL CHAMPION ENGINE

for the



CONSECUTIVE YEAR<sup>†</sup>

17 TORPEDO SECONDS

.23 .32 .15 .35 Three Six One One Six

18 TORPEDO THIRDS

.24 .09 .23 .29 .35 Six Four . One One One Three Two

> A total of 52 places in the TOP 3 including SIX CLEAN SWEEPS

† For the 8th consecutive year TORPEDO ENGINES le the Nationals by winning more first places than other engine.

\*Pending verification by A.M.A.




Again the "WINNINGEST FUEL"

K & B SUPERSONIC 9 SECONDS 8 FIRSTS

9 THIRDS

No other fuel took so many places in the

Top Three



#### 17 TORPEDO WINS

TORPEDO .15 rnational PAA Load

nes A Free Fligh

Free Flight 80

iss A Free Flight

Free Flight ROW

TORPEDO .2 troi Line Flying Sc

Michael Burke B C Free Flight

TORPEDO .291 Prote Speed

Free Flight Flying Scale



ALLYN COMPANY . 5732 DUARTE STREET . LOS ANGELES 58, CALIFORNIA

#### AMERICAN TELASCO LIMITED

HUNTINGTON NEW YORK



DESIGNED BY:

LARRY CONOVER

ONE OF THE COUNTRY'S OUTSTANDING FLYERS AND DESIGNEES



A HIGH-PERFORMANCE JET AND PAA-LOAD AND FREE-FLIGHT DESIGN

wow!

FOR THE BEST ONLY

\$1.98

TERRIFIC VALUE



THE AMAZING NEW SOLID FUEL PELLET DESIGNED TO POWER THE POPULAR JETEX "50" ENGINE

DESIGNED BY THE BEST ...

Fun to Fly

**SPAN 32"** 

POWER IT WITH THE AMAZING,

\$1.98

NEW ..

PAA-LOADER

SE MODERN HY JETS AND ROCKETS NEW POWER!

. . . TO FLY JET AND ROCKET MODELS HIGHER, LONGER, FURTHER, AND FASTER THAN ANY OTHER FUEL YET DEVELOPED.

#### TRY IT WITH ONE OF THESE MODELS-ONLY \$1.59 EA. WITH ENGINE





READY-TO-ASSEMBLE

AVAILABLE AT ALL HOBBY DIRECTLY SHOPS OR FROM

#### LIGHT CONTROL THE EXCITING, NEW

3-LINE CONTROL SYSTEM



1. NEW PLANE UNIT!!! simple, easy installation.

—very smooth operating mechanism-strong con-struction-will withstand extreme line-pull tests. Full elevator movements at all motor-speed posi-tions. Very simple pushrod connections—lead-out cables attach in same manner as regular bellcrank-

2. INSTANTANEOUS MOTOR-SPEED RESPONSE at your finger tip—take-off and land whenever you want to and as of-ten as you please. Hover

the model very easily— 70% longer flight on same amount of fuel— stunt flying unparalleled by any other method of control.

3. LIGHTWEIGHT, DURABLE HIGH-IMPACT

plastic handle with me-chanism that equalizes line-pull of plane at all times. Trigger or auxil-iary lever allows preci-sion control over a wide range of power variation and many extra new easyto-operate controls in the

4. WRITE FOR DETAILS OF FINEST MOTOR-SPEED



control ever devised. Works perfectly with "FLIGHT CONTROL" and radio control. radio control.



MODEL MFG. CO.

BAKER, OREGON

#### Let's Get Started

(Continued from from page 40)

geometry, it is the shortest distance be-tween two points—no experience to a suc-cessful flier. In our tribe, the Dakota has been part of growing up. Everybody has made one. Neat or crude, every Dakota flew and each flew just like its predecessor. The Dakota is as near to a control line model as you can get in free flight. It is proportioned and laid out to fly in left circles, and will do so with every engine from a wee .02 or new Cox baby engine— up to the .049's. We've seen them skyrocket up in a straight climb, however, with .065's etc. when flown for fun by experts. With a small engine the crate barely maintains altitude; the circles are always the tains altitude; the circles are always the same, but more power makes the circles into an upward spiral. Heavy and rugged, the Dakota glides—but just barely, and you'll never lose it. On a calm day it will circle over the take-off spot, in a wind it will drift gradually. There's no paper covering. Wood, cement, pins—that's all. One Dakota was passed down, like an old suit, and made hundreds of flights on a Cub engine. Someone once cut down a Que of proposition a stumpy club that pages.

9 x 6 prop into a stumpy club that never should have worked but did. The battered little ship flew for a year on that club-hardly more than a hub with two stumps for blades, and once snagged a thermal to land a mile away. That's built-in success! This is an any-age crate, but for 12year-olds and under, it's a wonderful trainer. Only building fundamentals are involved. And, by playing with a rudder trim tab, any boy can control the circle size, climb, etc. Any flying mistakes can be remedied by the cement tube. But always use a small tank...

See you next month?

#### CLOCK WORK TIMER

FOR ALL CLASSES 1/2A to C Especially designed for contest work, the "Tick Off" is a must for F.A.I., tops for A.M.A.

Size: 11/4" high 13/4" long



The Tick Off

Accuracy Guarantoed Dial selected motor run Built-in fuel shut-off, can Weight ½-oz. Nothing to adjust hat affected by heat or Well made, crash resista

plete (including fuel line \$3.95 p.p. mounting screws)
SORRY, NO C.O.D.s

Dealers inquiries invited

TATONE PRODUCTS \$1275 Geneva Ave., Calif.

#### BUILD IN 4 HOURS!

KEYSTONE PACER

ONE OF THE FINEST FLYERS EVER DESIGNED



FOR ENGINES

Model can be assembled in four hours or less completely prefabricated not "pushouts" but clean cut pieces that Key in place and fit1 

## Preferred by Perfectionists Custom-made LIQUID CEMENT for the hobby trade

AMBROID UNIVERSAL LIQUID CEMENT Fills every need for strength, speed. Retail: 1% oz. tube 30c 4 oz. tube 60c

AMBROID SPECIAL FORMULA LIQUID For lighter models,

on-the-spot repairs Retail: 20 c.c. tube 15c

RAILROAD KITS, TOO!

Precision scaled, super detailed. Seasoned basswood, die cast, metal parts. 20 c.c. tube Ambroid included.

A model plane . . . train . . . or ship is no stronger than the cement that holds it together. That's why today's hobbyist insists on AMBROID, the cement used and recommended by professional craftsmen for over 45 years. Scientifically-developed to form a lifetime bond that often outlasts the materials themselves, AMBROID is one cement that STAYS STUCK! Completely water-proof, hot fuel resistant, AMBROID dries quickly, evenly without distortion. Ideal for heavier, motor-propelled craft. Unexcelled for wood, leather, metal, fabrics, glass, pottery, china, plastic.

> GET AMBROID LIQUID CEMENT . . . TODAY! IF YOUR DEALER CAN'T SUPPLY YOU, WRITE:

#### AMBROID COMPANY, INC.

EAST WEYMOUTH, MASS.

#### RC at the Nationals

(Continued from page 46)

contestants to try to qualify. A flier, once qualified, could sit back until the championship flying, saving his ship for the real effort. Only six minutes were allowed for qualifying flights and seven minutes for championship flights, since the pattern (maneuvers 2-6) had been accomplished to qualify, would not need to be repeated.

Dick Brantsner pointed out that by Satur-

day at the Nats only five fellows had made 200 points in multi. He thought they should be allowed to fly it out the next day, but instead many fellows who hadn't yet flown would be flying. Proof that we need eliminations or qualifying flights was that, by the end of the week, the flight list was so long, top fliers only flew once each day. Walt Good went from Friday night to Sunday morning between flights, Harold de-Bolt never did get to fly officially on

Claude McCullough, Chairman of the Contest Board then described how the Board proposes to change itself into a number of boards, one for each category of flying. Thus, if the changes go through, there will be an RC Contest Board, Free Flight Contest Board, etc.

The discussion switched to pylon racing and the four minutes to finish the five trips around the pylon was tossed around. When that rule was made, it was thought that it would take the average ship designed for that type flying, about two minutes to make the circuit. Despite the fact that several attempts were made that were disquali-fied because they took over four minutes, the majority were in favor of retaining the rule, since speeds would increase by next

The idea of having a helper at the far pylon to indicate when the ship was near pyton to indicate when the ship was hear the pylon, in position for a turn, was 'dis-cussed favorably. At present the rules call for a judge at the far pylon only for the purpose of signalling when a pylon was cut short. The rules, however, say nothing against having a helper out at the pylon to signal when the ship is ready for the disto signal when the ship is ready for the distant turn and a couple of the fellows had this assistance. Most fliers readily admit to onot being able to judge 528' straight out very accurately, would swing out much further than the pylon to avoid being called for a "cut" and having to swing back around it. Consensus of opinion was that such an assist was a necessity. Keith that such an assist was a necessity. Method the possibility of two or three planes flying pylon at a time on different frequencies from a scramble start to a flag finish and added some new recruits


to the idea of pylon racing.
Since the meeting had no official status, the members present voted to send minutes of the meeting to Howard McEntee, Chairman of the Rules Advisory Commit-tee for RC, who would in turn pass the recommendations on to the Contest Board.

Next month we'll try to give you a rundown on the how and why of some of the new features seen on rc ships at this year's

> **NEXT MONTH** More about R.C. at the 1957 Nats

#### MODEL

27-1/4 Meg Precision Receiver



#### F-E-A-T-U-R-E-S

- Magic Eye Tuning
- 8 Microvolt Sensitivity
- · 3 Tubes Plus 2 Diodes
- Lightweight, 4 oz., Totally Enclosed Construction
- Factory Tuned and Adjusted
- Follows Fastest Pulsing
- Complete with Tubes, Relay, Plug, Socket and Trimming Tool.

Satisfaction Guaranteed

#### SPAULDING & CO.

OFFICE 706, 49 PEARL STREET HARTFORD 3, CONN.

#### IMPORTANT NEWS-FROM RADIO CONTROL CENTER-U.S.A. **ESSCO RC PRODUCTS**

#### For Reliable Performance, Stability of Operation, Low Cost, Long Life

resultus Performance" the concensus of opinion of hundreds of modelers everywhere who are presently using this super reliable receiver. Dozens of features if listed would fill this entire ad. Suffice to say if you want the ultimate in reliability in single channel receivers, then get your ESSCO THT. "FABULOUS PERFORMANCE" the concensus of opin-



STD AA Model uses sub-min tubes, MICRO GEN relay. For 30 or 45 volt operation. Plastic or alum case as desired, only \$22.95 \$22.95

The ESSCO-LORENZ as always a reliable performer. With new 1958 RK61 or XFG-1 1st stage. Supplied

In several models:
In several models:
In several models and stage 19.55
With IMPROVED "LORENZISTOR" 2nd stage 21.95
Both models equipped with plastic or alum. case as specified. MICRO SEM relay std. Others available.

NEW RC ITEMS OF INTEREST 

Sub-min ½ TONE. An excellent performer. Simple 2 tube non-selective audio tone receiver for use with most tone XMTRS. Complete set housed in alum. case ready for use. 19.95

ESSCO MINI PULSER. The use of 2 low drain submin tubes in popular multi-vibrator circuit allows long battery life for economical operation. Only 40 ma filament & 1 ma B bat. drain. Complete unit housed in handsome black wrinkle case with super sensitive SIGMA 3F relay, A-B pots, only... 21.95

with electronic voltage regulation gives you low cost operation with better XMTR performance, cost uppressor.

14.93
only
Special model for BRAMCO 5-8 channel XMTR 15.95
The STD ESSCO 2 volt vibrator supply. The RC industry's best buy, thousands in use all over the world. Model VSO1A with dual output voltage, com-

Snap action hand keyer Snap action push type keyer for xmtr panel SUPER SPECIAL-Mitey Midge Electric mtr.

BUY ESSCO RC PRODUCTS at your local dealer PROMPT-FRIENDLY SERVICE

ESSCO - WEST COAST P.O. Box 325 Menlo Park. California

THESE ESSCO DEALERS CARRY COMPLETE STOCKS FOR FAST MAIL ORDER SERVICE

Alaska, Fairbanks—"Servicing the Far North" HORBY HOUSE, 120 Lacey Street

California, Les Angeles COLONEL BOB'S, 37071/2 West Pice Bivd. California, North Sacramento
C & M HOBBY SHOP, 1613 Del Paso Bivd.

ESSCO - NEW YORK

58 WALKER STREET

NEW YORK 13, N. Y.

Delaware, Dover-"Gateway to the World" MACK'S HOBBY CENTER, 30 Loockerman St.

lorida, Miami-Fast Service to the South ORANGE BLOSSOM HOBBIES, 1896 N.W. 36th St. CENTRAL STATES HORBY HQ., 1604 W. 64th St.

ichigan, Allen Park HOBBY BUNGALOW, 6747 Allen Road

w Jersey, Collingswood & Camden COLLINGSWOOD HOBBY SHOP, 648 Haddon Ave. New Jersey, Clementon & South Jersey
CLEMENTON MODEL SHOP, 21 Gibbsboro Road

New Jersey, Mount Holly HOLLY HOBBIES, 18 Washington St.

ew Jersey, Parsippany & North Jersey RICH'S HOBBYTOWNE, U. S. Rt. 46 iew Jersey, Perth Ambey FISHKIN BROS. HOBBIES, 285 Madison Ave. New Jersey, Red Bank HOBBY HEADQUARTERS, 62 White Street ew York, Buffalo MODEL LAND, 167 W. Ferry Street

New York City, Bronx & Westchester BROWN'S HOBBY CENTER, 6031 Broadway

New York, Niagara Falls—Serving So. Ontario FRED'S HOBBY SHOP, 2440 Pine Avenue nio, Akron-Largest RC Stock in No. Ohio LAKE HOBBY SHOP, 530 Portage Lakes Drive

egen, Portland & Pacific Northwest BOB'S BODEL SHOP, 5023 N.E. Union Ave. ennsylvania, Allentown-Everything in RC GENE BLOCK'S HOBBIES & PAINTS, 22 No. 8th St.

Pennsylvania, Bristol BRISTOL MODEL SHOP, 1031 Pond Street Pennsylvania, Upper Darby & Phila. TODD'S MODELS, 7036 West Garrett Rd.

South Carolina, Charleston MODELHOBBY, 14 Gibbes Street

sconsin, Janesville BROWN'S HOBBY & TOYS, 815 Pleasent St. it irginia, Richmond-Fullest RC Stock in Dixie THE HOBBY CENTER, 3029 West Cary Street

#### MODEL OF THE MONTH

U. S. Army Weasel, fourth model in realistic Military Wheels Series. Movable windshield and rudders. Operating caterpillar tracks.





DISTRIBUTED EXCLUSIVELY BY WORLD ENGINES

RC FOR THE NOVICE \$24,95



274 MC CONTROLAIR - INSTALLATION-PAK

N INSTALLATION-PAK is a receiver, bettery box, met witch, relay, all wired tagether and assembled and tested, or a glue I lid observe has re builshed off model, connect; excepament and you are in business. This receiver has urent change that ralay never needs adjusting. Designif by Jack Pert, Notionals radio control champion.

Cercuit, — 1AG4 hard tube in detector stage, transister sign. Silver mice condensors insure reliability & thermal fectiver contains no easily cracked printed circuit. De-sort; mil. Relay iumps from 0 to 4.4 mil on signal — negligable battery drain and positive relay action.

WORLD ENGINES

#### The Zyphyr

(Continued from page 27)

straight-grained 3/32" square balsa for the fuselage. Build the sides separately. Cut and pin the longerons in place over the side view. Add the cross pieces. Put in the 3/32" sheet nose section pieces and the motor pin receiver pieces. Allow ample time for all cement joints to dry. Trim away excess cement before assembly of the completed sides.

Pin and block the sides up over the fuse-lage top view. Cement in the cross pieces. Fit the 3/32" sheet pieces top and bot-tom at the nose section and the end of the fuselage. Make the nose block from 4" medium hard balsa. Drill the 1/2" diameter nose button hole and cement the block in

place. Do finish trimming and sanding after the block is on the fuselage.

LANDING GEAR: Bend the main landing gear struts from .040" wire as indicated in the layout. Form the .031" brace to fit. Bend the last %" of the brace wires parallel to the main struts and then bend parallel to the main struts and then bend a "" right angle hook at the very tips.
This parallel section is bound to the main struts with thread after the units are installed.

Cement the landing gear wires in the fuselage. Bind the struts together with thread and cement. Install 3/32" square balsa cross pieces in the fuselage against the cross wires. Bind the cross wires to

the cross wires. Bind the cross wires to the braces with thread and cement.

Fit 1½" diameter hardwood wheels if possible. If unavailable make wheels of cross-grain laminations of hard 3/32" sheet balsa. Cement ¼" copper washers on each side to form hubs. Bind axle ends with thread and coat with cement to hold wheels on. Cement on the .024 wire tail skid.

TAIL SURFACES: Build the stabilizer and rudder frames from pre-sanded 3/32" square balsa. Allow amply drying time for all cement joints. Sand leading and trail-

fre

ke

ad

Gi

thi

mi

FF

Th

alu

.03

of the

lov

ho

wi me

wi

CC

wil

cor

tiss goo

and

all cement joints. Sand leading and trailing edges to a round section.

Wing: Build the wing in left and right panels. Pin down the %" square leading edge and the 3/32" x ¼" trailing edge. Cut the wing ribs from medium hard 1/16" sheet balsa. Make ten No. 1 ribs, and two each of nos. 2, 3, and 4. Put in the wing tip pieces and add the 1/16" square spars. Trim and sand the leading and trailing edges to complete the airfoil shape.

Do not make a separate center section. Set the left and right wing panels in place over the wing plan. Pin in position at the

over the wing plan. Pin in position at the center section and prop each wing tip up 2½" for correct dihedral angle. Cement in the cut and trimmed center section leading and trailing edge pieces and the 1/16" spar pieces. The spars are run top and bottom across the wing root sections and the cen-ter section. Check photo of uncovered wing for this detail.


NOSE PLUG: Make the removable nose plug from cross-gain laminations of hard 3/32" sheet balsa. Carve the ½" diameter plug shaft from scrap balsa. Cement the plug to the shaft. Push three or four snip-ped pieces of straight pin through the shaft into the lamination to strengthen the cement joint.

Drill the plug to take a bushing of 1/16" copper or aluminum tubing. Cement a 4" copper washer to the plug as a face plate. Builders who have access to a wood lathe may want to turn a more durable nose plug from birch or maple.

PROPELLERS: A variety of propellers may be fitted. The model flew well with a 10" Paulowina prop. Machine-cut 10" or 11" balsa props are excellent if available.

For top performance use a 11½" diameter hand carved prop. Cut the prop blank

#### "FAMOUS FIGHTERS OF SECOND WORLD WAR"



"PLANSBOOK" contains over 1500 different WW 1 and WW 2 Models, Scale Radio Control, \$1.00

"BOOK CATALOGUE"the latest books, on Scale, R/C, Boats, Gliders, etc. ......

Check off order above, send payment with order, add 25c postage, PRINT name and address in column this ad GULL MODEL AIRPLANE CO. 10 E. OVERLEA AVE. DEPT. MW BALTIMORE 6, MARYLAND

from a block 111/2" x 1" x 11/2" according to the layout given. Carve and finish in standard fashion. For added strength cover the blades with silk. The Jap silk hand-kerchiefs found in most five-and-dime stores serve very well. Use clear dope for adhesive.

Make a prop bushing of 1/16" tubing and cement on a 4" washer as a bearing. Give the finished prop several coats of thinned clear dope. Balance carefully to minimize vibration during motor run.

FREE-WHEELING: Use a light weight FREE-WHEELING: Use a light weight free-wheeling device to improve the glide. The tube and pin type shown is very reliable. Cut a %" long piece of 1/16" aluminum tubing. Clip a one inch piece of 031" wire and make a right angle bend of %". Insert the wire in the tube and make the other bend. These are right angle bends, the top pin pointing left with the lower pin vertical to engage the winding hook arm. Cement the unit in place, bind with thread, and give another coat of cement. Check prop balance after adding the free-wheeling. the free-wheeling.

Make the propeller shaft from .031 wire. Bend the winding hook first. Slide on the prop, two ¼" washers, and the nose plug. Bend the motor hook after assembling

the prop unit.

ij

in

er

st 'n if

il

d

the prop unit.

COVERING: Sand all wooden surfaces with very fine sandpaper. "Wetordry" silicon carbide paper, grits 400A to 600A, does a fine job on balsa wood. Give all framework one coat of thinned clear dope to seal the wood. Cover the model with Jap tissue. Use yellow, red, or orange for good in-flight visibility. Use clear dope as adhesive. adhesive.

Do the fuselage in sections, top, sides, and bottom. Run the grain of the paper lengthwise. Trim paper with razor blades

or small scissors. Water spray the covered fuselage to shrink the paper. Finish with two coats of thinned dope. Put on the cabin windows of celluloid or light plastic.

Cover the wing in sections to minimize wrinkles. Run the grain of the paper spanwise. Do bottom of main panels and spanwise. Do bottom of main panels and center section. Do top surface of main panels, tapered tips, and center section. Dope the paper to the outlines of the sections. Do not try to dope to all wing ribs or spars. Spray the wing, let it dry, and give one coat of thinned dope. Pin and block wing to bench during process to maintain dihedral and control warping. Cover the stabilizer and rudder on both sides Water shripk and give one coat of

sides. Water shrink and give one coat of dope. Pin surfaces down on wax paper covered drawing board during finishing. ASSEMBLY: Begin assembly of the model by cementing the stabilizer in place. Check alignment carefully. Set the rudder 1/16" off center to the left as indicated on the

off center to the left as indicated on the stabilizer plan. This will give enough right rudder for a gentle right turn in the glide. Make two wing mount hooks of .024 wire. Cement in position under the landing and trailing edges of the center section. Cement a strip of tissue over wires to strengthen the cement joints. Use a piece of 3/32" square balsa for an incidence block. Groove and fit over wire between the front wing hooks. Hold wing in place with rubber bands stretched from hook to hook under the fundamental place. to hook under the fuselage.

Details may be added as desired but use

light materials. FLYING: Make up an 18½" long, 12 strand motor of ½" T-56 rubber. Slip a piece of rubber tubing on the prop hook to protect the motor from cuts. Hold the motor in place on the hook with a small rubber band.

(Continued on page 53)



# Tired of "NON FLYING" Scale Models ?

history making WORLD WAR I fighters and take to the air for some real flying action! Now build a perfect replica of one of these

# FIGHTERS IN ACTION! SERIES 101DC

Accurate 18" wing span replicas of World War I fighters flown by Richthofen, Bishop and Guy-nemer. Fully detailed scale rubsuch air heroes as Rickenbacker, ber powered flyers - simplified keel construction - light tissue covering. All rib, formers etc. diecut to shape - no tedious cutfing involved.

# KIT CONTENTS

- Accurate scale plan
- Light plastic nose cowl
- Plastic propeller
- Satin smooth die-cut balsa
- Colored tissue for covering

Contest rubber motor Scale plastic wheels

adding 25c packing and postage in U.S.A., 40c outside U.S.A. If not available at your Hobby Dealer send direct to factory PAUL K. TIIIIOW Inc. TIIIIOW Wakefield, Mass.

FLYING MODEL KITS 6 WORLD WAR I

READY FOR IMMEDIATE DELIVERY

KIT WW-1 GERMAN ALBATROS DSA

KIT WW-2 FRENCH NIEUPORT 28

KIT WW-3 FRENCH SPAD

KIT WW-4 GERMAN FOKKER D7

KIT WW-6 BRITISH SOPWITH CAMIL. CIT WW-5 BRITISH SE-5

\$129

Balsa files BETTER

SEND FOR '57 FALL CATALOG

Genuine Decal

Lubricate the motor thoroughly with a commercial lube, or use a mixture of one part glycerine, two parts liquid tincture green soap, available at drugstores. Wipe off excess lube before installing the motor.

Use %" dowel for the rear motor pin.
Cement a piece of 1/16" balsa under the left side of the nose plug. This will give enough right thrust to cause the model to

enough right thrust to cause the model to turn right under power.

Trim the model for a long flat glide to the right. Take plenty of time glide testing. When the glide is satisfactory, with no tendency to stall, try a short power flight with about 100 turns in the motor. A smooth climbing turn to the right fol-lowed by a flat glide to the right is the ideal flight pattern. ideal flight pattern.

ideal flight pattern.

Break in the lubricated motor carefully during the test period. A 12 strand motor 18½" long will take up to 300 turns hand wound. The same motor when stretched and winder wound will safely take up to 550 turns. But build up capacity gradually; motor that breaks during winding can shred a fuselage!

Though designed for pleasure flying the Zyphyr is capable of soaring "over the hill" in thermal conditions. The builder hill in thermal condutors. The burker should put his name, address, and phone number on the model. If it does decide to make like a buzzard it stands a good chance of being found and returned.

Bill of Materials
(Measurements in inches unless other-

wise specified).

Five pieces 3/32 x 3/32 x 36 hard balsa: fuselage; two pieces 3/32 x 3/32 x 36 medium hard balsa: rudder and stabilizer; one piece 1/2 x 1/2 x 36 medium hard balsa: wing leading edge; one piece 3/32 x 1/4 x 36 medium hard balsa: wing trailing edge, wing tips; three pieces 1/16x1/16x36 hard balsa: wing spars; one piece 1/16 sheet balsa: wing ribs; one piece 3/32 sheet balsa: nose section, nose plug, motor pin block; one block 12 x 1 x 1½ hard balsa:

One pair 1½ inch hardwood wheels;

one piece .040 wire: main landing gear

one piece .040 wire: main landing gear struts; one piece .031 wire: landing gear brace, prop shaft; one piece .024 wire: wing mount hooks, tail skid; one piece 1/16 aluminum tubing: prop bushing, nose plug bushing, free-wheeling unit.

Eight copper washers ¼ inch diameter: prop bearing, wheel bearings; one piece small rubber tubing: prop hook; one piece % dowel; rear motor pin; one piece cel-luloid: cabin windows; two sheets Jap tissue 20 x 24; one tube cement; one bot-tle clear dope; one bottle dope thinner; one bottle rubber lubricant; one piece % flat T-56 rubber 19 feet long.

#### **Profile Silvaire**

(Continued from page 18)

pattern similar to any other profile. A few hints might help the newer members of the

hobby.

The biggest time saver would be to cut out all parts before actual construction begins. This way you won't be stopped from building another part while one part is

drying on the plans Those who have four- and six-inch stock

an ignore the splice lines on the plans. The fuselage splice is well reinforced by the two 1/16" plywood nose doublers. A splice in the wing sheeting should be arranged so as to occur on the trailing edge half of the curvature where it will be the

FUSELAGE: Lay flat and cement the two fuselage pieces to be spliced. When dry,

## SAVINGS beyond belief...

It's almost too good to be true, but it is.... and we guarantee it to be so!



OFFERS YOU A CHOICE OF TWO TOP QUALITY ENGINES. MODEL 29R and 35R, AT ONLY \$14.95. BY TAKING ADVAN-TAGE OF OUR TRADE-IN DEAL, YOUR COST IS STILL FURTHER REDUCED BY 33%1 JUST THINK WHAT A BIG SAVING THIS REALLY IS! YOU CAN'T BEAT THIS SUPER VALUE DEAL, -BETTER GET THE FACTS BEFORE YOU BUY YOUR ENGINE.

IF YOU HAVE NO ENGINE TO TRADE IN. ASK US ABOUT OUR SPECIAL MONEY SAVING DEAL FOR BEGINNERS!

#### \$5.00 TRADE-IN ALLOWANCE FOR YOUR OLD ENGINE,-

no matter what make, size or condition! Just mail it to us along with \$9.95 and your new FORSTER "29R" or "35R" front rotary valve glow engine will be on its way! WE PAY THE POSTAGE.

THIS EXTRAORDINARY DEAL IS AVAILABLE AT THE FACTORY AND AT AUTHORIZED FORSTER DEALERS ONLY! THERE IS BUT ONE IN YOUR CITY, - WRITE US FOR HIS NAME AND ADDRESS!

DEALERS-

WRITE US IF YOU WANT TO BECOME THE ONE AND ONLY AUTHORIZED FORSTER DEALER IN YOUR AREA AND SHARE IN THIS GREAT TRADE-IN-DEAL!

FREE EXTRAS! WITH EVERY ENGINE, WE GIVE YOU AT NO EXTRA COST: — ENGINE MOUNTING SCREWS, DECALS AND A 60° VALUE, STEEL PLUG AND PROP SOCKET WRENCHI

#### THE 1957 FORSTERS PACK INCREASED SPEED AND POWER!

WRITE US FOR FREE LITERATURE TODAY!

FORSTER BROTHERS MANUFACTURING CO., 7 E. LANARK AVE., LANARK, ILL.

#### Lafayettes Radio-Control Specialties

R/C ELECTRIC SERVO MECHANISM



DESIGNED AND PRICED
POR HOBEYISTS

New, powerful, moter driven R/C actuator. Delivers positive, instantaneous action. Provides selective steering and electronic, automatic return to neutral: Extremely efficient when used with model boats and land vehicles. Only 2½" x 2" x 1½". Includes instructions and linkage. F-327

Net 5.95

#### LITTLE "JEWEL" R/C RELAY



The Mighty Mile of the R/C field. Weighs less then ½ ex.1 Only 2/47 x 17/32\*W x 1-1/16\*C. Highly sensitive—axtemely rugged. Pulls et 1.4 Ma\_dreps out 1.2 Ma D.C. S.P.D.T. 5000 ehm coil.

... Net 2.75 F-260

#### LAFAYETTE SPECIAL R/C RECEIVER



Completely wired and assembled, with tube, ready to operate an exam free 27.255 MC remote control band. Size: 13½" x 1-15/16" x 3". Weight 3.3 ax. Uses one 1.5 volt and one 45 volt battery. Less batteries. Shpg.

6 oz. Net 8.95 F-208

#### LAFAYETTE SPECIAL RADIO CONTROL TRANSMITTER

Completely assembled—iested—and guaranteed R/C transmitter. Includes tube and 27.255 MC crystal, 6 sect, telescoping antenna. Size: 4" x 4" x 12". Approx. 1 mile trange. Shpg. wt., 3 lbs. Less batteries.

#### Safayette Radio 165-08 LIBERTY AVE.

NEW YORK, N. Y .- 100 Sixth Ave. BRONX, N. Y.— 542 E. Fordham Rd. NEWARK, N. J.— 24 Central Ave. PLAINFIELD, N. J .- 139 West 2nd St. BOSTON, MASS. - 110 Federal St.



PRESS!

NEW 180 PAGE ELECTRONIC CATALOG FEATURING THE BEST BUYS IN THE BUSINESS

The news) and largest assortment of Bectrania, Radio and TV parts, Hi-Fi and Public Address Components and systems, Test Equipment, Nebes, Transister Kits and ministerized components for transister circuitry, Ham Equipment, Builders Kits, Tools, Books, Microscopes, Bincockers, Telescopes, Cameras, and Drafting Equipment—ALL AT LOWEST PRICES—Carring to the acomony minded dealer, corricomon, ongineer, technician, asperimenter and habbyris. CRAMMED FULL OF MONEY SAVING BUYS. SEND FOR YOUR PREE COPY TODAY.

1	afau	otto f	Yeadu M-K	165-08 JAMA	LIBE	RTY	AV	E Y
HA							-	
AB	DRESS -							-
CIT	v — —							
SI	IND	FRE		ATAL	00	3	0	5





STOP BUYING "B" BATTERIES!

#### SAVE WEIGHT—NO "B" BATTERIES

Eliminate "B" hatteries forever—Choice of 30, 45 or 67-volt output—Filament or escapment batteries provides owner [penelth states] provides owner [penelth states] provides owner [penelth states] provides owner [penelth states] provides [penelth states]

67V. 10 mg. Converter \$14.00 .... 15.00 30V. 10 ma. Converter... 45V. 10 ma. Converter with 22V Tap.... 15.00 See Your Dealer or Order Direct

**B & S PRODUCTS COMPANY** 

#### MODELHOBBY

RADIO CONTROL SPECIALISTS **COMPLETE STOCKS** PRE-PAID SHIPMENTS FREE CATALOGUE **BEGINNERS' QUESTIONS AND** PROBLEMS WELCOMED

order NOW from:

#### MODELHOBBY

P.O. Box 435 Charleston, S.C.

#### Need WHEELS for your MODELS?

We have them in sets as follows:

(1)

(2)

(3)

nave mem in sets as follows 4 each 1/2", ½/3", ½/3", ½/3", 1-5/16" 4 each 1-1/4", 11/2" 4 only 1/3" 2 only 2-11/32" V-Tread Tractor Other sizes available upon request. 35c per set. Post Paid in U.S.A. Money with order. No stamps.

ACME PROCESSING CO. 942 State-Mill Rd., Akron, Ohio

#### NEW BOOKS

Sold on 10-Day Money-Back Guarantee



Illustrated. 54,00
THEY FOUGHT FOR THE SKY: Dramatic story of
the great aces of the 1914-18 war. 41 photos ...\$5,00
Book carallogue—25c
Send money order or add 15c to checks to cover
bank charges. Sorry, C.O.D.'s in Canada only.

AVIATION LITERATURE SUPPLY 180 Stevenson Rd., S. Oshawa, Ont. Canada cement the plywood nose doublers in place and clamp securely. The "" square strips for the wing-rest can be cemented and pinned in place. This should be allowed

pinned in place. This should be allowed to dry thoroughly.

WINGS: If 1/16" wing sheeting is to be spliced, it can be done at the same time the ribs are partially installed. Cement the the ribs are partially installed. Cement the two sections of each wing panel to be spliced together, pinning well to make a good seam. Next, attach the wing ribs in their proper location, upside down, cementing them only at the rear tip (trailing edge) for the time being. When seam and cemented portion of ribs are dry, remove and turn over. Apply cement to the rest of rib curvature and pin down sheeting so as to assume the desired airfoil section. When dry, trim away that portion of center section rib that is protruding, block up and join wings at their root. A strip of gauze

will add tremendous strength when installed at the dihedral break.

TAIL SECTION: The rudder (fin) and stabilizer should offer no challenge. However, a decision should now be made as to whether this is to be a combo model or strictly free flight. If a U/C version is de-sired, then plans will have to be made for hinges at the elevator break. Though we have never flown ours as a U/C model, the adjustable elevator has been most helpful in trimming our model for desired flight pattern. You may have to add some lead

weight to the nose. Just a thought.
Whichever you choose, the basic construction is the same. Both, or all, parts of the tail are made like a sandwich with the filling being in the form of a sheetbalsa framework, cemented first to one side of the outer sheet covering and, when dry,

or the outer sneet covering and, when dry, covered by the other sheeting. It is very strong and warpproof.

PONTOONS: For those who desire to go all the way, we have shown a pair of pontoons that will help you to qualify for the "soakin' wet society." About the only word applicable here is to make certain they are waterproof. Brass tubing, secured by gauze strips, act as retainers, with the wire hooks imbedded in each float for holding in place with rubber bands.

GENERAL: With all parts built and dry, GENERAL: With all parts built and dry, the next step is to sand off the rough edges preparatory to final assembly. This would be a good time to decide upon the type of landing gear you desire. In all our flights and the complete destruction of one fuselage (we tried to catch it on the fly. Honest!) the landing gear has never bent out of shape. Therefore we would strongly urge you to consider the very little time involved in cutting and sewing the pieces of brass tubing required for this type. Once decided, the rest of the parts can Once decided, the rest of the parts can be installed, cemented, and made ready for

the finish coat. FINISH: The original model had two coats FINISH: The original model had two coats of very thin dope applied first. In painting the wings, it is well to dope the under side first. Using very fine sandpaper, remove the rough spots caused by the dope, lifting the loose fibres of balsa. Now apply at least one more coat of heavy dope. Trim is up to the individual is up to the individual.

An engine mount, fashioned of light dural, is now mounted with two bolts to the nose section and your favorite engine mounted in place. Balance according to the plans. If there are no warps, your model should take a nice flat glide to a place of rest about 25 feet in front of you. The en-gine can be slid back or forth to complete the flight trim.

Except for a few details on the plans for flying, other than free flight, you're in business! Don't fill the tank too full until you have the flight pattern trimmed to your liking.



# "AIRCRAFT OF THE 1914-1918

Here is a real "Collectors Item". The only book that not only covers all the Aircraft flown in the First World War, but includes also the "seldom heard of" and "Experimental Types". There are over 80 Drawings of "Fighter" and "Bomber" Aircraft all to exact 1/72" scale. All Drawings are full page and double page size. There are over 230 photos of "14 - 18" planes many being of full page size including "Squadron" photos. The "History"-"Armament" - "Power" - "Rate of Climb" -"Weight" etc., are given for each plane. This Book is invaluable to "Scale" and "Solid" Model Builders and is a Must for the Aviation Historian. Book is almost 2 pounds in weight, pages are large 11"x 9" (total of 234 pages). The cover in attractive color.

#### List of Contents

Below are listed over 200 different Aircraft that are in this book. We know that you will find it the Finest collection of World War I Material that you have yet seen.

GREAT BRITAIN GREAT BRI Armstrong W F.K. 8 Avro 304 K B.E. 2B B.E. 2C and D B.E. 2E B.E. 12 Blackburn Kangaroo Bristol Scout "D" Bristol Monoplane Bristol Monoplane
Scout
Bristol F.2B Fighter de
Haviliand 1A
de Havilland 2
de Havilland 3
de Havilland 4
de Havilland 5
de Havilland 9
de Havilland 9
de Havilland 10
de Havilland 10
de Havilland 10
de Havilland 10
de Havilland 2
de Havilland 3
de Havilland 3
de Havilland 3
de Havilland 4
de Havilland 5
de Havilland 5
de Havilland 5
de Havilland 5
de Havilland 6
de Havilland 7
de Havilland 7
de Havilland 7
de Havilland 8
de Havilland 8
de Havilland 8
de Havilland 8
de Havilland 9
de Havilland 9
de Havilland 9
de Havilland 8
de Havilland 9
d ohant asyde Buzzard Martinsyde .... R.E. 8 S.E. 5 and 5A S.E. 5 and 5A
Short "225"
Sopwith Tabloid
Sopwith Baby
Sopwith P.I. Camel
Sepwith IF.I. Camel
Sepwith IF.I. Camel
Sepwith Triplane
Sopwith Lucktoo
Sopwith Dolphin
Sopwith Salamader
Vickers F.B. 5 a
F.B. 9 Gunbus -

be

ime the

he

e a in entge) ceand rih hen

and

uze

in-

and

Wto

or

for we

ght

ead

on

of

rith

eetide lry, ery

90

the

ord

are

uze oks ace

lry,

igh his

the all

ion the

uld ttle the pe.

for

ats

nt-

der re-

ply

rim

ght to

ine

to del

of

enete

for in

atil to

17

GERMANV
A.E.G. C-IV
A.E.G. G-105
Albatros C-III
Albatros D-II
Brandenburg Seaplane
D.F.W. C-V
Fokker Eindekker
Scout Scout Fokker D-I and D-III

Fokker D-1 and D-III
Scout
Fokker D-VI
Fokker D-VI
Fokker D-VIII
Fokker D-VIII
Fokker D-VIII
Friedrichahafen G-III
Gotha G-III
Halberstadt CL-II
Hannoverranner
Junkers J-IV
L-V-G, C-V
Falz D-III
Fokker D-VIII
Fokker D-III
Fokker D-VIII
Fokker

FRANCE Blexiot XI
Breguet 14A-2
Caudron G-III
Caudron G-IV
Maurice Farman Longhorn
Maurice Farman Shorthorn

Ansaldo S.V.A. Scout

AMERICA Curtiss JN-1 Jenny

APPENDIX "B" GREAT BRITAIN B.E. 8 (Bloater) Fairey IIIC Fairey N.9 F.E. 2D F.E. 2D Nieuport Nighthawk S.E. 4 Short "275" Short Shirl Sopwith 2F. 1 Camel Supermarine Baby

AMERICA H. 12 Large America Flying-boat H. 16 Porte Flying-boat

GERMANY GERMANY
Albatros D-V
Aviatik (1916 Type)
Junkers CL-1
Roland C-V Walfische
Roland D-VIA
Zeppelin Giant

FRANCE Dorand AR-1 Henri Farman Spad S-XIII ITALY Ansaldo "Ballile" Caproni Bn. 3 Pomilio Scout

APPENDIX "C" GREAT BRITAIN

Armstrong Whitworth Armstrong Whitworth F.K. 3
Armstrong Whitworth F.K. 10 Quadraplane Austin Ball Scout Austin Erephound Erephound Avenue Erephound Avenue Marchester I Avenue Manchester II Avenue Manchester II Avenue Manchester II Avenue Manchester II Avenue Spider B.A. T. Basilisk B.A. T. Bantam B.E. 2A
B.A. T. Bantam B.E. 2A
B.E. 3 Pulpit type B.E. 3C (carly type B.E. 3C (armoured type) B.E. 3 B.E. 9 Pulpit type B.E. 12A
Beardmore W.B. II Berstol "P" Scout
Bristol "P" Scout
Bristol Braemar Tri-Boulton Paul Bobolink

plane Boulton Paul Bobolink Boulton Paul Bourges de Havilland 3

F.E. 3 F.E. 9 F. 3 Felixstowe Flying-Fairey F. 2 Fairey Campania

Felixstowe Fury Triplane Flying-boat
Grain Kitten
Kennedy Giant
R.E. 3
S.E. 2
S.E. 5 (early type 1917)
Short Bomber
Short "520"
Sopwith Camel Ship
Sopwith Camel (with
"1" struts)
Sopwith Bulldog
Sopwith Hippo
Sopwith Hippo
Sopwith Hippo
Sopwith Boham
Sopwith Boham
Sopwith Boham
Sopwith Dragon
Sopwith Snappet
Sopwith Snappet
Sopwith Snappet
Sopwith Snail
Vickers F.B. 18
Vickers F.B. 18
Vickers F.B. 18

seater Vickers F.B. 19 Vickers Vimy Westland N. 16 Westland Wagtail Westland Weasel Wight Scaplane

GERMANY Ago C-II Ago C-IV Albatros C-V Albatros C-VI Albatros C-VII Albatros C-X Albatros D-IX Albatros D-XI Albatros Triplane Brandenburg "Star-Strutter" Dornier D-I Junkers E-I "Tin Monkey"

Monkey"
Junkers J-1X
Fokker C-1
Falz Eindekker
Pfalz Triplane
Pfalz D-VIII
Phornix Scout
Sablatnig Seaplane
Siemens D-I
Siemens D-IVI
Siemens D-IVI
Siemens D-IVI

FRANCE

FRANCE
HUTGE Farman
Hanriot Scout (Belgian)
Hanriot Scout (Belgian)
Hanriot Scout (Belgian)
Hanriot Scout (Belgian)
Hieuport 18 Scout
Hieuport 18 Scout
Hieuport 28 Scout
Hieuport 28 Scout
Hieuport 27 Scout
Hieuport 27 Scout
Hieuport 27 Scout
Hieuport 28 Scout
Hieuport 29 Scout
Hieuport 29 Scout
Hieuport 29 Scout
Hieuport Trainer
Frainer
Hieuport Triplane
Hieuport Triplane
Hieuport Monoplane
Scout
Morane Biplane

Morane Biplane Spad S-XVII

ITALY

Caproni Triplane Pomilio two-sester

-

#### SOLD ON 10 DAY MONEY BACK GUARANTEE

#### TO ORDER

PRINT your name and address in bottom column of this ad. Send full payment Plus 25c postage with order. Book may be returned within 10 days for refund if you are not 100 % satisfied.

"AIRCRAFT OF THE 1914 - 18 WAR" - \$11.95 Sample pages and circular about book 25c

Gull Model Airplane Co., 10 E. Overlea Ave.

#### "PLANSBOOK"

The Most complete book of Aircraft plans (including "14 - 18" Planes). There are over 1,500 different plans in the "Plansbook". Each "Plansbook" comes with a \$1.00 CREDIT "Plansbook" comes with a \$1.00 CREDIT VOUCHER good for future purchases.

"PLANSBOOK" and \$1 voucher \$1.00

Dept. MP Baltimore 6, Md.

#### MODEL AIRPLANE DESIGN



(4th printing) Complete Instructor on Model Fly (4th printing) Complete Instructor on Model Flying, by C. H. Grant, foremost authority on model airplanes since 1911, also former editor of "Model Airplane News" magazine. . . This work presents in one comprehensive volume all the fundamental data on which successful model flying is based. It teaches anyone how to design and

anyone how to design and cientifically, eliminating waste-"methods. It answers a thou-estions; has become the mod-

build models scientifically, eliminating waste-ful "cut and try" methods. It answers a thou-and model questions; has become the mod-eler's favorite reference volume. Model Airplane Design is also a Basic Trainer for Aviation: it gives thorough training in rules governing all flight, model and large planes. Here's the all-important first step in your mission correct.

eviation career!
For both beginners and advanced students.
528 pages. 205 Diagrams and Plans.....83.75 AIR AGE INC., 551 FIFTH AVE., NEW YORK 17, N. Y.

#### SUPER PLANS

50¢ p.p.

Three big full size plans. Featured plan (top row each set) on giant 35 x 45 inch sheet; others printed on reverse side. Each set 50¢ postpaid.

_(	SURE FUN: UC Sport, .2935.	
$\square$	SURE FUN: UC Sport, .2935. PROFILE SILVAIRE: FF Profile, ½A.	
$-\iota$	ZYPHYR: Rubber, Fuselage.	

7	UPSTART: FF	Contest,	.2935.	Oct. '57
L)	UPSTART: FF	RC ROW,	.15-19.	Oct. '57

	THE	GREAT	LAKES:	U/C,	.2935.	Sept.	157
Цį	TRIP	LE THRE	AT: RC	Stunt,	.2935. .19.	Sept.	157

(	SPACE TIGER: Free Flight, .15.	July '57
1	CURTISS RACER: U/C, .1925.	July '57
-1	SPACE TIGER: Free Flight, .15. CURTISS RACER: U/C, .1925. PUSS MOTH: ½A Free Flight.	July '57
,		

(	CONVAIR'S DELTA: Jetex Scale.	June '57
	CONVAIR'S DELTA: Jetex Scale. SWAT: ½A Free Flight. LIL DYNAMITE: .15 Stunt.	June '57
-	LIL DYNAMITE: .15 Stunt.	June '57

#### MAILING INSTRUCTIONS, IMPORTANT!

Plans mailed, postpaid, by Third Class Mail unless otherwise specified. For First Class, add 10e; for Air Mail, add 20e for each set of three super plans.

#### MODEL AIRPLANE NEWS

551 Fifth Ave., New York 17, N. Y.

NO STAMPS, PLEASE Enclosed is\_\_\_\_\_for plan sets as checked.

Name	Please print	
Address		

Zone

State

#### The First Transatlantic Flight

(Continued from page 23)

ageable. Also there was some question as to the efficiency of the pusher propellers operating in the slipstream of the tractor props.

ating in the supstream of the tractor props. Furthermore, the transfer of crew members from the pilot nacelle to the hull via the scaling ladder in flight was questioned as it was in the N. C. 1.

Meanwhile, the N. C. 3 was completed and flown for the first time on April 23, 1919. This aircraft was identical to the N. C. 1 except that a fourth Liberty entire the state of the property of the prop gine was located in the rear of the central nacelle. The right and left outboard tractor engines, with the central tractorpusher arrangement, reduced the danger of off-thrust operation—should one of the outboard engines fail—from one-half to one-third. The soundness of this arrangement was demonstrated during the first ment was demonstrated during the first flight of the N. C. 3 when her right out-board engine failed. The aircraft remained perfectly controllable, with only slight rudder correction to maintain a steady course. The N. C. 4, incorporating the N. C. 3 power plant configuration exactly, was completed later in April.

Although all four boats tested successfully, N. C. 2 was not destined to become a member of the actual flight team. During the testing period, a storm blew up which damaged the wings of the N. C. I. Rather than build new wings, it was decided to scavenge the N. C. 2 and put her wings on the N. C. 1. At the same time, the central nacelle of the N. C. 1 was rebuilt to conform with the N. C. 3. Thus the three aircraft remaining had a common power plant arrangement-two outboard tractor engines and a central nacelle with

a tractor-pusher combination.

In view of the extensive testing of modern day aircraft, where months or even years sometimes are required to work out the "bugs" in a design, it is interesting that the N. C. boats were sent on their historic flight only six months after delivery of the N. C. 1. There was little attention paid the N. C. I. There was little attention paid to performance characteristics of aircraft in those days, compared to today's thorough testing. Literally, in 1919 if an airplane flew at all, it was considered a success. On the other hand, the know-how and skill behind the designers and constructors of the N. C. boats was a practical guarantee that the N. C. designs would be successful.

Across the "Pond"
Under Commander Towers' direction, the route established for the transatlantic flight was from Rockaway Beach to Trepassy Harbor, Newfoundland (940 miles), to Horta, in the Azores (1,230 miles) thence to Lisbon, Portugal, (950 miles). Once the Atlantic was crossed, a final flight was planned from Lisbon to Plymouth, England.

The morning of May 8, 1919 dawned over Rockaway Beach with a high over-cast. The crew of naval officers, sailors and civilians who had taken part in the preparations watched as the flying boat crews climbed aboard for the historic flight. N. C. 1 was commanded by Lt. Comdr. P. N. L. Bellinger; N. C. 3 by Commander Towers and N. C. 4 by Lt. Cmdr. A. C. Read.

As all three flying boats taxied out to take-off position, the N. C. 4 developed engine trouble and returned to shore. N. C. 1 and N. C. 3, however, took off for an uneventful flight to Trepassy. N. C. 4, her troubles corrected, arrived at Trepassy on May 10. There the shire were green cover. May 10. There the ships were gone over by the crews of mechanics and on May 16, the three boats took off for the second stop of the flight, Horta, in the Azores.

(Continued on page 58)

SPECIAL INTRODUCTORY OFFER

All five sets for \$1.00 Regular \$2 Value

FREE With

Thousands of Aircraft AND Navy Photos MAIL YOUR ORDER TODAY



EXTRA! "Spirit of St. Louis" Autographed by Lindbergh . . .

#### U.S. SEA & AIR PHOTOS

Dept. 7 Bex 75084A,

Les Angeles 5, Calif

WEIGH LESS THAN 1/2 OZ. SIZE: % H, 17/32 W, 1-1/16 I MOUNTING: ONE SCREW COIL: 5000 OHMS

MICRO


has micrometer adjustment RC You can adjust it in the field! Same crash resistant construction.

Same high sensitivity and low contact resistance. Fine silver points, Easy to maintain, same close tolerance as Gem Standard.

Additional tie-point terminals for mounting condensors and resistors.

AT YOUR GEM Standard, at \$425 7.500 & 10.000 new low cost

#### 1921 \* HUBBARD EHIE460 22



IDEAL SCHOOL-SHOP PROJECT

OCTURA P.O. Box 536 -MN

MODELS Park Ridge,Ill.



YOUR

#### HOT SHOT POWER PAC

Complete with Charger only \$6.95 F.O.B. Kenosha

A Storage Battery Engineered for model airplene starting. 4" x 6\%" x 6\%" high. Compartment to hold 1 Pt. gas can, tools, props. Handy handle, hard rubber care. 5 hard rubber case, 5 full plates, 2 Volt, 1 amp. for 30 hrs. 5 Lb. You can always have a Hot Battery Now! Long Life with care,

10 Years. ORDER TODAY ON 5 DAY TRIAL SEND \$5.00. PAY BALANCE C.O.D.

DEALER GREAT LAKES BATTERY CO DEPT. 27-KENOSHA. WISCONSIN



The state of the s

S

425 RB

ine

L S

tery nodel ing. nigh. hold ools, ndle, se, 5

have low!

ON END O.D.

CO

APPRON RACER—Speed, looks, race of this National Air Race filly recreated for new flying m. A great model. 18" wing span \$1.38



SPAD — Eddie Rickenbacker's famous World War I fighter; This great "Bipe" will please anyone. A swell kit with complete authentic decal insignis.



HOWARD "IRE" — Most famous of American Air Racers. Winner of Shell Trophy. Completely prefabricated. Best flying model in the Enterprise scale medel line.



SLOCK TRICK—Miniature stuntsport model that looks and flies like large stunters. An all-time Enterprise favorite. 18" wing spm \$1.00



CURTISS HAWK P8-E—A famous Army Air Force pursuit plane of the 1930's. Biplane design. 14" wing span \$1.29

ENTERPRISE MODEL AIRCRAFT

If no local dealer is convenient, mail orders will be filled by ENTERPRISE MODEL AIRCRAFT, DEPT. M-117, MINEOLA, NEW YORK. PLEASE INCLUDE 25c packing and postage.

#### WARPLANE FANS!

#### THREE NEW EDITIONS FOR YOUR AIR AGE TECHNICAL LIBRARY





Ideal for Collectors, Scale Modelers, Aviation Fans. Each of these fact-jammed 16-page booklets contains all the dope, specs and historical background of these famous warplanes plus an authentic three-

view drawing and numerous photographs. to-get data on various modifications, develop-ment of each type. These booklets will be a price-less reference. All checked out by the Manufacturers

Still available In limited quantities B-29

Modern all-weather Jet fighter ... 504

> Super Fortress Classic bomber World War II... 504

AIR AGE INC. 551 Fifth Ave., New York 17, N. Y.

Herewith S for the following booklets in your TECH MANUAL Series at 504 each.

MARKET MARKET

☐ En	clos	ed	\$2.00	for	all	four	copi	es.
copies	F-86	Sab	ire		copies	B-47	Strate	et
copies	F-94	Sta	rfire		copies	B-29	Super	Fortre

Name	
Address	
City	State

Take-off was scheduled at dusk to take advantage of a full moon during the night and a daylight landing at destination. The and a daying the shifting at destination. The moon was full, to be sure, but the three aircraft ran into dense fog toward the end of the hop. N. C. I and N. C. 3 became lost and both landed in the open sea to establish their location. Both ships subsequently were badly damaged by high seas and unable to take off, and began taxying to the Azores.

N. C. 3, with the organizer of the flight. Commander Towers in charge, managed to navigate some 200 miles, taxying to Ponta Delgada, Azores, over the open seas. N. C. 1, with Lt. Cmdr. Bellinger in charge, taxied for about five hours before being found by the destroyer, Ionia. Badly shipping water, the N. C. 1 sank at sea before she could be salvaged, but the crew was taken aboard the Ionia unharmed. Much credit for saving of the crew is due to the fine work of the pilot of the N. C. 1, (then) Lt. Cmdr. Mark A. Mitscher, who became a distinguished Admiral in World War II.

N. C. 4, destined to complete the transatlantic flight, landed at Morta May 17 and flew to Ponta Delgada on May 20. Seven days later, the N. C. 4 completed her to navigate some 200 miles, taxying to

Seven days later, the N. C. 4 completed her flight to Lisbon, Portugal. The Atlantic was conquered!

Then, on May 31, 1919, the N. C. 4 flew to Plymouth, England, where a grand and unexpected welcome awaited the success-

A final note to the success of the Navy's transatlantic flight is the fact that no lives were lost in spite of the two forced landings at sea. When the crews arrived intact at Hoboken aboard the transport "Zeppelin," it was a grateful nation that "Zeppelin," it was a grateful nation that welcomed these intrepid fliers who brought to the birthplace of powered flight the honor of first crossing the Atlantic by airplane.

#### **Foreign Notes**

(Continued from page 31)

from Maurice Hammond in Cochabamba, Bolivia. Mr. Hammond, who moved to Bolivia in 1951 as a protestant missionary, first began model building in 1931, studied aeronautical engineering at the University of Minnesota and served in the Navy during the war as an aircraft electronics technician, afterwards acquiring a pilot's license and a seminary degree. Subsequently, he organized, in Bolivia, a model club under "Sky Pilots of America, International" which now also has branches in Japan, Mexico, and Alaska, as well as the U.S. and Canada.

Cochabamba has excellent model flying weather insofar as the mean year-round temperature is about 65 degrees and there is almost no wind except during a period of about two months of the year. The altitude (8,500 feet) has some effect on stunt models, making it necessary to open up maneuvers, but is not so bad as in the capimaneuvers, out is not so bad as in the capi-tal, La Paz, where, at the 28-mile high air-port (the highest in the world, it is said) motors perform so badly in the thin air that most Half-A's will not even start. On the other hand, thermals are very strong and gliders and rubber jobs go o.o.s. easily.

In general, control-line is preferred because mountainous and jungle terrain makes retrieving free-flight models some-what hazardous. Great interest has, however, been shown in club flying demonstrations. Every flying session brings people running from all over the neighborhood, says Mr. Hammond, and a stunt and com-(Continued on page 60)

#### NOW AVAILABLE

#### JUST OFF THE PRESS!

Reprints of Four Great favorites in the Air Age Technical Library!

By popular request, another set of four of the outstanding airplanes of the lost great war have been reprinted. Fan mail proves these "'greats' to be as popular now as they were then. Plans, pictures, and data make each a priceless item for model builders, historians, callactors, and fans. Each booklet pictures and describes all the not models that were involved









AIR AGE INC. 551 Fifth Ave., New York 17,	
Herewith \$ for the following	9
booklets in your TECH MANUAL Series of each.	af
☐ Enclosed \$2.00 for all four copies.	
copies B25 Mitchellcopies P40 Warha	ıwk
copies B24 Liberatorcopies B17 Fortre	255
Nome	***
Address	
City State	111

MO

#### MODEL AIRPLANE NEWS . . . list of approved Distributors

SEND FOR OUR **BIG CATALOG** 

es y!

504

**ess** 

. 504

8

N.Y

ess

MODEL AIRPLANES RAILROADS CRAFTS . TOYS

DEALERS HOBBY



NATIONAL'S HOBBIES & CRAFTS

nsumer Edition A

hational MODEL DISTRIBUTORS, Inc. Chicago 14, Illinois

DEALERS! Don't Miss Outl Write For Our Exclusive "GUARANTEED PROFIT PROGRAM"

> WE SUPPLY EVERY BRAND AIRPLANES RAILROADS
>  ENGINES, PLASTICS ETC.



Specializing in Export, APO & FPO Shipments MOD-AD AGENCY, INC. 146 West 22nd St., New York 11, N.Y.

#### P. O. Box 10353-C 2940 Southwest Blvd. 2009 Farrington Dallas, Texas Kansas City B. Me.

SUPPLY

Bronco-Modelcraft Inc. 55 WEST 17th STREET, NEW YORK II. N.Y.

Wholesale Distributors - Est. 1932.

We sell to the Armed Forces - and invite inquiries from foreign markets.

"Planned Hobby Depts ..... Our Specialty"

PHILADELPHIA'S ONLY WHOLESALE HOBBY SELF-SERVICE MARKET

3218 N. 11th St., Phila. 40, Pa.

CALIFORNIA HOBBY

"Everything in Airplane Models for Southern California" WEST OF THE ROCKIES ONLY 5751 HOLLYWOOD BLVD., HOLLYWOOD 28, CALIF. HOllywood 7-5334

16

WHOLESALE

Model Planes & Ships Vehicles — Tools Motors — Engines Crafts & Supplies

Since 1928 Service to the Hobby Trade
"We Ship Anywhere in the World"

BOX 10132 - 717 JEFFERSON HWY NEW ORLEANS 21, LA.

TOYS HOBBIES CRAFTS GAMES 30.000

ONE CATALOG ONE BILL ONE ORDER ONE BOOK ENTRY

AARGO KRAFT

DISTRIBUTORS, INC.

419 S. 6th STREET, MINNEAPOLIS 15, MINNESOTA

MAXWELL MODEL DISTRIBUTORS INC.

> SERVING THE WEST COAST PROMPT SERVICE

3000 SOUTH HILL ST., LOS ANGELES 7, CALIF.

Everytking DEALERS NEED **MODEL-CRAFT** MODEL-CRAFT HOBBIES, INC. ROL · MODEL PLANES S · MOTORS · CRAFTS

RADIO CONTROL • MODEL PLANES
TRAINS • SHIPS • MOTORS • CRAFTS
EXPORTS-IMPORTS, THE WORLD OVER

SEND FOR FREE PYLON . . . 314 FIFTH AVE., Dept. M, N.Y.C. 1 ATTOMOS ...... FOR IMMEDIATE SERVICE

TRIPLE C CORP., 5700 EUCLID AVE., CLEVELAND 3, OHIO . UTAH 1-8010 You'll be WAY AHEAD'



Western Model Distributors

2401 SOUTH BROADWAY

1104 FIFTH AVENUE

#### LEITZSEY MODEL DISTRIBUTORS

"First in Service"

The South's largest Exclusive Hobby and Toy Distributor.

P.O. Box 3066, Columbia, South Carolina.

MODEL SUPPLY COMPANY

TWO Convenient Locations



3961 Olive Street St. Louis 8, Mo.


7541 S. Halsted St. Chicago 20, Illinois.

#### CORR'S Inc.

Everything in Model Airplanes, Motors, Ships, Railroads, Crafts and Military Miniatures

812-818 9th STREET N.W., WASHINGTON 1, D.C.

MODEL AIRPLANE NEWS . . . list of approved Distributors



AT LAST-A Model Helicopter that anyone can fly. The Rotary Space Ship is made of hard aluminum, it measures overall, weighs five ounces, has automatic wing adjustment, is powered by an .049 Gas Engine and will fly more than 1,000 feet high.

It will be shipped in a strong box, fully assembled and ready to fly. Also included are full instructions, Battery wires and Eyedrop filler.

All you will need to start it flying is a 11/2 volt Battery and some Glo-plug fuel.

Send \$10.00 to Brown Manufacturing Co., 121 N. 2nd St., Clinton, Missouri and the Rotary Space Ship will be sent to you transportation paid

Brown Manufacturing Co. Clinton, Mo.

bat demonstration made at a recent sports festival in the Cochabamba Municipal Stadium in honor of Bolivia's president, Dr. Hernan Siles, turned out to be the sensation of the day. As a result of this demon-stration, the Bolivian civil aeronautics board has decided to sponsor a national contest.

Bolivia is, of course, one of the places where balsa grows and plentiful stocks are, therefore, always available, which are cut on a small circular saw. Most other supplies: motors, fuel, cement, etc., have to be obtained from the U.S. and this presents some difficulties, due to import restrictions and high tariffs (100%). With the growing acceptance of the hobby, however, there will doubtlessly be some easing of the situation and we look forward to hearing of further progress from Bolivia and wish Maurice Hammond continued success in his good work. In Brief .

Czechoslovakia . The Model Research Center at Brno, which has been mainly responsible for the outstanding MVVS model racing engines, is now turning its attention to free-flight motors for 1958-for the next World F/F Championships.

Switzerland . . . Seen at Geneva: a beautifully-built C/L stunt Pitts-Skelton "Little Stinker" of 7-ft. span and 1½ sq. yards of wing area. Weight: 8-lbs. and not even the Mac 60 fitted could cope.

Italy . . . Rumored: a new twin-cylinder racing glow .15 motor from B.40 designer Barbini. New to the racing car field: the E.T.1. a twin-shaft Diesel .15 which looks like a copy of the all-conquering Oliver.

#### MAN at Work

(Continued from page 7)

Ole Gilliam was right. What do you do the second time around on these Nationals stories? Still you can't say that if you've seen one, you've seen them all. Over 350 entries in radio, an all-week event that is a Nationals within a Nationals, aloof, independent. Here to see, Chet Lanzo's RC museum piece from the Akron Nationals and when was that? It had a wire plyon, ala Bassett's first gas model, a winner long before the war. Two wars ago. The Good brothers winning at Detroit in 1939 (was it?) A miracle it seemed. Modelers would never conquer radio. Jim Walker winning the next year because he taxied out and

#### ADVERTISING INDEX-NOV., 1957

ADVERTISING INDEX—NO
Ace Radio Control
Acme Processing Co.
Ambroid Co., Inc.
American Telasco, Ltd.
Barkelsy Models, Inc.
Barkelsy Models, Inc.
CG Electronics Corp.
Comet Model Telasco, Ltd.
L.M. Cox Mfg. Co.
Craft, Model & Hobby Industry
The deBolt Model Engineering Co.
Distributors' Page
Dooling Bros.
Letzan Products Co. 6, 7, 8, 62, 63, 64, 4th core 40, 41 38, 46 59 Dooling Bros. ...... Ectron Products Co. Ectron Products Co.
ESSCO
Enterprise Model Aircraft Co.
Enterprise Model Aircraft Co.
Eureka Enterprises, Inc.
Forster Bros.
Fox Manufacturing Co.
Francisco Laboratories
Carl Goldberg Models, Inc.
Great Lakes Battery Co.
Grish Bros.
Paul K. Guillow, Inc.
Gull Model Airplane Co.
Harkimer Tool & Model Works
Holland Engineering Co.
Jaico Products Co.
K & B A Allyn Co.
K & B Allyn Co.
Keystone Models
Lafayette Radio
Modelcraft
Modelincaby
Monogram Models
National Model Distributors, Inc.
Cotura Models
National Models
National Models
National Models
National Models
Cotura Models
National Models
Cotura Models
Cotura Models
National Models
Cotura Models 38, 44, 51, 55 2d cover Radiomodels

J. Roberts Model Mfg. Co. ....
Scientific Model Airplane Co.
Spaulding & Co.
Sterling Models Spaulding & Co.
Sterling Models
Stewart/Lundahl Co.
Sullivan Products
Tatone Products
Tatone Products
To Flite Models, Inc.
U.S. Sea & Air Photos
Veco Products Corp.
World Engines
X-Acto, Inc. 32, 33 42, 43



Most Complete Book ON \$2.00 Model Motors!

ENGINES

Op

Hobb vinyl to 1

chro again

Но п oper hobb mode

MOI

Fo

AIR AGE INC. 551 Fifth Ave., New York 17, N.Y. WING SPAN-56" USES .15 to .19

USES .15 to .19 WING SPAN-56" **ENGINES** SUPER

Kin \$11.95

SUPERIOR KITS

deBOLT MODEL ENGINEERING CO.

Home of Design-engineered Models

SEE YOUR HOBBY DEALER



All you need is a piece of wood and a set of X-acto tools...and, like magic, you develop your own exclusive design. Did you know that most professional designers build their models with X-acto tools?



e

NES

1.95

X-acto's line of airplane tools is the greatest! Just a lew: Knivas, Pliers, Files, Pin Vise, Hand Drill, Sander, Clamps.

X-ACTO, INC. 48-53 Van Dam Street Long Island City 1, N.Y.

For that "Finishing Touch"



New and Improved.

Operates from vacuum cleaner.

Give your model that "finishing touch"! The hobby Spray Gun sprays any type of paint, dope, winyl, lacquer, or water-base paint. Will spray up to 10 sq. ft. with one filling of 48 cc. jar. It is chrome plated for easy cleaning and protection against chemical action. Includes vacuum attachment. May be used with piped or compressed air. No moving parts, always in adjustment, simple to operate. The ideal spray gun for modelers and hobby ists and the do-it-yourself fan . . . paint your model planes, cars, trains, boats, display shelves, etc.—the Hobby Spray Gun gives them that "finished touch".

#### stewart/lundahl co.

7342 Fulton Avenue North Hollywood, California

took off; Siegfried the year after with a loop. Wow! Joe Konefes Buzzard Bombshell free flight in Chicago playing tag with the clouds for 45 minutes. The Ohlsson 60 was the bomb that year. Walker demonstrating the first Fireball and no one having any, thank you! Who wants a model on wires? Who indeed. J. C. Madman Yates, stuntting his Orwick 60 Madman, darn near free flighting overhead on eights, with lines deeply bowed, J. C. not moving at all, relaxed, just steering the thing through maneuvers. And it had dihedral! Minneapolis that was. Ray Arden handing out samples of glow plugs there. What is this samples of glow plags titlet. That is thing? Why don't they stop fiddling around? The "shoe-polish" glow fuels. Novelty stunt events, glider towing, etc. Slagle, bare footed at Wichita stunning everyone with his stunt performance. The 100 mph speed barrier smashed. Who would ever beat Wallich and Newberger in speed and whatever happened to them? Storey and McBraver with the team race idea and sample planes (Storey's Key) at the 1948 Olathe meet. Perhaps it is the firsts that make the story?

Contestants who rode bikes to the Nats. Clubs who hired or even bought broken down old buses for 1,000 mile safaris to the biggest of all meets. Goldberg with a pylon, unimpressive, at closing time in De-troit in '38 and his Zippers blew the lid off in '39. Beeler's Arrows. Shulman's helper in 1940 who scaled a moving free train to continue the chase for a Wedgie. A man is as good as his helper. The greatest rubber model ever designed, Jim Cahill's Clodhopper, floating on a dark afternoon in Detroit when nothing else would stay up. Alvie Dague's and Roy Wriston's skyrocketing rubber jobs. Who can forget the Tulsa boys! Those quarter-to-five finishes in D speed as the California boys fought it out. Dallas thermals. The clear, blue sky, dotted with white specs' thousands of feet high. Models coming down as much as 60 miles away. Enthrop's 24-foot free flight, a pin point in the blue. Hugh hand gliding the thing in the hangar one night-like an indoor model, almost. Goldberg's Valkyrie, with 1,400 pieces of wood, predating the Zippers.

Trophies have changed. The great name trophies are all gone. Remember the Texaco trophy for gas? The Mulvihill—going back to the twenties, this venerable and beyond-value trophy is now thrown in as an extra. Bob Hatschek won it this year and called it the thrill of his life. The Moffett. It took two men to tote some of the oldies. The Stout. Now that trophies are given away by the hundreds, like blue stamps, no one can service and repair damaged perpetuals. It takes five hours to hand out the trophies. There is no prestige to winning. Nobody cares about publishing winning models.

► Radio models do wild spins, Cuban eights. A jet hit 178 mph, an A speed job 155 plus. So what. Bud, did you see those keen looking juniors. Can some of these kids fly models! Great to see them on the field, mending, readying, flying. Making friendships for years to come. Here, we suspect is the real story. You'd have to be a junior to tell it.



Insist on EUREKA KITS—the most complete kits on the market. All parts pra-cut by hand, balse planking, formed geers, rubber tires, gas tanks, props, decals, hardware, full size blue prints. Some feature alum cowlings and completed full shock goar plus all flight tested designs.

If your dealer can't supply you, order direct from ENTERPRISES, INC.

Tel. No.

FO 5-9894

115 W. GRAND

OKLAHOMA CITY, OKLA.

MODEL AIRPLANE NEWS . November, 1957





Lockheed

#### P-SS LIGHTHING<sup>M</sup>

For Two .14 to .29 Engines—41" Wingspan—¾" Scale

MWar II fame, the "P-38" Lightning makes a great twin controlle. Carved and hollowed fuselages included.

Kit No: 8-4 \$8.95

• Carved & Hollowed Nacelles • Formed Cellulaid Bubble Canopy

Complete Full Color Decals

Cut Balsa and Plywood Parts



sident Elsenhower's


#### COMMANDER<sup>20</sup>

USAF

A heavy-ful twin engine model, and an excellent flyer. Plans are highly desailed for rapid assembly. Corved and hollowed fuseloge and nozelles greatly simplify construction. Desails are subhestic. Twin engine flying is really fun - why miss if?

. Corved and Hilliowed Emelogs

For .074 to .15 Engines - %" Scale - 23%" Wingspan



d Jimmy Doolimle's Historic Tokyo Raider

American B-25 MOTGHELL

Kit Hot 8-2 \$14.95



SBD DOUGLAS

NAVY DIVE BOMBER

For .14 to .36 Engines—31" Wingspan—¾" Scale

As a flying scale design or Navy Carrier type model, this plane is a beautiful flyer. Easy to control, responsive, with excellent take-off and landing qualities. The dive brakes can be made to operate for landings if desired, or rigged to open on full-down elevator. With motor control added, you can make realistic power-on carrier landings.

Since 1933 Leculer in Counting Woodel . hits BERKELEY MODELS INC., WEST HEMPSTEAD, NEW YORK, U.S.A.

# "MODEL OF THE

Berkeley

#### SCALE DESIGNS

EASY TO BUILD!

#### PERFECT FOR

For .020 to .049



TRI-PACER

AIRCOUPE



e won First Places at every Nationals from 1938 thru 1957.

gh performance, detailed and authentic flying scale designs ocked .020 engines. Light in weight for high performs detailed for the exacting builder. Perfect for small fields



Authentic Multi-color Decal

All Necessary Hardware

• Full Size Detailed Plans

· Formed Wire Landing Gear

Die-Cut Balsa and Plywood

BIRD DOG"

BERKELEY MODELS INC. WEST HEMPSTEAD, NEW YORK, U.S.A.

.PROOF OF



THE PUDDING!

Partial list of 1957 Nationals Winners using Fox Motors: \*

#### ★ STUNT

All First Place Winners were Fox powered

1st Junior: Bob Winks - Fox 35 1st Senior: Arthur Pawloski - Fox 35 1st Open: George Aldrich - Fox 35

#### RADIO CONTROL

1st in Rudder Only: Richard C. Allen — Fox 35 1st in Multi-Channel: Bob Dunham - Fox 35

#### CONTROL LINE ENDURANCE

Non-Refueling

Thomas Deville set a new record of 1 hour, 34 minutes, 19 seconds with a

#### COMBAT

Senior and Open First Place Winners were Fox powered

1st Senior: Arthur Pawloski - Fox 35 1st Open: Joseph Kastetter - Fox 35

#### TEAM RACING

Robert Hemingway - Fox 29

#### \* CONTROL LINE ENDURANCE

Refueling (Non-sanctioned event)

Otto B. Sendish set a new world's record of 37 hours, 15 minutes a few weeks before the Nationals with a Fox 59.

#### CONGRATULATIONS to these and

to the many other winners not listed.

NOTE: We believe this information to be accurate: however, the short time between the Nationals and closing date of this publication made it impossible to double check.



**FOX** . . .

The

"Winningest"

Motor


Fox 35 Stunt

u 1957 esign fields

arts



32nd STREET, FORT SMITH, ARKANSAS



Berkeley's

For Free-Flight or Stanzel's Mon-

HIGH PERFORMANCE DUCTED FAN DOUGLAS S 13 Y P A Y F4D

Designed by: Henry Struck

THE PERTURE

- Ready-to-Install Metal Propulsion Fan
- Formed Celluloid Bubble Canopy
- Complete Full Color Decals
- Die-Cut and Shaped Balsa Parts
- Covering Material



Aluminum pusher type Fan is included, and is ready to use.

#### FULL SCALE AIRPLANE:

The F4D-1 "Skyray" is a standard carrier-based fights
U.S. Navy. Over 100 of these delta type interceptors
operation, and production orders will continue through

The ''Skyray'' officially set a world speed record for kilometer closed circuit of 728.11 miles an hour. The is powered by the famed Pratt and Whitney ''J-57'' jet

#### BERKELEY'S KIT MODEL:

First kit model with internal ducted fan to produce in Henry Struck has been experimenting and testing this propulsion for the past five years, - resulting in refined ducted fan design, developing six thrust, - ample power for free-flight sight flights were common on origin

New pull-starter type engine connections make starter and possible etimout or opening hatches

Since 19:13 Leader in Creatice Madel A

BERKELEY MODELS INC.

WEST HEMPSTEAD, NEW YORK, U.S.A.

Full Size Berkeley Detailed Plans and Special Instructions

Dfighter ceptors through d for the